

INTERNATIONAL STANDARD

IEC 61000-4-7

Second edition
2002-08

BASIC EMC PUBLICATION

Electromagnetic compatibility (EMC) –

Part 4-7:

Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

*This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.*



Reference number
IEC 61000-4-7:2002(E)

INTERNATIONAL STANDARD

IEC 61000-4-7

Second edition
2002-08

BASIC EMC PUBLICATION

Electromagnetic compatibility (EMC) –

Part 4-7:

Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

© IEC 2002 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CONTENTS

FOREWORD	7
INTRODUCTION	11
1 Scope	13
2 Normative references.....	13
3 Definitions, symbols and indices	15
3.1 Definitions related to frequency analysis.....	15
3.2 Definitions related to harmonics.....	17
3.3 Definitions related to distortion factors.....	19
3.4 Definitions related to interharmonics.....	21
3.5 Notations	23
3.5.1 Symbols and abbreviations	23
3.5.2 Indices.....	25
4 General concepts and common requirements for all types of instrumentation.....	25
4.1 Characteristics of the signal to be measured	25
4.2 Accuracy classes of instrumentation	25
4.3 Types of measurement	25
4.4 General structure of the instrument.....	27
4.4.1 Main instrument	27
4.4.2 Post-processing parts	29
5 Harmonic measurements	31
5.1 Current input circuit	31
5.2 Voltage input circuit.....	31
5.3 Accuracy requirements	33
5.4 Measurement set-up for emission assessment.....	35
5.5 Assessment of harmonic emissions	37
5.5.1 Grouping and smoothing	39
5.5.2 Compliance with emission limits.....	41
5.6 Assessment of voltage harmonic subgroups	41
6 Other analysis principles.....	41
7 Transitional period	43
8 General	43
Annex A (informative) Measurement of interharmonics.....	45
Annex B (informative) Measurements above the harmonic frequency range up to 9 kHz.....	49
Annex C (informative) Technical considerations for grouping method	53
Bibliography.....	71
Figure 1 – General structure of the measuring instrument	29
Figure 2 – Measurement set-up for single-phase emission measurement	35
Figure 3 – Measurement set-up for three-phase emission measurements.....	35

Figure 4 – Illustration of harmonic and interharmonic groups (shown here for a 50 Hz supply).....	39
Figure 5 – Realisation of a digital low-pass filter: z^{-1} designates a time window delay, α and β are the filter coefficients (see table 2 for values)	39
Figure 6 – Illustration of a harmonic subgroup and an interharmonic centred subgroup (of a 50 Hz supply).....	41
Figure B.1 – Illustration of frequency bands for measurement, in the range 2 kHz to 9 kHz	51
Figure C.1 – Large 5th harmonic current fluctuation	59
Figure C.2 – Large 5th harmonic voltage fluctuation.....	59
Figure C.3 – Fluctuating 3rd harmonic current of a micro-wave appliance	61
Figure C.4 – Communication signal of 178 Hz together with 3rd and 5th harmonics	63
Figure C.5 – Interharmonic at 287 Hz, 5th and 6th harmonic	63
Figure C.6 – Modulated 5th harmonic and interharmonic at 287 Hz.....	67
Figure C.7 – Component vectors at frequencies of 245 Hz and 255Hz.....	69
Table 1 – Accuracy requirements for current, voltage and power measurements	33
Table 2 – Smoothing filter coefficients according to the window width	43

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-7 has been prepared by subcommittee 77A: Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard forms part 4-7 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This second edition cancels and replaces the first edition published in 1991, and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
77A/382/FDIS	77A/387/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A, B and C are for information only.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of July 2004 have been included in this copy.

INTRODUCTION

IEC 61000 is published in separate parts, according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)
Definitions, terminology

Part 2: Environment

Description of the environment
Classification of the environment
Compatibility levels

Part 3: Limits

Emission limits
Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques
Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines
Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Other will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).

These publications will be published in chronological order and numbered accordingly.

This part is an International Standard for the measurement of harmonic currents and voltages in power supply systems and harmonic currents emitted by equipment. It also specifies the performance of a standard measuring instrument.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

1 Scope

This part of IEC 61000 is applicable to instrumentation intended for measuring spectral components in the frequency range up to 9 kHz which are superimposed on the fundamental of the power supply systems at 50 Hz and 60 Hz. For practical considerations, this standard distinguishes between harmonics, interharmonics and other components above the harmonic frequency range, up to 9 kHz.

This standard defines the measurement instrumentation intended for testing individual items of equipment in accordance with emission limits given in certain standards (for example, harmonic current limits as given in IEC 61000-3-2) as well as for the measurement of harmonic currents and voltages in actual supply systems. Instrumentation for measurements above the harmonic frequency range, up to 9 kHz is tentatively defined (see Annex B).

NOTE 1 This document deals in detail with instruments based on the discrete Fourier transform.

NOTE 2 The description of the functions and structure of the measuring instruments in this standard is very explicit and meant to be taken literally. This is due to the necessity of having reference instruments with reproducible results irrespective of the characteristics of the input signals.

NOTE 3 The instrument is defined to accommodate measurements of harmonics up to the 50th order.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61967-1, *Integrated circuits – Measurement of electromagnetic emissions, 150 kHz to 1 GHz – Part 1: Measurement conditions and definitions*¹

¹ To be published