

INTERNATIONAL STANDARD

IEC 61400-25-2

First edition
2006-12

Wind turbines –

Part 25-2: Communications for monitoring and control of wind power plants – Information models

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XC**

For price, see current catalogue

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	10
4 Abbreviated terms	10
5 General	13
5.1 Overview of logical node classes.....	13
5.2 Use of logical node classes	15
5.3 Extensions of the information model.....	15
6 Wind power plant logical node classes	16
6.1 System specific logical nodes.....	16
6.2 Wind power plant specific logical nodes	18
6.3 Data name semantic.....	34
7 Common data classes	45
7.1 Basic concepts for common data classes (CDC).....	45
7.2 Common data class attributes	48
7.3 Wind power plant specific common data classes (CDC).....	53
7.4 Common data classes inherited from IEC 61850-7-3	61
7.5 Common data class attribute semantics	63
Annex A (normative) Information model for statistical data and historical statistical data	68
Annex B (normative) Value range for units and multiplier	73
Annex C (informative) Wind Power Plant Controller	76
Annex D (informative) List of mandatory logical nodes and data	82
Figure 1 – Conceptual communication model of the IEC 61400-25 series	9
Figure 2 – Relationship of logical nodes.....	13
Figure 3 – Use of instances of logical nodes	15
Figure A.1 – Conceptual model of statistical and historical statistical data (1).....	69
Figure A.2 – Conceptual model of statistical and historical statistical data (2).....	70
Figure C.1 – Conceptual structure of the wind power plant control functions	76
Figure C.2 – Schematic illustration of the active power limitation control function	77
Figure C.3 – Schematic illustration of the gradient power control function	78
Figure C.4 – Schematic illustration of the delta power control function.....	78
Figure C.5 – Schematic illustration of a combined control – including gradient, delta and active power limitation control	79
Figure C.6 – Schematic illustration of the apparent power control function.....	79
Figure C.7 – Schematic illustration of the reactive power control function	80
Figure C.8 – Schematic illustration of the power factor control function.....	81
Figure C.9 – Schematic illustration of the voltage control function using reactive power control	81

Table 1 – System specific logical nodes.....	13
Table 2 – Wind power plant specific logical nodes	14
Table 3 – Wind turbine specific logical nodes.....	14
Table 4 – Wind power plant common logical node class.....	16
Table 5 – Logical node zero class	17
Table 6 – Physical device information class	17
Table 7 – LN: Wind turbine general information (WTUR).....	18
Table 8 – LN: Wind turbine rotor information (WROT).....	19
Table 9 – LN: Wind turbine transmission information (WTRM).....	20
Table 10 – LN: Wind turbine generator information (WGEN)	21
Table 11 – LN: Wind turbine converter information (WCNV).....	22
Table 12 – LN: Wind turbine transformer information (WTRF).....	23
Table 13 – LN: Wind turbine nacelle information (WNAC).....	24
Table 14 – LN: Wind turbine yawing information (WYAW).....	25
Table 15 – LN: Wind turbine tower information (WTOW).....	25
Table 16 – LN: Wind power plant meteorological information (WMET).....	26
Table 17 – LN: Wind power plant alarm information (WALM).....	27
Table 18 – LN: Wind turbine state log information (WSLG).....	27
Table 19 – LN: Wind turbine analogue log information (WALG).....	29
Table 20 – LN: Wind turbine report information (WREP).....	32
Table 21 – LN: Wind power plant active power control information (WAPC).....	33
Table 22 – LN: Wind power plant reactive power control information (WRPC).....	34
Table 23 – Data name semantic.....	35
Table 24 – General table structure of a common data class (CDC).....	46
Table 25 – Common data class attributes	47
Table 26 – Conditions for the presence of an attribute	47
Table 27 – CDC: Attribute basic types	48
Table 28 – Analogue value	48
Table 29 – TimeStamp type	49
Table 30 – TimeQuality definition.....	50
Table 31 – TimeAccuracy	50
Table 32 – Quality	51
Table 33 – Unit	51
Table 36 – Wind power plant specific common data classes	53
Table 37 – CDC: Setpoint value (SPV).....	54
Table 38 – CDC: Status Value (STV).....	55
Table 39 – CDC: Alarm (ALM).....	56
Table 40 – CDC: Command (CMD).....	57
Table 41 – CDC: Event counting (CTE).....	58
Table 42 – CDC: State timing (TMS).....	60
Table 43 – CDC: Alarm Set Status (ASS).....	61
Table 44 – Specialized common data classes	62

Table 45 – Device name plate common data class specification WDPL.....	62
Table 46 – Common data class attribute semantic	63
Table A.1 – Description of Data	71
Table A.2 – Object reference setting group common data class specification	72
Table B.1 – SI units: base units	73
Table B.2 – SI units: derived units	73
Table B.3 – SI units: extended units.....	74
Table B.4 – SI units: industry specific units.....	74
Table B.5 – Multiplier	75
Table D.1 – Mandatory system specific logical nodes	82
Table D.2 – Mandatory wind power plant specific logical nodes	82
Table D.3 – Mandatory wind turbine specific logical nodes.....	82
Table D.4 – Mandatory wind power plant specific common data classes (CDC)	82
Table D.5 – Mandatory common data classes inherited from IEC 61850-7-3	83
Table D.6 – Mandatory common data classes inherited from IEC 61850-7-3 and specialised.....	83

Withdrawal

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND TURBINES –

Part 25-2: Communications for monitoring and control of wind power plants – Information models

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-25-2 has been prepared by IEC technical committee 88: Wind turbines.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The text of this standard is based on the following documents:

FDIS	Report on voting
88/275/FDIS	88/281/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 61400 series, under the general title *Wind turbines* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Withdrawn

INTRODUCTION

The IEC 61400-25 series defines communication for monitoring and control of wind power plants. The modeling approach of the IEC 61400-25 series has been selected to provide abstract definitions of classes and services such that the specifications are independent of specific protocol stacks, implementations, and operating systems. The mapping of these abstract classes and services to a specific communication profile is not within the scope of this part of the IEC 61400-25 series but within the scope of future IEC 61400-25-4¹.

To reach interoperability, all data in the information model need a strong definition with regard to syntax and semantics. The semantics of the data is mainly provided by names assigned to logical nodes and data they contain, as defined in this part of the IEC 61400-25 series. Interoperability is easiest if as much as possible of the data are defined as mandatory.

It should be noted that data with full semantics is only one of the elements required to achieve interoperability. Since data and services are hosted by devices (IED), a proper device model is needed along with compatible domain specific services (see IEC 61400-25-3).

This part is used to specify the abstract definitions of a logical device class, logical node classes, data classes, and abstract common data classes. These abstract definitions are mapped into concrete object definitions that are to be used for a particular protocol.

The compatible logical node name and data name definitions found in this part and the associated semantics are fixed.

NOTE Performance of the IEC 61400-25 series implementations are application specific. The IEC 61400-25 series does not guarantee a certain level of performance. This is beyond the scope of the IEC 61400-25 series. However, there is no underlying limitation in the communications technology to prevent high speed application (millisecond level responses).

¹ To be published.

WIND TURBINES –

Part 25-2: Communications for monitoring and control of wind power plants – Information models

1 Scope

The focus of the IEC 61400-25 series is on the communications between wind power plant components such as wind turbines and actors such as SCADA systems. Internal communication within wind power plant components is outside the scope of the IEC 61400-25 series.

The IEC 61400-25 series is designed for a communication environment supported by a client-server model. Three areas are defined, that are modelled separately to ensure the scalability of implementations:

- 1) wind power plant information models,
- 2) information exchange model, and
- 3) mapping of these two models to a standard communication profile.

The wind power plant information model and the information exchange model, viewed together, constitute an interface between client and server. In this conjunction, the wind power plant information model serves as an interpretation frame for accessible wind power plant data. The wind power plant information model is used by the server to offer the client a uniform, component-oriented view of the wind power plant data. The information exchange model reflects the whole active functionality of the server. The IEC 61400-25 series enables connectivity between a heterogeneous combination of client and servers from different manufacturers and suppliers.

As depicted in Figure 1, the IEC 61400-25 series defines a server with the following aspects:

- information provided by a wind power plant component, for example “wind turbine rotor speed” or “total power production of a certain time interval”, is modelled and made available for access.
- services to exchange values of the modelled information defined in IEC 61400-25-3.
- mapping to a communication profile, providing a protocol stack, to carry the exchanged values from the modelled information (IEC 61400-25-4).

The IEC 61400-25 series only defines how to model the information, information exchange and mapping to specific communication protocols. The standard excludes a definition of how and where to implement the communication interface, the application program interface and implementation recommendations. However, the objective of the standard is that the information associated with a single wind power plant component (such as a wind turbine) is accessible through a corresponding logical device.

IEC 61400-25-2 specifies the information model of devices and functions related to wind power plant applications. In particular, it specifies the compatible logical node names, and data names for communication between wind power plant components. This includes the relationship between logical devices, logical nodes and data. The names defined in the IEC 61400-25 series are used to build the hierarchical object references applied for communicating with components in wind power plants.

This part of IEC 61400-25 specifies common attribute types and common data classes related to wind turbine applications. In particular it specifies common data classes for:

- setpoint value,
- status value,
- alarm,
- command,
- event counting,
- state timing,
- alarm set status.




Figure 1 – Conceptual communication model of the IEC 61400-25 series

Devices implementing the information model of this part shall choose one or more logical nodes as required by the application.

NOTE 1 The IEC 61400-25 series focuses on the common, non-vendor-specific information. Those information items that tend to vary greatly between vendor-specific implementations can for example be specified in bilateral agreements or by user groups.

NOTE 2 This part does not provide tutorial material.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61400-25 (all parts), *Wind turbines - Part 25: Communications for monitoring and control of wind power plants*

IEC 61850-5, *Communication networks and systems in substations – Part 5: Communication requirements for functions and device models*

IEC 61850-7-1:2003, *Communication networks and systems in substations – Part 7-1: Basic communication structure for substations and feeder equipment – Principles and models*

IEC 61850-7-2:2003, *Communication networks and systems in substations – Part 7-2: Basic communication structure for substations and feeder equipment – Abstract communication service interface (ACSI)*

IEC 61850-7-3, *Communication networks and systems in substations – Part 7-3: Basic communication structure for substations and feeder equipment – Common data classes*

IEC 61850-7-4, *Communication networks and systems in substations – Part 7-4: Basic communication structure for substations and feeder equipment – Compatible logical node classes and data classes*

ISO 639 (all parts), *Codes for the representation of names of languages*

ISO 1000, *SI units and recommendations for the use of their multiples and of certain other units*

ISO 3166 (all parts), *Codes for the representation of names of countries and their subdivisions*

RFC 2445, *Internet Calendaring and Scheduling Core Object Specification (iCalendar)*

Withdrawn