

This is a preview - click here to buy the full publication



ISO/IEC 14165-521

Edition 1.0 2009-01

INTERNATIONAL STANDARD

**Information technology – Fibre channel –
Part 521: Fabric application interface standard (FAIS)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

X

ICS 35.200

ISBN 978-2-88910-824-4

Contents	Page
FOREWORD	8
INTRODUCTION	10
1 Scope	11
2 Normative references	11
3 Definitions and conventions	12
3.1 Overview	12
3.2 Definitions	12
3.3 Editorial Conventions	16
3.4 Abbreviations and acronyms	16
3.5 Notation for Procedures and Functions	17
3.6 Enumeration Lists	17
3.7 Class-related definitions	18
3.8 Class diagram conventions	18
3.9 Keywords	23
3.10 T10 Vendor ID fields	24
4 Operational model	25
4.1 Overview	25
4.2 Operational layering	26
4.3 Client/Provider model	27
4.4 Service groups	27
4.4.1 Overview	27
4.4.2 General services	27
4.4.3 Port services	27
4.4.4 Front-end services	27
4.4.5 Back-end services	27
4.4.6 Volume management services	27
4.5 Framework	28
4.5.1 Function call type	28
4.5.2 Requests and completions	28
4.5.3 Function parameter block	28
4.6 Event notification	29
5 Object model	30
5.1 Overview	30
5.2 Model	31
5.3 Meta-Attributes	32
5.3.1 Description	32
5.3.2 Attributes	32
5.3.3 Relationships	32
5.3.4 Handles	32
5.3.5 Identifiers	34
5.4 Objects	35
5.4.1 BI	35
5.4.2 BIT	35
5.4.3 BITL	35
5.4.4 BITLSetEntry	36
5.4.5 BITLSetVDEV	36
5.4.6 BlockRange	37
5.4.7 Column	37
5.4.8 ConcatenatedVDEV	37
5.4.9 FAIS_Portal	38
5.4.10 FIT	38
5.4.11 FITL	39

5.4.12	FLUVDEV	39
5.4.13	FT	39
5.4.14	Mirror	40
5.4.15	MirroredVDEV	40
5.4.16	StripedVDEV	41
5.4.17	VDEV	41
5.4.18	XMapEntry	41
5.4.19	XMapVDEV	42
6	General services	43
6.1	Overview	43
6.2	Constants	43
6.3	Data structures	44
6.3.1	FAIS_ObjectType	44
6.3.2	FAIS_ClientRequest_Header	44
6.3.3	FAIS_ObjectCHandle	45
6.3.4	FAIS_ObjectPHandle	45
6.3.5	FAIS_ClientCHandle	46
6.3.6	FAIS_ClientPHandle	46
6.3.7	FAIS_HandleSet	46
6.3.8	FAIS_LUN	47
6.3.9	FAIS_Status	47
6.3.10	FAIS_ProviderInfo	48
6.3.11	FAIS_EnumerationFilter	49
6.3.12	FAIS_IO_Stats_T	49
6.4	Function Calls	50
6.4.1	fais_Init	50
6.4.2	fais_Delnit	51
6.4.3	fais_Object_Enumerate	52
6.4.4	fais_ObjectHandle_Update	52
6.4.5	fais_Get_IO_Stats	53
7	Port services	54
7.1	Overview	54
7.2	Constants	54
7.3	Data structures	54
7.3.1	FAIS_Protocol	54
7.3.2	FAIS_IPVERSION	54
7.3.3	FAIS_PortName_FCP	55
7.3.4	FAIS_PortName_ISCSI	55
7.3.5	FAIS_PortName	55
7.3.6	FAIS_RegionId	56
7.3.7	FAIS_Portal	56
7.3.8	FAIS_Portal_id_FCP	56
7.3.9	FAIS_Portal_id_ISCSI	57
7.3.10	FAIS_Portal_id	57
7.4	Function Calls	58
7.4.1	fais_Region_Enumerate	58
7.4.2	fais_Region_GetStatus	58
7.4.3	fais_Region_GetDetail	59
7.4.4	fais_Region_SetDetail	60
7.4.5	fais_Portal_Create	60
7.4.6	fais_Portal_Destroy	61
7.4.7	fais_Portal_GetStatus	62
8	Front-end services	64
8.1	Overview	64
8.2	Data structures	64
8.2.1	FAIS_FT	64

8.2.2	FAIS_FIT	64
8.2.3	FAIS_FITL	64
8.2.4	FAIS_FITLPermission	65
8.3	Function Calls	66
8.3.1	fais_FT_Create	66
8.3.2	fais_FT_Destroy	66
8.3.3	fais_FT_Activate	67
8.3.4	fais_FT_Deactivate	68
8.3.5	fais_FT_GetStatus	68
8.3.6	fais_FIT_Create	69
8.3.7	fais_FIT_Destroy	70
8.3.8	fais_FIT_GetStatus	70
8.3.9	fais_FITL_Create	71
8.3.10	fais_FITL_Destroy	72
8.3.11	fais_FITL_UpdatePermission	72
8.3.12	fais_FITL_AbortIOs	73
8.3.13	fais_FITL_GetStatus	73
9	Back-end services	75
9.1	Overview	75
9.2	Data structures	75
9.2.1	FAIS_BI	75
9.2.2	FAIS_BIT	75
9.2.3	FAIS_SCSI_CDB	75
9.2.4	FAIS_SCSIFlag	76
9.2.5	FAIS_SCSIStatus	76
9.2.6	FAIS_ResidualFlag	76
9.2.7	FAIS_TaskMgmtCmd	77
9.2.8	FAIS_TaskAttribute	77
9.2.9	FAIS_TaskMgmtResponse	78
9.2.10	FAIS_BITL	78
9.2.11	FAIS_SCSI_SCB	79
9.3	Function Calls	80
9.3.1	fais_BI_Create	80
9.3.2	fais_BI_Destroy	81
9.3.3	fais_BI_Activate	81
9.3.4	fais_BI_Deactivate	82
9.3.5	fais_BI_SendSCSICommand	82
9.3.6	fais_BI_GetStatus	83
9.3.7	fais_BIT_Create	84
9.3.8	fais_BIT_Destroy	85
9.3.9	fais_BIT_SendSCSICommand	85
9.3.10	fais_BIT_GetStatus	86
9.3.11	fais_BITL_Create	87
9.3.12	fais_BITL_Destroy	87
9.3.13	fais_BITL_SendSCSICommand	88
9.3.14	fais_BITL_GetStatus	88
10	Volume management services	90
10.1	Overview	90
10.2	Data structures	90
10.2.1	FAIS_BITLSetPathPolicy	90
10.2.2	FAIS_VDEV_ATTRIB_MASK	90
10.2.3	FAIS_VDEV	91
10.2.4	FAIS_FLU	92
10.2.5	FAIS_ConcatenatedVDEV	92
10.2.6	FAIS_VDEVType	92
10.2.7	FAIS_MirroredVDEV_ReadPolicy	93
10.2.8	FAIS_MirroredVDEV_WritePolicy	93

10.2.9 FAIS_XMapPermission	94
10.2.10 FAIS_XMAP_HINT	94
10.2.11 FAIS_StripedVDEV	95
10.2.12 FAIS_MirroredVDEV	95
10.2.13 FAIS_XMapVDEV	96
10.2.14 FAIS_BITLSetVDEV	96
10.2.15 FAIS_VDEVParam	97
10.2.16 FAIS_Column	97
10.2.17 FAIS_Mirror	97
10.2.18 FAIS_BlockRange	98
10.2.19 FAIS_XMapEntry	98
10.2.20 FAIS_BITLSetEntry	99
10.2.21 FAIS_ChildVDEVParam	100
10.3 Function calls	100
10.3.1 fais_VDEV_Create	100
10.3.2 fais_VDEV_Destroy	101
10.3.3 fais_VDEV_Update	101
10.3.4 fais_VDEV_AddChildren	102
10.3.5 fais_VDEV_RemoveChildren	103
10.3.6 fais_VDEV_Quiesce	103
10.3.7 fais_VDEV_Resume	104
10.3.8 fais_VDEV_Copy	104
10.3.9 fais_VDEV_GetStatus	105
Annex A (informative)	
Naming conventions	107
Annex B (informative)	
Implementation recommendations	108

Figure		Page
Figure 1 –	Class diagram conventions	19
Figure 2 –	Notation for association relationships for class diagrams	21
Figure 3 –	Notation for aggregation relationships for class diagrams	22
Figure 4 –	Notation for generalization relationships for class diagrams	23
Figure 5 –	Operational layering	26
Figure 6 –	Object model	31

Table	Page
Table 1 – ISO and American Conventions	16
Table 2 – Multiplicity notation	20
Table 3 – General services constants	43
Table 4 – Valid Timeout values	45
Table 5 – APIVersion Values	49
Table 6 – FAISEnumerationFilter_T values	49
Table 7 – fais_Init Flag bits	50
Table 8 – fais_Delnit flag bits	51
Table 9 – Port services constants	54
Table 10 – fais_Portal_Create flags	61
Table 11 – fais_FT_Create flags	66
Table 12 – fais_BI_Create flags	80
Table 13 – FAIS_BITLSetPathPolicy_T Policy values	90
Table 14 – FAIS_VDEV_ATTRIB_MASK_T values	91
Table 15 – FAIS_MirroredVDEV_ReadPolicy_T values	93
Table 16 – FAIS_MirroredVDEV_WritePolicy_T values	93
Table 17 – FAIS_XMAPHINT_T values	95
Table A.1 – FAIS naming conventions	107

INFORMATION TECHNOLOGY – FIBRE CHANNEL –

Part 521: Fabric application interface standard (FAIS)

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 10) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14165-521 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 14165 series, under the general title *Information technology - Fibre channel*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

INTRODUCTION

This International Standard defines an application programming interface (API) by which a storage application may perform the functions of one or more SCSI Targets or Initiators, and control high-performance command/data forwarding and manipulation facilities.

INFORMATION TECHNOLOGY – FIBRE CHANNEL –

Part 521: Fabric application interface standard (FAIS)

1 Scope

This part of ISO/IEC 14165 describes a set of functions and data structures in the C language abstracting the details of the FAIS_Platform from the implementation of a storage management application.

This standard defines an API only in the C language. Functionally equivalent APIs may be implemented in other languages but these are beyond the scope of this part of ISO/IEC 14165. All functions provided to operate with function specifications defined in this standard shall use C-style calling conventions. This constraint does not limit the internal implementation of components of a FAIS_Provider.

Unless specified otherwise in this standard, data structures and elements shall be stored in memory as determined by the local machine, operating system and C compiler.

This standard provides declarations for all data structures that it requires. Although these declarations may, in common practice, be combined into a C header file, this is not required by this standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document, including any amendments, applies.

The provisions of the referenced specifications other than ISO/IEC, IEC, ISO and ITU documents, as identified in this clause, are valid within the context of this International Standard. The reference to such a specification within this International Standard does not give it any further status within ISO or IEC. In particular, it does not give the referenced specification the status of an International Standard.

ISO/IEC 9899:1999, *Programming languages – C*

ISO/IEC 10646:2003, *Information technology - Universal Multiple-Octet Coded Character Set (UCS)*

ANSI INCITS 408-2005, *Information technology – Fibre Channel – Framing and Signaling-2 (FC-FS-2)*

ISO/IEC 14776-453, *Information technology – Small computer system interface (SCSI) – Part 453: SCSI Primary Commands-3 (SPC-3)* [ANSI INCITS 408-2005]

ISO/IEC 19501: *Information technology – Open distributed processing – Unified modeling language (UML), Version 1.4.2*

NOTE For more information on UML specifications, contact the Object Modeling Group at <http://www.omg.org>.

INCITS Project 1828-D: *Fibre Channel Protocol for SCSI, Fourth Version (FCP-4)*

RFC 791, *Internet Protocol*

RFC 2279, *UTF-8, a transformation format of ISO 10646*

RFC 2460, *Internet Protocol, Version 6 (IPv6)*

RFC 3720, *Internet Small Computer Systems Interface (iSCSI)*