


IEC 60728-11

Edition 3.0 2010-06

INTERNATIONAL STANDARD



Cable networks for television signals, sound signals and interactive services – Part 11: Safety



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



ICS 33.060.40

ISBN 978-2-88910-993-7

CONTENTS

FO	FOREWORD5			
INT	RODUCTION	7		
1	Scope			
2	Normative references	8		
3	Terms, definitions, symbols and abbreviations	9		
	3.1 Terms and definitions	9		
	3.2 Symbols	15		
	3.3 Abbreviations	15		
4	Fundamental requirements	16		
	4.1 General	16		
	4.2 Mechanical requirements	16		
	4.3 Accessible parts	16		
	4.4 Laser radiation.	16		
5	Protection against environmental influences	16		
6	Equipotential bonding and earthing	17		
	6.1 General requirements 6.2 Equipotential bonding mechanisms 6.3 Equipotential bonding in meshed systems	17		
	6.2 Equipotential bonding mechanisms	17		
	6.3 Equipotential bonding in meshed systems.	26		
	6.3.1 References to other standards			
	6.3.2 General on AC mains			
	6.3.3 AC power distribution and connection of the protective conductor			
	6.3.4 Dangers and malfunction	27		
7	6.3.5 Measures	27		
7	Remote power feeding in cable networks	21		
8				
	8.1 Remote power feeding			
	8.1.1 Maximum allowed voltages			
	8.1.2 General requirements for equipment			
	8.1.3 Current-carrying capacity and dielectric strength of the components			
9	8.2 Remote powering from subscriber premises Protection against contact and proximity to electric power distribution systems			
9				
	9.1 General 9.2 Overhead lines	_		
	9.2.1 Overhead lines up to 1 000 V			
	9.2.2 Overhead lines above 1 000 V			
	9.3 House installations up to 1 000 V			
10	System outlets and transfer points			
	10.1 General			
	10.2 System outlet			
	10.2.1 Types of system outlets			
	10.2.2 Fully isolated system outlet			
	10.2.3 Semi-isolated system outlet			
	10.2.4 Non-isolated system outlet with protective element			
	10.2.5 Non-isolated system outlet without protective element	31		
	10.3 Transfer point			
11	Protection against atmospheric overvoltages and elimination of potential differences	32		

		General	
	11.2	Protection of the antenna system	
		11.2.1 Selection of appropriate methods for protection of antenna systems	
		11.2.2 Building equipped with a lightning protection system (LPS)	
		11.2.3 Building not equipped with an LPS	
	11.3	Earthing and bonding of the antenna system	
		11.3.1 Internal protection system	
		11.3.2 Earthing conductors	
	44.4	11.3.3 Earth termination system	
40		Overvoltage protection	
12		anical stability	
	12.1	General requirements	
			50
	12.3	Wind-pressure values Mast construction	
	12.4	Mast construction	
	12.5	Data to be published	
Anr	nex A	(informative) Earth loop impedance	
		(informative) Use of shield wires to protect installations with coaxial cables	
Anr	nex C	(informative) Examples of calculation of risk due to lightning	60
Anr	nex D	(informative) The following differences exist in some countries	63
Bib	liograp	phy	74
Fia	ure 1 -	- Example of equipotential bonding and earthing of a metal enclosure	18
		- Example of equipotential bonding	
_		- Example of equipotential bonding and indirect earthing of the amplifier and	
the	cable	s via a voltage-dependent protective device	20
		- Example of equipotential bonding and earthing of a building installation	
(un	dergro	ound connection)	21
Fig	ure 5 -	- Example of equipotential bonding and earthing of a building installation	
•	_	ound connection)	22
		- Example of equipotential bonding with a galvanic isolated cable entering a	
	- (underground connection)	
Fig	ure 7 -	- Example of maintaining equipotential bonding whilst a unit is removed	25
		- Areas of antenna-outdoor-mounting on buildings, where earthing is not	33
_		- Flow chart for selection of the appropriate method for protecting the antenna gainst atmospheric overvoltages	35
		– Example of equipotential bonded headends and antennas in a protected f the building LPS	36
Fig	ure 11	Example of equipotential bonded headends and antennas in a protected fithe building LPS	
Fig	ure 12	– Example of equipotential bonded headends and antennas in a protected f an external isolated ATS	
		Example of equipotential bonded antennas (not installed in a protected)	50
		and headend with direct connection to building LPS	39
		– Example of equipotential bonded headend and earthed antennas (building PS)	42
		- Example of bonding for antennas and headend (building without LPS and	43

Figure 16 – Example of protecting an antenna system (not installed in a protected volume) by additional discharge conductors ($R > R_{T}$)	46
Figure 17 – Examples of earthing mechanisms (minimum dimensions)	48
Figure 18 – Example of an overvoltage protective device for single dwelling unit	49
Figure 19 – Example of application of a coaxial overvoltage protective device for multiple dwelling unit	50
Figure 20 – Example of bending moment of an antenna mast	51
Figure A.1 – Systematic of earth loop resistance	55
Figure B.1 – Principle of single shield wire	59
Figure B.2 – Principle of two shield wires	59
Figure C.1 – Template for calculation of the risk due to lightning (Example No. 1)	60
Figure C.2 – Template for calculation of the risk due to lightning (Example No. 2)	62
Figure D.1 – IT power distribution system in Norway	64
Figure D.2 – Example of installations located farther than 20 m away from a transforming station	65
Figure D.3 – Example of installations located closer than 20m from a transforming station	65
Figure D.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart	66
Figure D.5 – Example of cabinets for cable network with remotely fed equipment and mains placed less than 2 m apart	66
Figure D.6 – Example of cabinets for cable network with locally fed equipment and mains placed more than 2 m apart	67
Figure D.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2m apart	67
Figure D.8 – Example of an installation placing the amplifier in front of the galvanic isolator	68
Figure D.9 – Example of protection using a voltage depending device on network installations on poles	69
Figure D.10 – Example of the installation of a safety terminal in Japan	71
Figure D.11 - Examples of installation of a lightning protection system in Japan	72
Table 1 – Maximum allowed operation voltages and maximum allowed currents for coaxial cables in different cable network applications	29
Table 2 – Solutions for protection of antenna systems against atmospheric overvoltages	34
Table B.1 – Conductivity of different types of soil	57
Table B.2 – Protection factors (K_p) of protection measures against direct lightning strokes for buried cables	58

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- The list of "differences in some countries" was transferred from the "Foreword" to informative Annex D.
- · Some new terms and definitions were added.
- All Figures were reworked among other things concerning equipotential bonding and earthing details and were incorporated in the text at the appropriate places.

- Clause 11 "Protection against atmospheric overvoltages and elimination of potential differences" was completely reworked and re-structured taking into account among other things the provisions and requirements of the IEC 62305 series on "Lightning protection".
- New informative Annex A on "Earth loop impedance" was added.
- New informative Annex C on "Examples of calculation of risk due to lightning" was added.
- Former Annex B on "Special conditions using IT power line networks" was re-worded and incorporated in Annex D as "Difference in Norway".

The text of this standard is based on the following documents:

FDIS	Report on voting
100/1679/FDIS	100/1708/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISQ/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series, under the general title Cable networks for television signals, sound signals and interactive services, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed:
- withdrawn:
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

60728-11 © IEC:2010(E)

-7-

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

This includes

- CATV networks,
- MATV networks and SMATV networks,
- · individual receiving networks

and all kinds of equipment, systems and installations installed in such networks

NOTE CATV encompasses the Hybrid Fibre Coaxial (HFC) networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

The extent of this standardization work is from the antennas, special signal source inputs to the headend or other interface points to the network up to the terminal input.

The standardization of any user terminals (i.e. tuners, receivers, decoders, terminals, etc.) as well as of any coaxial and optical cables and accessories thereof is excluded.



CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed-sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to

- · electrical installations of buildings and overhead lines,
- other telecommunication services distribution systems,
- · water distribution systems,
- · gas distribution systems,
- lightning systems.

This standard is intended to provide specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document including any amendments) applies.

IEC 60065:2001, Audio, video and similar electronic apparatus – Safety requirements

IEC 60364 (all parts), Low-voltage electrical installations

IEC 60364-1, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions

IEC 60364-5-52, Electrical installations of buildings – Part 5-52: Selection and erection of electrical equipment – Wiring systems

IEC 60364-5-54, Electrical installations of buildings – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements, protective conductors and protective bonding conductors

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60617, Graphical symbols for diagrams

IEC 60825-1, Safety of laser products – Part 1: Equipment classification and requirements

IEC 60825-2, Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)

60728-11 © IEC:2010(E)

-9 -

IEC 60950-1:2005, Information technology equipment – Safety – Part 1: General requirements

IEC 60990, Methods of measurement of touch current and protective conductor current

IEC 61140:2001, Protection against electric shock – Common aspects for installation and equipment

IEC 62305 (all parts), Protection against lightning

IEC 62305-2:2006 Protection against lightning – Part 2: Risk management

IEC 62305-3:2006, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62305-4, Protection against lightning – Part 4: Electrical and electronic systems within structures

ISO 3864-1:2002, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs in workplaces and public areas

EN 50117 (all parts), Coaxial cables

EN 50164-1, Lightning Protection Components (LPC) - Part 1: Requirements for connection components

EN 50164-2, Lightning Protection Components (LPC) – Part 2: Requirements for conductors and earth electrodes

EN 50174-2, Information technology - Cabling installation - Part 2: Installation planning and practices inside buildings

EN 50310, Application of equipotential bonding and earthing in buildings with information technology equipment

CENELEC R 064-004, Electrical installations of buildings – Protection against electromagnetic interference (EMI) in installations of buildings