

This is a preview - click here to buy the full publication



IEC 60728-13-1

Edition 1.0 2012-05

INTERNATIONAL STANDARD



**Cable networks for television signals, sound signals and interactive services –
Part 13-1: Bandwidth expansion for broadcast signal over FTTH system**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XA**

ICS 33.160.01; 33.180.01

ISBN 978-2-88912-044-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions, symbols and abbreviations.....	8
3.1 Terms and definitions	8
3.2 Symbols	16
3.3 Abbreviations	17
4 Optical system reference model.....	18
5 Preparation of measurement	19
5.1 Environmental conditions	19
5.1.1 Standard measurement conditions.....	19
5.1.2 Standard operating condition	19
5.1.3 Standard signal and measuring equipment	19
5.2 Accuracy of measuring equipment.....	20
5.3 Source power	20
6 Methods of measurement	20
6.1 Measuring points and parameters.....	20
6.1.1 General	20
6.1.2 Measuring points.....	20
6.1.3 Measuring parameters.....	21
6.2 Optical power.....	22
6.3 Optical wavelength.....	22
6.4 Carrier level and carrier-to-noise ratio	22
6.4.1 General	22
6.4.2 Measurement setup	22
6.4.3 Measurement conditions.....	23
6.4.4 Measurement method for xPSK signals	23
6.4.5 Presentation of the results.....	23
6.5 Carrier-to-noise ratio defined by optical signal.....	23
6.5.1 General	23
6.5.2 Measuring points and measurement setup.....	23
6.5.3 Measurement conditions.....	24
6.5.4 System <i>RIN</i> measurement method	24
6.5.5 <i>CIN</i> calculation based on <i>RIN</i> value	26
6.5.6 Calculation of component <i>RIN</i>	27
6.6 Optical modulation index	27
6.7 Carrier-to-crosstalk ratio (<i>CCR</i>).....	28
7 Specification of optical system for broadcast signal transmission	28
7.1 Analogue and digital broadcast system over optical network	28
7.2 International TV systems	28
7.3 Relationship between <i>RIN</i> and <i>CIN</i>	29
7.4 Optical wavelength.....	31
7.5 Frequency of source signal	32

7.6	Optical system specification for satellite signal transmission	32
7.7	<i>C/N</i> ratio specification for in-house and in-building wirings	32
7.8	Crosstalk due to optical fibre non-linearity	33
7.9	Single frequency interference level due to fibre non-linearity	33
7.10	Environment condition	33
Annex A (informative)	Actual service systems and design considerations	34
Annex B (informative)	Wavelength division multiplexing.....	46
Annex C (informative)	Minimum wavelength separation	53
Annex D (informative)	Relation between <i>C/N</i> degradation and rain attenuation	57
Bibliography	59
Figure 1	– FTTH Cable TV system using one-wavelength	18
Figure 2	– FTTH Cable TV system using two wavelengths	18
Figure 3	– Performance specified points of the optical system	19
Figure 4	– Measuring points in a typical video distribution system.....	21
Figure 5	– Measurement of optical wavelength using WDM coupler	22
Figure 6	– Measurement of carrier level and carrier-to-noise ratio.....	22
Figure 7	– Measuring points in a typical FTTH system	23
Figure 8	– <i>RIN</i> measurement setup	24
Figure 9	– Performance allocation and measuring points	28
Figure 10	– Section of <i>C/N</i> ratio specification (38 dB) for in-house wiring.....	33
Figure 11	– Section of <i>C/N</i> ratio specification (24 dB) for in-building wiring (in case of coaxial cable distribution after V-ONU)	33
Figure A.1	– Example of a multi-channel service system of one million terminals	34
Figure A.2	– Example of a multi-channel service system of 2 000 terminals	35
Figure A.3	– Example of a multi-channel with CS supplementary service system of 2 000 terminals	35
Figure A.4	– Example of retransmission service system with 144 terminals.....	36
Figure A.5	– Example of retransmission service system with 72 terminals.....	36
Figure A.6	– System performance calculation Model No.1.....	39
Figure A.7	– System performance calculation Model No.2.....	40
Figure A.8	– System performance calculation Model No.3.....	41
Figure A.9	– System performance calculation Model No.4.....	42
Figure A.10	– System performance calculation Model No.5.....	43
Figure A.11	– System performance calculation model No.6.....	44
Figure B.1	– Linear crosstalk between two wavelengths.....	49
Figure B.2	– Wavelength dependency of Raman crosstalk	50
Figure B.3	– Nonlinear crosstalk between two wavelengths	50
Figure B.4	– Frequency dependency of cross phase modulation	51
Figure B.5	– <i>C/N</i> degradation (two wavelengths into one V-ONU case)	52
Figure C.1	– Experimental results of <i>RIN</i> degradation due to optical beat	54
Figure C.2	– Wavelength variation of DWDM transmitter against ambient temperature	54
Figure C.3	– Wavelength variation of CWDM transmitter against ambient temperature	55
Figure C.4	– Example of wavelength division multiplexing using WDM filter	55

Figure C.5 – Example of CWDM filter design	56
Figure C.6 – Example of wavelength division multiplexing using optical coupler.....	56
Table 1 – Level of RF signals.....	13
Table 2 – Measuring instruments	20
Table 3 – Measuring points and measured parameters	21
Table 4 – Parameters used to calculate the C/N when signals of multiple wavelengths are received by a single V-ONU.....	27
Table 5 – Minimum RF signal-to-noise ratio requirements in operation.....	28
Table 6 – Types of broadcast services	30
Table 7 – Type of service and minimum operational RIN values for Satellite services	31
Table 8 – Performance of optical wavelength and power.....	31
Table 9 – Optical system specification	32
Table 10 – Section of C/N ratio specification for in-house/in-building wiring	32
Table 11 – Interference level due to fibre non-linearity.....	33
Table A.1 – Basic system parameters	37
Table B.1 – Example nominal central frequencies of the DWDM grid	47
Table B.2 – Nominal central wavelength for spacing of 20 nm (ITU-T G.694.2).....	49

Without DM

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CABLE NETWORKS FOR TELEVISION SIGNALS,
SOUND SIGNALS AND INTERACTIVE SERVICES –**

**Part 13-1: Bandwidth expansion for broadcast signal
over FTTH system**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-13-1 has been prepared by technical area 5: Cable networks for television signals, sound signal and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1801/CDV	100/1931/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series under the general title *Cable networks for television signals, sound signals and interactive services*, can found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

A bilingual version of this standard may be issued at a later date.

Withdrawn

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

This includes

- CATV networks,
- MATV networks and SMATV networks,
- individual receiving networks

and all kinds of equipment, systems and installations installed in such networks.

NOTE CATV encompasses the Hybrid Fibre Coaxial (HFC) networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

The extent of this standardization work is from the antennas, special signal source inputs to the headend or other interface points to the network up to the terminal input.

The standardization of any user terminals (i.e. tuners, receivers, decoders, terminals, etc.) as well as of any coaxial and optical cables and accessories thereof is excluded.

In this standard, informative Annex A describes the system composition and model system based on this standard, and Annex B describes basic concepts for optical wavelength division multiplexing and adds notes for system configuration. Annex C gives the minimum wavelength separation, and Annex D explains the relationship between *C/N* degradation and rain attenuation.

This standard describes the pass-through method of satellite broadcast signals over the FTTH system which uses AM-FDM (SCM) transmission. For an FTTH system below 1 GHz refer to IEC 60728-13. This standard contains descriptions of the measurement methods and specifications for optical wavelength division multiplex and for PSK modulation systems. It specifies the downstream video signal transmission and thus the two-way optical transmission system is out of the scope of this standard. This standard applies to the FTTH system of broadband broadcast signal transmission which conveys satellite broadcast signals using one or multiple optical wavelengths. It is provided for cable/satellite operators to extend their broadband services in order to avoid interference between optical wavelengths based on the technologies described in IEC 60728-13.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 13-1: Bandwidth expansion for broadcast signal over FTTH system

1 Scope

The purpose of this part of IEC 60728 is the precise description of the fibre to the home (FTTH) system for expanding broadband broadcast signal transmission from CATV services only, towards CATV plus broadcast satellite (BS) plus communication satellite (CS) services, additionally to other various signals such as data services.

The scope is limited to the RF signal transmission over the FTTH (fibre to the home) system. Thus, this part of IEC 60728 does not include IP transport technologies.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60728-1:2007, *Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths*

IEC 60728-6:2011, *Cable networks for television signals, sound signals and interactive services – Part 6: Optical equipment*

IEC 60728-13:2010, *Cable networks for television signals, sound signals and interactive services – Part 13: Optical systems for broadcast signal transmissions*

IEC 61280-1-3, *Fibre optic communication subsystem test procedures – Part 1-3 General communication subsystems – Central wavelength and spectral width measurement*

ITU-T Recommendation G.694.1, *Spectral grids for WDM applications: CWDM wavelength grid*

ITU-T Recommendation G.694.2, *Spectral grids for WDM applications: CWDM wavelength grid*