



CONSOLIDATED VERSION



**Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
Part 450: Multiple talkers and multiple listeners – Ethernet interconnection**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-3289-7

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



**Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
Part 450: Multiple talkers and multiple listeners – Ethernet interconnection**

Withhold

CONTENTS

| | |
|--|----|
| FOREWORD..... | 5 |
| 1 Scope..... | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 8 |
| 4 General network and equipment requirements..... | 11 |
| 4.1 Network topology example..... | 11 |
| 4.2 Basic requirements | 12 |
| 4.2.1 Requirements for equipment to be connected to the network..... | 12 |
| 4.2.2 Additional requirements for network infrastructure equipment..... | 12 |
| 4.3 Network function (NF) requirements..... | 13 |
| 4.3.1 General requirements..... | 13 |
| 4.3.2 Maximum data rate requirements..... | 13 |
| 4.3.3 Error logging function..... | 13 |
| 4.4 System function (SF) requirements..... | 15 |
| 4.4.1 General requirements..... | 15 |
| 4.4.2 Assignment of unique system function ID (SFI)..... | 15 |
| 4.4.3 Implementing configurable transmission groups..... | 15 |
| 4.5 Serial to network gateway function (SNGF) requirements..... | 16 |
| 4.5.1 General requirements..... | 16 |
| 4.5.2 Serial line output buffer management | 16 |
| 4.5.3 Datagram output requirements | 17 |
| 4.6 Other network function (ONF) requirements..... | 17 |
| 5 Low level network requirements..... | 17 |
| 5.1 Electrical and mechanical requirements..... | 17 |
| 5.2 Network protocol requirements..... | 19 |
| 5.3 IP Address assignment for equipment..... | 19 |
| 5.4 Multicast address range | 19 |
| 6 Transport layer specification..... | 19 |
| 6.1 General..... | 19 |
| 6.2 UDP messages | 20 |
| 6.2.1 UDP multicast protocol..... | 20 |
| 6.2.2 Use of multicast addresses and port numbers..... | 20 |
| 6.2.3 UDP checksum | 21 |
| 6.2.4 Datagram size..... | 22 |
| 7 Application layer specification..... | 22 |
| 7.1 Datagram header | 22 |
| 7.1.1 Valid header | 22 |
| 7.1.2 Error logging..... | 22 |
| 7.2 General IEC 61162-1 sentence transmissions..... | 22 |
| 7.2.1 Application of this protocol | 22 |
| 7.2.2 Types of messages for which this protocol can be used | 22 |
| 7.2.3 TAG block parameters for sentences transmitted in the datagram | 22 |
| 7.2.4 Requirements for processing incoming datagrams | 24 |
| 7.2.5 Error logging..... | 24 |
| 7.3 Binary image transfer using UDP multicast | 24 |
| 7.3.1 Application of this protocol | 24 |

| | | |
|-----------------------|---|----|
| 7.3.2 | Binary image structure | 25 |
| 7.3.3 | Header | 25 |
| 7.3.4 | Binary image descriptor structure | 27 |
| 7.3.5 | Binary image data fragment..... | 28 |
| 7.3.6 | Sender process for binary image transfer | 28 |
| 7.3.7 | Receiver process for binary image transfer | 30 |
| 7.3.8 | Other requirements | 31 |
| 7.3.9 | Error logging..... | 32 |
| 8 | Methods of test and required results | 32 |
| 8.1 | Test set-up and equipment..... | 32 |
| 8.2 | Basic requirements | 33 |
| 8.2.1 | Equipment to be connected to the network..... | 33 |
| 8.2.2 | Network infrastructure equipment | 33 |
| 8.3 | Network function (NF) | 33 |
| 8.3.1 | Maximum data rate | 33 |
| 8.3.2 | Error logging function..... | 33 |
| 8.4 | System function (SF)..... | 34 |
| 8.4.1 | General | 34 |
| 8.4.2 | Assignment of unique system function ID (SFI)..... | 34 |
| 8.4.3 | Implementing configurable transmission groups..... | 34 |
| 8.5 | Serial to network gateway function (SNGF)..... | 34 |
| 8.5.1 | General | 34 |
| 8.5.2 | Serial line output buffer management | 34 |
| 8.5.3 | Datagram output | 35 |
| 8.6 | Other network function (ONF)..... | 35 |
| 8.7 | Low level network..... | 35 |
| 8.7.1 | Electrical and mechanical requirements..... | 35 |
| 8.7.2 | Network protocol..... | 35 |
| 8.7.3 | IP address assignment for equipment..... | 35 |
| 8.7.4 | Multicast address range | 36 |
| 8.8 | Transport layer..... | 36 |
| 8.9 | Application layer | 36 |
| 8.9.1 | Application..... | 36 |
| 8.9.2 | Datagram header | 36 |
| 8.9.3 | Types of messages | 36 |
| 8.9.4 | TAG block parameters..... | 37 |
| 8.10 | Error logging | 37 |
| 8.11 | Binary image transfer using UDP multicast | 38 |
| 8.11.1 | Sender process test | 38 |
| 8.11.2 | Receiver process test..... | 39 |
| 8.11.3 | Image descriptor test | 39 |
| 8.11.4 | Image transfer error logging | 39 |
| Annex A (normative) | Classification of IEC 61162-1 talker identifier mnemonics and sentences | 40 |
| Annex B (informative) | TAG block example..... | 46 |
| Annex D (informative) | Network and system design guidance..... | 53 |
| Annex C (normative) | Reliable transmission of command-response pair messages..... | 48 |
| Bibliography | | 61 |

| | |
|--|----|
| Figure 1 – Network topology example..... | 12 |
| Figure 2 – Ethernet frame example for a SBM from a rate of turn sensor..... | 20 |
| Figure C.1 – Command response communications..... | 48 |
| Figure C.2 – State diagram..... | 50 |
| Figure D.1 – General system design architecture..... | 53 |
| Figure D.2 – Example of ship-shore communication architecture..... | 54 |
| Figure D.3 – Security infrastructure..... | 55 |
| Figure D.4 – Decoupled system..... | 57 |
| Figure D.5 – Loosely coupled system..... | 57 |
| Figure D.6 – Strongly coupled system..... | 58 |
| | |
| Table 1 – Syslog message format..... | 14 |
| Table 2 – Syslog error message codes..... | 15 |
| Table 3 – Interfaces, connectors and cables..... | 18 |
| Table 4 – Destination multicast addresses and port numbers..... | 21 |
| Table 5 – Destination multicast addresses and port numbers for binary data transfer..... | 21 |
| Table 6 – Destination multicast addresses and port numbers for other services..... | 21 |
| Table 7 – Description of terms..... | 25 |
| Table 8 – Binary image structure..... | 25 |
| Table 9 – Header format..... | 26 |
| Table 10 – Binary image descriptor format..... | 27 |
| Table 11 – Examples of MIME content type for DataType codes..... | 28 |
| Table 12 – Binary image data fragment format..... | 28 |
| Table A.1 – Classification of IEC 61162-1 talker identifier mnemonics..... | 40 |
| Table A.2 – Classification of IEC 61162-1 sentences..... | 42 |
| Table B.1 – Defined parameter-codes..... | 47 |
| Table D.1 – Overview of possible security functions..... | 56 |
| Table D.2 – Network failure propagation possibilities..... | 59 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
DIGITAL INTERFACES –**

**Part 450: Multiple talkers and multiple listeners –
Ethernet interconnection**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 61162-450 bears the edition number 1.1. It consists of the first edition (2011-06) [documents 80/615/FDIS and 80/621/RVD] and its amendment 1 (2016-03) [documents 80/795/FDIS and 80/796/RVD]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61162-450 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 450: Multiple talkers and multiple listeners – Ethernet interconnection

1 Scope

This part of IEC 61162 specifies interface requirements and methods of test for high speed communication between shipboard navigation and radiocommunication equipment as well as between such systems and other ship systems that need to communicate with navigation and radio-communication equipment. This part of IEC 61162 is based on the application of an appropriate suite of existing international standards to provide a framework for implementing data transfer between devices on a shipboard Ethernet network.

This standard provides a higher speed and higher capacity alternative to the IEC 61162-1 and IEC 61162-2 standards while retaining these standards' basic data format. This standard provides a higher data capacity than IEC 61162-3.

This standard specifies an Ethernet based bus type network where any listener may receive messages from any sender with the following properties.

- This standard includes provisions for multicast distribution of information formatted according to IEC 61162-1, for example position fixes and other measurements, as well as provisions for transmission of general data blocks (binary image), for example between radar and VDR.
- This standard is limited to protocols for equipment (Network nodes) connected to a single Ethernet network consisting only of OSI level one or two devices and cables (Network infrastructure).
- This standard provides requirements only for equipment interfaces. By specifying protocols for transmission of IEC 61162-1 sentences and general binary image data these requirements will guarantee interoperability between equipment implementing this standard as well as a certain level of safe behaviour of the equipment itself.
- This standard permits equipment using other protocols than those specified in this standard to share a network infrastructure provided that it is supplied with interfaces which satisfy the requirements described for ONF (see 4.6).
- This standard does not contain any system requirements other than the ones that can be inferred from the sum of individual equipment requirements. Thus, to ascertain system properties that cannot be derived from equipment requirements alone, additional analysis or standards will be required. In particular, this applies to requirements to maintain system functionality in the face of a single point failure in equipment or networks. Informative Annex D contains guidance on how to address such issues.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General Requirements – Methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61996-1, *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Part 1: Performance requirements, methods of testing and required test results*

IEEE 802.3, *IEEE Standards for Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*

ISOC RFC 768, *User Datagram Protocol, Standard STD0006*

ISOC RFC 791, *Internet Protocol (IP), Standard STD0005 (and updates)*

ISOC RFC 792, *Internet Control Message Protocol (ICMP), Standard STD0005 (and updates)*

ISOC RFC 826, *An ethernet Address Resolution Protocol*

ISOC RFC 1918, *Address Allocation for Private Internets/ Best Current Practice BCP0005*

ISOC RFC 2474, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*

ISOC RFC 5000, *Internet Official Protocol Standards, Standard 0001*

ISOC RFC 5227, *IPv4 Address Conflict Detection*

ISOC RFC 5424, *The Syslog Protocol*

NMEA 0183:2008, *Standard for interfacing marine electronic devices, Version 4.00*

NOTE The standards of the Internet Society (ISOC) are available on the IETF websites <http://www.ietf.org>. Later updates can be tracked at <http://www.rfc-editor.org/rfcsearch.html>

FINAL VERSION

**Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
Part 450: Multiple talkers and multiple listeners – Ethernet interconnection**

Withhold

CONTENTS

| | |
|--|----|
| FOREWORD..... | 5 |
| 1 Scope..... | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 8 |
| 4 General network and equipment requirements..... | 11 |
| 4.1 Network topology example..... | 11 |
| 4.2 Basic requirements | 12 |
| 4.2.1 Requirements for equipment to be connected to the network..... | 12 |
| 4.2.2 Additional requirements for network infrastructure equipment..... | 12 |
| 4.3 Network function (NF) requirements..... | 13 |
| 4.3.1 General requirements..... | 13 |
| 4.3.2 Maximum data rate requirements..... | 13 |
| 4.3.3 Error logging function..... | 13 |
| 4.4 System function (SF) requirements..... | 15 |
| 4.4.1 General requirements..... | 15 |
| 4.4.2 Assignment of unique system function ID (SFI)..... | 15 |
| 4.4.3 Implementing configurable transmission groups..... | 15 |
| 4.5 Serial to network gateway function (SNGF) requirements..... | 16 |
| 4.5.1 General requirements..... | 16 |
| 4.5.2 Serial line output buffer management | 16 |
| 4.5.3 Datagram output requirements | 17 |
| 4.6 Other network function (ONF) requirements..... | 17 |
| 5 Low level network requirements..... | 17 |
| 5.1 Electrical and mechanical requirements..... | 17 |
| 5.2 Network protocol requirements..... | 19 |
| 5.3 IP Address assignment for equipment..... | 19 |
| 5.4 Multicast address range | 19 |
| 6 Transport layer specification..... | 19 |
| 6.1 General..... | 19 |
| 6.2 UDP messages | 20 |
| 6.2.1 UDP multicast protocol..... | 20 |
| 6.2.2 Use of multicast addresses and port numbers..... | 20 |
| 6.2.3 UDP checksum | 21 |
| 6.2.4 Datagram size..... | 22 |
| 7 Application layer specification..... | 22 |
| 7.1 Datagram header | 22 |
| 7.1.1 Valid header | 22 |
| 7.1.2 Error logging..... | 22 |
| 7.2 General IEC 61162-1 sentence transmissions..... | 22 |
| 7.2.1 Application of this protocol | 22 |
| 7.2.2 Types of messages for which this protocol can be used | 22 |
| 7.2.3 TAG block parameters for sentences transmitted in the datagram | 22 |
| 7.2.4 Requirements for processing incoming datagrams | 24 |
| 7.2.5 Error logging..... | 24 |
| 7.3 Binary image transfer using UDP multicast | 24 |
| 7.3.1 Application of this protocol | 24 |

| | | |
|-----------------------|---|----|
| 7.3.2 | Binary image structure | 25 |
| 7.3.3 | Header | 25 |
| 7.3.4 | Binary image descriptor structure | 27 |
| 7.3.5 | Binary image data fragment..... | 28 |
| 7.3.6 | Sender process for binary image transfer | 28 |
| 7.3.7 | Receiver process for binary image transfer | 29 |
| 7.3.8 | Other requirements | 30 |
| 7.3.9 | Error logging..... | 32 |
| 8 | Methods of test and required results | 32 |
| 8.1 | Test set-up and equipment..... | 32 |
| 8.2 | Basic requirements | 32 |
| 8.2.1 | Equipment to be connected to the network..... | 32 |
| 8.2.2 | Network infrastructure equipment | 33 |
| 8.3 | Network function (NF) | 33 |
| 8.3.1 | Maximum data rate | 33 |
| 8.3.2 | Error logging function..... | 33 |
| 8.4 | System function (SF)..... | 33 |
| 8.4.1 | General | 33 |
| 8.4.2 | Assignment of unique system function ID (SFI)..... | 33 |
| 8.4.3 | Implementing configurable transmission groups..... | 34 |
| 8.5 | Serial to network gateway function (SNGF)..... | 34 |
| 8.5.1 | General | 34 |
| 8.5.2 | Serial line output buffer management | 34 |
| 8.5.3 | Datagram output | 34 |
| 8.6 | Other network function (ONF)..... | 34 |
| 8.7 | Low level network..... | 35 |
| 8.7.1 | Electrical and mechanical requirements..... | 35 |
| 8.7.2 | Network protocol..... | 35 |
| 8.7.3 | IP address assignment for equipment..... | 35 |
| 8.7.4 | Multicast address range | 35 |
| 8.8 | Transport layer..... | 35 |
| 8.9 | Application layer | 36 |
| 8.9.1 | Application..... | 36 |
| 8.9.2 | Datagram header | 36 |
| 8.9.3 | Types of messages | 36 |
| 8.9.4 | TAG block parameters..... | 36 |
| 8.10 | Error logging | 37 |
| 8.11 | Binary image transfer using UDP multicast | 37 |
| 8.11.1 | Sender process test | 37 |
| 8.11.2 | Receiver process test..... | 38 |
| 8.11.3 | Image descriptor test | 39 |
| 8.11.4 | Image transfer error logging | 39 |
| Annex A (normative) | Classification of IEC 61162-1 talker identifier mnemonics and sentences | 40 |
| Annex B (informative) | TAG block example..... | 46 |
| Annex D (informative) | Network and system design guidance..... | 53 |
| Annex C (normative) | Reliable transmission of command-response pair messages..... | 48 |
| Bibliography | | 61 |

| | |
|--|----|
| Figure 1 – Network topology example..... | 12 |
| Figure 2 – Ethernet frame example for a SBM from a rate of turn sensor..... | 20 |
| Figure C.1 – Command response communications..... | 48 |
| Figure C.2 – State diagram..... | 50 |
| Figure D.1 – General system design architecture..... | 53 |
| Figure D.2 – Example of ship-shore communication architecture..... | 54 |
| Figure D.3 – Security infrastructure..... | 55 |
| Figure D.4 – Decoupled system..... | 57 |
| Figure D.5 – Loosely coupled system..... | 57 |
| Figure D.6 – Strongly coupled system..... | 58 |
| | |
| Table 1 – Syslog message format..... | 14 |
| Table 2 – Syslog error message codes..... | 15 |
| Table 3 – Interfaces, connectors and cables..... | 18 |
| Table 4 – Destination multicast addresses and port numbers..... | 21 |
| Table 5 – Destination multicast addresses and port numbers for binary data transfer..... | 21 |
| Table 6 – Destination multicast addresses and port numbers for other services..... | 21 |
| Table 7 – Description of terms..... | 25 |
| Table 8 – Binary image structure..... | 25 |
| Table 9 – Header format..... | 26 |
| Table 10 – Binary image descriptor format..... | 27 |
| Table 11 – Examples of MIME content type for DataType codes..... | 28 |
| Table 12 – Binary image data fragment format..... | 28 |
| Table A.1 – Classification of IEC 61162-1 talker identifier mnemonics..... | 40 |
| Table A.2 – Classification of IEC 61162-1 sentences..... | 42 |
| Table B.1 – Defined parameter-codes..... | 47 |
| Table D.1 – Overview of possible security functions..... | 56 |
| Table D.2 – Network failure propagation possibilities..... | 59 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
DIGITAL INTERFACES –**

**Part 450: Multiple talkers and multiple listeners –
Ethernet interconnection**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 61162-450 bears the edition number 1.1. It consists of the first edition (2011-06) [documents 80/615/FDIS and 80/621/RVD] and its amendment 1 (2016-03) [documents 80/795/FDIS and 80/796/RVD]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 61162-450 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Withdrawn

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 450: Multiple talkers and multiple listeners – Ethernet interconnection

1 Scope

This part of IEC 61162 specifies interface requirements and methods of test for high speed communication between shipboard navigation and radiocommunication equipment as well as between such systems and other ship systems that need to communicate with navigation and radio-communication equipment. This part of IEC 61162 is based on the application of an appropriate suite of existing international standards to provide a framework for implementing data transfer between devices on a shipboard Ethernet network.

This standard provides a higher speed and higher capacity alternative to the IEC 61162-1 and IEC 61162-2 standards while retaining these standards' basic data format. This standard provides a higher data capacity than IEC 61162-3.

This standard specifies an Ethernet based bus type network where any listener may receive messages from any sender with the following properties.

- This standard includes provisions for multicast distribution of information formatted according to IEC 61162-1, for example position fixes and other measurements, as well as provisions for transmission of general data blocks (binary image), for example between radar and VDR.
- This standard is limited to protocols for equipment (Network nodes) connected to a single Ethernet network consisting only of OSI level one or two devices and cables (Network infrastructure).
- This standard provides requirements only for equipment interfaces. By specifying protocols for transmission of IEC 61162-1 sentences and general binary image data these requirements will guarantee interoperability between equipment implementing this standard as well as a certain level of safe behaviour of the equipment itself.
- This standard permits equipment using other protocols than those specified in this standard to share a network infrastructure provided that it is supplied with interfaces which satisfy the requirements described for ONF (see 4.6).
- This standard does not contain any system requirements other than the ones that can be inferred from the sum of individual equipment requirements. Thus, to ascertain system properties that cannot be derived from equipment requirements alone, additional analysis or standards will be required. In particular, this applies to requirements to maintain system functionality in the face of a single point failure in equipment or networks. Informative Annex D contains guidance on how to address such issues.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General Requirements – Methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61996-1, *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Part 1: Performance requirements, methods of testing and required test results*

IEEE 802.3, *IEEE Standards for Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*

ISOC RFC 768, *User Datagram Protocol, Standard STD0006*

ISOC RFC 791, *Internet Protocol (IP), Standard STD0005 (and updates)*

ISOC RFC 792, *Internet Control Message Protocol (ICMP), Standard STD0005 (and updates)*

ISOC RFC 826, *An ethernet Address Resolution Protocol*

ISOC RFC 1918, *Address Allocation for Private Internets, Best Current Practice BCP0005*

ISOC RFC 2474, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*

ISOC RFC 5000, *Internet Official Protocol Standards, Standard 0001*

ISOC RFC 5227, *IPv4 Address Conflict Detection*

ISOC RFC 5424, *The Syslog Protocol*

NMEA 0183:2008, *Standard for interfacing marine electronic devices, Version 4.00*

NOTE The standards of the Internet Society (ISOC) are available on the IETF websites <http://www.ietf.org>. Later updates can be tracked at <http://www.rfc-editor.org/rfcsearch.html>