


INTERNATIONAL STANDARD

IEC
61182-2

First edition
2006-09

Printed board assembly products – Manufacturing description data and transfer methodology –

Part 2: Generic requirements



© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XH

For price, see current catalogue

CONTENTS

FOREWORD	7
1 Scope and object	9
1.1 Focus and intent	9
1.2 Notation	9
2 Normative references	10
3 Documentation conventions	10
4 Requirements	12
4.1 Rules concerning the use of XML and XML Schema	13
4.2 Data organization and identification rules	14
4.3 Transformation characteristics (Xform)	19
4.4 Substitution groups	21
5 Content	32
5.1 Content: FunctionMode	33
5.2 Function levels	35
5.3 Content: StepListRef	47
5.4 Content: LayerDescRef	47
5.5 Content: BomRef	48
5.6 Content: AvlRef	48
5.7 Content: DictionaryStandard	49
5.8 Content: DictionaryUser	66
5.9 Content: DictionaryFont	74
5.10 Content: DictionaryLineDesc	77
5.11 Content: DictionaryColor	79
5.12 Content: DictionaryFirmware	80
6 Logistic header	82
6.1 LogisticHeader	82
6.2 Role	83
6.3 Enterprise	84
6.4 Person	85
7 History record	86
7.1 HistoryRecord	86
7.2 FileRevision	87
7.3 SoftwarePackage	87
7.4 ChangeRec	88
8 BOM (Material List)	89
8.1 BOM Header	90
8.2 BomItem	91
9 Electronic computer aided design (ecad)	96
9.1 CadHeader	97
9.2 CadData/LayerDesc	100
9.3 CadData/StepList	109
10 Approved vendor list (AVL)	150
10.1 AvlHeader	151
10.2 AvlItem	152
11 Glossary	154

Annexe A (informative) IPC-7351 Naming Convention for Land Patterns.....	155
Annexe B Informative references	160
Figure 1 – The IEC 61182-2 children element	13
Figure 2 – Printed board viewing.....	18
Figure 3 – Mirror and rotation diagram	21
Figure 4 – Bounding rectangle to round end character relationships	72
Figure 5 – Text transformation examples	73
Figure 6 – Rotation Angle	73
Figure 7 – Glyph bounding rectangles to Text bounding box relationships.....	77
Table 1– Graphical notation overview	11
Table 2 – Governing template basic types defined by W3C	16
Table 3 – Governing template basic types defined by IEC 61182-2-X.....	17
Table 4 – Xform characteristics.....	19
Table 5 – Substitution groups	22
Table 6 – Attribute substitution group	23
Table 7 – ColorGroup substitution group	25
Table 8 – Feature substitution group	25
Table 9 – Fiducial substitution group	26
Table 10 – FirmwareGroup substitution group.....	26
Table 11 – FontDef substitution group	27
Table 12 – LineDescGroup substitution group	27
Table 13 – Polystep substitution group	28
Table 14 – Simple substitution group	28
Table 15 – Standard primitive substitution group.....	29
Table 16 – StandardShape substitution group.....	31
Table 17 – UserPrimitive substitution group	31
Table 18 – UserShape substitution group.....	32
Table 19 – Content sub-element	32
Table 20 – File segmentation and function apportionment.....	34
Table 21 – Content – FunctionMode	36
Table 22 – Content – StepListRef	47
Table 23 – Content – LayerDescRef	48
Table 24 – Content – BomRef	48
Table 25 – Content – AvlRef	49
Table 26 – Content – DictionaryStandard	49
Table 27 – StandardPrimitive – Butterfly	50
Table 28 – StandardPrimitive – Circle	51
Table 29 – StandardPrimitive – Contour.....	51
Table 30 – StandardPrimitive – Diamond	53
Table 31 – StandardPrimitive – Donut.....	54

Table 32 – StandardPrimitive – Ellipse.....	55
Table 33 – StandardPrimitive – Hexagon	56
Table 34 – StandardPrimitive – Moire	57
Table 35 – StandardPrimitive – Octagon	58
Table 36 – StandardPrimitive – Oval.....	58
Table 37 – StandardPrimitive – RectCenter	59
Table 38 – StandardPrimitive –RectCham	60
Table 39 – StandardPrimitive – RectCorner	61
Table 40 – StandardPrimitive – RectRound.....	62
Table 41 – StandardPrimitive –Thermal	63
Table 42 – StandardPrimitive – Triangle	65
Table 43 – Content – DictionaryUser	66
Table 44 – UserPrimitive – Simple	67
Table 45 – UserPrimitive – Simple: Arc	67
Table 46 – UserPrimitive – Simple: Line	68
Table 47 UserPrimitive – Simple: Outline	69
Table 48 UserPrimitive – Simple: PolyLine.....	70
Table 49 – UserPrimitive –Text	71
Table 50 – UserPrimitive – UserSpecial	74
Table 51 – Content – DictionaryFont.....	74
Table 52 – FontDetEmbedded element	75
Table 53 FontDetExternal element.....	75
Table 54 – FontDet – Glyph	76
Table 55 – Content – DictionaryLineDesc	77
Table 56 – LineDesc element.....	78
Table 57 – LineDescRef element	79
Table 58 – Content – DictionaryColor	79
Table 59 – Color element.....	80
Table 60 – ColorRef element	80
Table 61 – Content – DictionaryFirmware	80
Table 62 – CachedFirmware element	81
Table 63 – FirmwareRef element	82
Table 64 LogisticHeader element.....	82
Table 65 – Role element.....	83
Table 66 – Enterprise element	84
Table 67 – Person element	85
Table 68 HistoryRecord element.....	86
Table 69 FileRevision element.....	87
Table 70 SoftwarePackage element.....	87
Table 71 – ChangeRec element.....	88
Table 72 – Bom element	89
Table 73 – BomHeader element.....	90
Table 74 – BomItem.....	91

Table 75 – RefDes element.....	92
Table 76 – Tuning element	93
Table 77 Firmware element.....	93
Table 78 – Characteristics element.....	94
Table 79 Measured element.....	94
Table 80 – Ranged element.....	95
Table 81 – Enumerated element	96
Table 82 – Textual element.....	96
Table 83 – Ecad.....	96
Table 84 – CadHeader element	97
Table 85 – Spec element	98
Table 86 – SurfaceFinish element.....	99
Table 87 – ChangeRec element.....	100
Table 88 – CadData/LayerDesc elements	101
Table 89 – Layer element	101
Table 90 – Span element.....	103
Table 91 – DrillTool element.....	104
Table 92 Stackup element	105
Table 93 – StackupGroup	105
Table 94 – StackupImpedance element.....	107
Table 95 – CadData StepList.....	109
Table 96 – Step	110
Table 97 – Attribute substitution group.....	111
Table 98 – PadStack element.....	112
Table 99 – LayHole element	112
Table 100 LayerPad element.....	113
Table 101 – Route element.....	114
Table 102 – Set	115
Table 103 – Datum element.....	116
Table 104 – Profile element	117
Table 105 – StepRepeat element.....	118
Table 106 – Package element.....	120
Table 107 – Outline element.....	121
Table 108 – LandPattern element	122
Table 109 – SilkScreen element.....	123
Table 110 – AssemblyDrawing element.....	125
Table 111 – Pin element	127
Table 112 – Component element	128
Table 113 – VplPackage element.....	130
Table 114 – VplComponent element	132
Table 115 – LogicalNet elements	133
Table 116 – PhyNetGroup element	134
Table 117 – PhyNet element.....	134

Table 118 – LayerFeature element.....	136
Table 119 – Attribute element.....	139
Table 120 – Pad element	139
Table 121 – Fiducial	140
Table 122 – BadBoardMark element	141
Table 123 – GlobalFiducial element	142
Table 124 – GoodpanelMark element.....	143
Table 125 – LocalFiducial element.....	145
Table 126 – Hole element	146
Table 127 – Slot element	147
Table 128 – Features element	147
Table 129 – ColorGroup substitution group	148
Table 130 – LineDescGroup substitution group	149
Table 131 – DfxMeasurementList element	149
Table 132 – DfxMeasurement element.....	150
Table 133 – Avl element	150
Table 134 – AvlHeader element	151
Table 135 AvlItem element	152
Table 136 – AvlVmpn element	152
Table 137 – AvlMpn element.....	153
Table 138 – AvlVendor element	154

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRINTED BOARD ASSEMBLY PRODUCTS – MANUFACTURING DESCRIPTION DATA AND TRANSFER METHODOLOGY –

Part 2: Generic requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61182-2 has been prepared by IEC technical committee 93: Design automation.

The text of this standard is based on the following documents:

CDV	Report on voting
93/211/CDV	93/231/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

Withdrawn

PRINTED BOARD ASSEMBLY PRODUCTS – MANUFACTURING DESCRIPTION DATA AND TRANSFER METHODOLOGY –

Part 2: Generic requirements

1 Scope and object

This part of IEC 61182 specifies the XML Schema that represents the intelligent data file format used to describe printed board and printed board assembly products with details sufficient for tooling, manufacturing, assembly, and inspection requirements. This format may be used for transmitting information between a printed board designer and a manufacturing or assembly facility. The data is most useful when the manufacturing cycle includes computer-aided processes and numerical control machines.

The data can be defined in either English or International System of Units (SI) units.

1.1 Focus and intent

The generic format requirements are provided in a series of standards focused on printed board manufacturing, assembly, and inspection testing. This standard series consists of a generic standard (IEC 61182-2) that contains all the general requirements. There are four sectional standards that are focused on the XML details necessary to accumulate information in the single file, that addresses the needs of the design, fabrication, assembly and test disciplines producing a particular product.

The sectional standards (IEC 61182-2-1 through IEC 61182-2-4) paraphrase the important requirements and provide suggested usage and examples for the topic covered by the sectional standard.

1.2 Notation

Although the data would be contained in a single file, the file can have different purposes as described in Clause 4. The XML Schema used for this standard follows the notations set forth by the W3C and is as follows:

- element – Element appears exactly one time
- element? – element may appear 0 or 1 times
- element* – element may appear 0 or more times
- element+ – element may appear 1 or more times

Any IEC 61182-2 file is composed of a high level element IEC 61182-2 that contains up to six sub-elements:

- Content – information about the contents of the 258X file
- LogisticHeader – information pertaining to the order and supply data
- HistoryRec – change information of the file
- Bom – Bill of Materials (Material List) information
- Ecad – Computer Aided Design (engineering) information
- Avl – Approved Vendors List information

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60194, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 61188-5-1, *Printed boards and printed board assemblies – Design and use – Part 5-1: Attachment (land/joint) considerations – Generic requirements*

IEC 61188-5-2, *Printed boards and printed board assemblies – Design and use – Part 5-2: Attachment (land/joint) considerations – Discrete components*

IEC 61188-5-3, *Printed boards and printed board assemblies – Part 5-3: Sectional design and use requirements – Attachment (land/joint) considerations – Components with Gull-wing leads on two sides¹*

IEC 61188-5-4, *Printed boards and printed board assemblies – Design and use – Part 5-4: Sectional requirements – Attachment (land/joint) consideration – Components with J leads on two sides²*

IEC 61188-5-5, *Printed boards and printed board assemblies – Design and use – Part 5-5: Sectional requirements – Attachment (land/joint) considerations – Components with Gull-wing leads on four sides²*

IEC 61188-5-6, *Printed boards and printed board assemblies – Design and use – Part 5-6: Attachment (land/joint) considerations – Chip carriers with J-leads on four sides*

IEC 61188-5-8, *Printed boards and printed board assemblies – Design and use – Part 5-8 : Sectional Requirement – Attachment (land/joint) considerations – Area array components (BGA, FBGA, CGA, LGA)²*

¹ To be published.