



IEC PAS 61249-8-5

Edition 1.0 2014-06

# PUBLICLY AVAILABLE SPECIFICATION

## PRE-STANDARD

Qualification and performance specification of permanent solder mask and flexible cover materials

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

U

ICS 31.180

ISBN 978-2-8322-1633-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## QUALIFICATION AND PERFORMANCE SPECIFICATION OF PERMANENT SOLDER MASK AND FLEXIBLE COVER MATERIALS

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 61249-8-5, submitted by IPC has been processed by IEC technical committee 91: Electronics assembly technology. It is based on IPC-SM-840E. It is published as a double-logo PAS. The structure and editorial rules used in this PAS reflect the practice of the organization which submitted it.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
91/1157/PAS	91/1174/RVD

Following publication of this PAS, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of 3 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

Withdrawn

# IPC-SM-840E

2010 - December

## Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

Supersedes IPC-SM-840D

April 2007

*A standard developed by IPC*

Withdrawn

Association Connecting Electronics Industries



## The Principles of Standardization

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

### Standards Should:

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

### Standards Should Not:

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

## Notice

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

## IPC Position Statement on Specification Revision Change

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

## Why is there a charge for this document?

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit [www.ipc.org](http://www.ipc.org) or call 847/597-2872.

Thank you for your continued support.



IPC-SM-840E

# Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

Developed by the Solder Mask Performance Task Group (5-33B) of the Cleaning and Coating Committee (5-30) and the Covercoat Materials Task Group (D-13B) of the Flexible Circuits Committee (D-10) of IPC

**Supersedes:**

IPC-SM-840D - April 2007  
IPC-SM-840C -  
Amendment 1 - June 2000  
IPC-SM-840C - January 1995  
IPC-SM-840B - May 1988  
IPC-SM-840A - July 1983  
IPC-SM-840 - November 1977

Users of this publication are encouraged to participate in the development of future revisions.

**Contact:**

IPC  
3000 Lakeside Drive, Suite 309S  
Bannockburn, Illinois  
60015-1249  
Tel 847 615.7100  
Fax 847 615.7105

This Page Intentionally Left Blank

Withdrawn

## Acknowledgment

Any document involving a complex technology draws material from a vast number of sources. While the principal members of the Solder Mask Performance Task Group (5-33B) of the Cleaning and Coating Committee (5-30) and the Covercoat Materials Task Group (D-13B) of the Flexible Circuits Committee (D-10) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of IPC extend their gratitude.

### Flexible Circuits Committee

Chair  
Douglas O. Pauls  
Rockwell Collins

Vice-Chair  
Debora L. Obitz  
Trace Laboratories - East

### Solder Mask Performance Task Group

Chair  
David A. Vaughan  
Taiyo America, Inc.

Vice-Chair  
Douglas O. Pauls  
Rockwell Collins

### Covercoat Materials Task Group

Chair  
Steve A. Musante  
Raytheon Missile Systems

### Technical Liaisons of the IPC Board of Directors

Peter Bigelow  
IMI Inc.

Sammy Yi  
Aptina Imaging Corporation

### Solder Mask Performance Task Group and Covercoat Materials Task Group

Gregory Bartlett, Teledyne Printed Circuit Technologies  
John Bauer, Rockwell Collins  
Michael Beauchesne, Amphenol Printed Circuits, Inc.  
Joshua Civiello, Defense Supply Center Columbus  
Mark Finstad, Flexible Circuit Technologies, Inc.  
Thomas F. Gardeski, Gemini Sciences  
Marc Goudreau, Vulcan Flex Circuit Corporation

Russell Griffith, Flexible Circuits Inc.  
Michael J. Jawitz, Boeing Satellite Development Center  
Nick Koop, Minco Products Inc.  
Karin LaBerge, Microtek Laboratories  
John Leschisin, Minco Products Inc.  
Anne Lomonte, Draeger Medical Systems, Inc.  
Duane B. Mahnke, DBMahnke Consulting  
Thomas McCarthy, Taconic Advanced Dielectric Division

Roger J. Miedico, Raytheon Company  
William Ortloff, Raytheon Company  
Robert Sheldon, Pioneer Circuits Inc.  
Terry Shepler, Electro-Materials, Inc.  
Douglas J. Sober, Kaneka Texas Corporation  
Brent Sweitzer, Multek Flexible Circuits, Inc.  
Steve J. Vetter, NSW Crane  
Clark F. Webster, ALL Flex LLC  
Miou Yamaoka, Meiko Electronics Co. Ltd.



This Page Intentionally Left Blank

Withdrawn

## Table of Contents

<b>1 SCOPE AND DESIGNATION</b>	1	3.2.3 Shelf Life	7
1.1 Scope	1	3.2.4 Color	7
1.2 Purpose	1	3.2.5 Cure	7
1.3 Classes	1	3.2.6 Non-Nutrient	7
1.4 Presentation	2	3.3 Visual Requirements	7
1.5 Terms and Definitions	2	3.3.1 Appearance	7
1.5.1 As Agreed Between User and Supplier (AABUS)	2	3.3.2 Discoloration (Metallic Surfaces)	7
1.5.2 Blistering	2	3.3.3 Discoloration (Solder Mask or Cover Material)	7
1.5.3 Chalking (Cured Solder Mask or Cover Material)	2	3.4 Dimensional Requirements	7
1.5.4 Color Change (Cured Solder Mask or Cover Material)	2	3.4.1 Solder Mask or Cover Material Thickness	7
1.5.5 CoC	2	3.5 Physical Requirements	7
1.5.6 Covercoat	2	3.5.1 Pencil Hardness	7
1.5.7 Coverfilm	2	3.5.2 Adhesion	7
1.5.8 Cover Material	2	3.5.3 Machinability	8
1.5.9 Crazeing (Conformal or Solder Mask or Cover Material)	2	3.5.4 Flexibility	9
1.5.10 Delamination (Cured Solder Mask or Cover Material)	2	3.6 Chemical Requirements	9
1.5.11 FTIR	2	3.6.1 Resistance to Fabrication Solvents, Cleaning Agents and Fluxes	9
1.5.12 Liquefaction (Cured Solder Mask or Cover Material)	3	3.6.2 Hydrolytic Stability	9
1.5.13 Peeling (Cured Solder Mask)	3	3.6.3 Flammability	9
1.5.14 SAC 305	3	3.7 Soldering Requirements	9
1.5.15 Softening (Cured Solder Mask or Cover Material)	3	3.7.1 Solderability	9
1.5.16 Solder Mask	3	3.7.2 Resistance to Tin-Lead Solder	9
1.5.17 Swelling (Cured Solder Mask or Cover Material)	3	3.7.3 Resistance to Lead Free Solder	10
1.5.18 Tackiness (Solder Mask or Cover Material)	3	3.8 Electrical Requirements	10
1.5.19 Wicking (Solder Mask or Covercoat)	3	3.8.1 Dielectric Strength	10
1.6 Revision Level Changes	3	3.8.2 Insulation Resistance	10
<b>2 APPLICABLE DOCUMENTS</b>	3	3.9 Environmental Requirements	10
2.1 IPC	3	3.9.1 Moisture and Insulation Resistance	10
2.2 Underwriters Laboratories	4	3.9.2 Electrochemical Migration	10
2.3 ASTM	4	3.9.3 Thermal Shock	10
2.4 Precedence of Documents	4	<b>4 QUALITY ASSURANCE PROVISIONS</b>	11
<b>3 REQUIREMENTS</b>	4	4.1 Responsibility for Testing/Inspection	11
3.1 Qualification/Conformance	4	4.1.1 Initial Qualification Testing	11
3.1.1 Material Qualification and Conformance	4	4.1.2 Test or Inspection Facilities	11
3.1.2 Printed Board Process Qualification and Assessment	5	4.2 Qualification Inspection	11
3.1.3 Requalification	5	4.2.1 Sample Size	11
3.2 Materials	5	4.2.2 Inspection Routine	11
3.2.1 Formulation Change	5	4.2.3 Failures	11
3.2.2 Compatibility	5	4.3 Quality Conformance Testing/Inspection	11
		4.3.1 Testing/Inspection of Product for Delivery	11
		4.4 Preparation of Specimens for Test	12
		4.4.1 Standard Laboratory Conditions	12
		4.4.2 Specimen Selection	13
		4.4.3 Coating	13
		4.4.4 Number	14

<b>5 PREPARATION OF SOLDER MASK OR COVER MATERIAL FOR DELIVERY</b>	15
5.1 Preservation, Packaging and Packing	15
<b>6 NOTES</b>	15
6.1 Specifying Solder Mask or Cover Material on Printed Boards	15
6.2 Class FT/FH Test Methods	15
6.3 Special Requirements	15

### Figures

Figure 4-1 IPC-B-25A (Note: No solder mask or cover material shall be applied to contact fingers)	14
Figure 4-2 IPC-2221 Test Coupon E Layer 1 ("Y" Configuration)	14

### Tables

Table 3-1 Requirements of Qualification	6
Table 3-2 Adhesion to Rigid Printed Boards (IPC-B-25A Test Board and/or Production Printed Board)	8
Table 3-3 Moisture & Insulation Resistance	10
Table 3-4 Electrochemical Migration	10
Table 3-5 Thermal Shock Conditions	11
Table 4-1 Sample Requirements/Suggested Test Sequence for Table 3-1, Column A IPC-B-25A Standard Test Boards	12
Table 4-2 Sample Requirements/Suggested Test Sequence for Table 3-1, Column B IPC-B-25A Boards – Production Process or Conformance Coupons Or Production Printed Boards	13

Withdrawn

# Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

---

## 1 SCOPE AND DESIGNATION

**1.1 Scope** This specification **shall** define the criteria for and method of obtaining the maximum information about and confidence in cured permanent solder mask and cover material under evaluation with the minimum of test redundancy.

This specification **shall** establish the requirements for:

- The evaluation of solder mask and cover materials
- The conformance of solder mask and cover material properties
- The qualification of the solder mask and cover material via the appropriate test substrate
- The qualification assessment of the solder mask and cover material in conjunction with the production printed board process

Withdrawn