INTERNATIONAL ORGANIZATION FOR STANDARDIZATION MET MET APODHAS OPTAHUSAUUS TO CTAHDAPTUSAUULORGANISATION INTERNATIONALE DE NORMALISATION

INTERNATIONAL STANDARD

# Information processing – 7-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpmm (200 rpi)

Traitement de l'information – Bande magnétique à 7 pistes, de 12,7 mm (0,5-In) de large, enregistrée à 8 rangées par millimètre (200 rpi) pour l'échange d'information

First edition - 1975-02-01

UDC 681.327.64

Ref. No. ISO 1861-1975 (E)

Descriptors : data processing, magnetic tapes, information interchange, specifications.

Price based on 7 pages

1861

#### FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1861 was drawn up by Technical Committee ISO/TC 97, *Computers and information processing*, and circulated to the Member Bodies in October 1973.

It has been approved by the Member Bodies of the following countries :



Sweden Switzerland Thailand Turkey United Kingdom U.S.S.R. Yugoslavia

This International Standard cancels and replaces R 1861-1971, of which it constitutes a technical revision.

ISO Recommendation

© International Organization for Standardization, 1975 •

Printed in Switzerland

INTERNATIONAL STANDARD

## Information processing – 7-track, 12,7 mm (0.5 in) wide magnetic tape for information interchange recorded at 8 rpmm (200 rpi)

## **1 SCOPE AND FIELD OF APPLICATION**

This International Standard specifies a 7-track, 8 rows per millimetre (rpmm) [200 rows per inch (rpi)] 12,7 mm (0.5 in) wide magnetic tape for interchangeability of tape between information processing systems which utilize 6and 7-bit coded character sets, the latter being as specified in ISO 646. It refers solely to magnetic tape for digital recording, on which the direction of magnetization is nominally longitudinal as opposed to nominally transverse.

#### NOTES

1 Certain other aspects of coding requirements, such as significance of binary digits, sequence of characters, filling of unused positions and magnetic labelling for use on magnetic tape, are the subject of ISO/R 961 and ISO/R 1001.

2 Details of unrecorded tape and reels are specified in the complementary publication, ISO 1864.

### 2 REFERENCES

ISO/R 961, Implementation of the  $\hat{\rho}$ - and  $\hat{r}$ -bit coded character sets on 7-track, 12 Z mm (1/2 in) magnetic tape.

ISO/R 1001, Magnetic tape labelling and file structure for information interchange.

ISO 1864, Information processing – Unrecorded 12,7 mm (0.5 in) magnetic tape for information interchange – 8 and 32 rpmm (200 and 800 rpi), NRZI, and 63 rpmm (1 600 rpi), phase-encoded.

<sup>1)</sup> At present at the stage of draft. (Revision of ISO/R 1864.)