International Standard




3407

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION●MEЖДУНАРОДНАЯ OPFAHИЗАЦИЯ ПО CTAHДAPTUЗАЦИИ●ORGANISATION INTERNATIONALE DE NORMALISATION

Information processing — Information interchange on 3,81 mm (0.150 in) magnetic tape cassette at 4 cpmm (100 cpi), phase encoded at 63 ftpmm (1600 ftpi)

Traitement de l'information — Échange d'information sur casserte de bande magnétique de 3,81 mm (0,150 in) à 4 cpmm (100 cpi), enregistrée par codage de phase à 63 ftpmm (1 600 ftpi)





UDC 681.327.64

Ref. No. ISO 3407-1983 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been authorized has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3407 was developed by Technical Committee ISO/TC 97 Information-processing systems.

This second edition was submitted directly to the ISO Council, in accordance with clause 6.11.2 of part 1 of the Directives for the technical work of ISO. It cancels and replaces the first edition (i.e. ISO 3407-1976), which had been approved by the member bodies of the following countries:

Australia Metherlands Turkey Bulgaria New Zealand United Kingdom Czechoslovakia Poland USA USSR France Portugal Germany, F.R. Romania Yugoslavia Hungary Spain Italy Switzerland

The member bodies of the following countries had expressed disapproval of the document on technical grounds:

Belgium Japan

Information processing — Information interchange on 3,81 mm (0.150 in) magnetic tape cassette at 4 cpmm (100 cpi), phase encoded at 63 ftpmm (1 600 ftpi)

1 Scope and field of application

This International Standard specifies the characteristics of a 3,81 mm (0.150 in) magnetic tape cassette to provide data interchange and physical interchangeability between information processing systems utilizing the ISO 7-bit coded character set (see ISO 646) and, where required, its extensions (see ISO 2022). The cassette is of the twin hub coplanar type, loaded with a 3,81 mm (0.150 in) wide magnetic tape for digital recording using the 31,5 bits per mm (800 bpi) phase encoding method. The direction of magnetization is in the longitudinal direction of the tape.

NOTES

- 1 Numeric values in the SI and/or Imperial measurement system in this International Standard may have been rounded, and are therefore consistent with, but not exactly equal to each other. Either system may be used, but the two should be neither internaixed nor converted. The original design was made using the metric measurement system.
- 2 Throughout the remainder of this International Standard for the sake of simplicity the recording density is stated as 32 bpmm (800 bpi) nominal.

This International Standard applies to cassettes and data used for interchange. Where it applies for testing only, this is specifically stated.

2 References

ISO 646, Information processing — 7-bit coded character set for information interchange.

ISO 2022, Information processing — ISO 7-bit and 8-bit coded character set — Code extension techniques.

