

INTERNATIONAL STANDARD

ISO/IEC 15416

First edition
2000-08-15

Information technology — Automatic identification and data capture techniques — Bar code print quality test specification — Linear symbols

*Technologies de l'information — Techniques d'identification automatique et
de capture des données — Spécifications pour essai de qualité
d'impression des codes à barres — Symboles linéaires*

Without
rights

Reference number
ISO/IEC 15416:2000(E)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Withdrawn

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

	Page
Foreword.....	vi
Introduction.....	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
4.1 Abbreviations.....	3
4.2 Symbols.....	3
5 Measurement methodology	4
5.1 General requirements.....	4
5.2 Reference reflectivity measurements.....	5
5.2.1 Measurement wavelength(s).....	5
5.2.2 Measuring aperture.....	5
5.2.3 Optical geometry.....	6
5.2.4 Inspection band.....	7
5.2.5 Number of scans.....	7
5.3 Scan reflectance profile	7
5.4 Scan reflectance profile assessment parameters.....	8
5.4.1 Element determination.....	9
5.4.2 Edge determination.....	9
5.4.3 Decode.....	10
5.4.4 Symbol contrast (SC).....	10
5.4.5 Minimum reflectance (R_{min}).....	10
5.4.6 Edge contrast (EC).....	10
5.4.7 Modulation (MOD).....	10
5.4.8 Defects.....	10
5.4.9 Decodability.....	10
5.4.10 Quiet zone check.....	11
6 Symbol grading.....	12
6.1 Scan reflectance profile grading.....	12
6.1.1 Decode.....	12
6.1.2 Reflectance parameter grading.....	12
6.1.3 Decodability.....	13
6.2 Expression of symbol grade.....	13
7 Substrate characteristics.....	13
Annex A (normative) Decodability.....	14
A.1 Two-width symbologies.....	14
A.2 Edge to similar edge decodable symbologies ((n, k) symbologies).....	14
Annex B (normative) Example of symbol quality grading.....	16
B.1 Individual scan reflectance profile grading.....	16
B.2 Overall symbol grade.....	17
Annex C (informative) Symbol grading flowchart.....	18
Annex D (informative) Substrate characteristics.....	19
D.1 Substrate opacity.....	19
D.2 Gloss.....	19
D.3 Over-laminate.....	19

D.4	Static reflectance measurements.....	19
D.4.1	Prediction of Symbol Contrast (SC).....	20
D.4.2	Prediction of Minimum Edge Contrast (EC_{min}) and Modulation (MOD)	20
D.4.3	Acceptability of measured and derived values.....	22
Annex E	(informative) Interpretation of the scan reflectance profile and profile grades.....	23
E.1	Significance of scan reflectance profiles	23
E.2	Interpretation of results.....	23
E.3	Matching grades to applications	24
E.4	Alphabetic grading	25
Annex F	(informative) Guidance on selection of light wavelength	26
F.1	Light sources.....	26
F.2	Effect of variations in wavelength.....	27
Annex G	(informative) Guidance on number of scans per symbol	28
Annex H	(informative) Example of verification report	29
Annex I	(informative) Comparison with traditional methodologies	30
I.1	Traditional methodologies	30
I.2	Correlation of Print Contrast Signal with symbol contrast measurements.....	30
I.3	Guidance on grading for applications also specifying PCS	31
Annex J	(informative) Process control requirements.....	32
J.1	Process control for repetitive printing	32
J.2	Number of scans.....	32
J.3	Bar width deviation.....	33
J.3.1	Two-width symbologies	33
J.3.2	(n, k) symbologies	33
J.3.3	Average bar width gain/loss	33
Bibliography	34

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 15416 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

Annexes A and B form a normative part of this International Standard. Annexes C to J are for information only.

Withhold

Introduction

The technology of bar coding is based on the recognition of patterns encoded in bars and spaces of defined dimensions according to rules defining the translation of characters into such patterns, known as the symbology specification.

The bar code symbol must be produced in such a way as to be reliably decoded at the point of use, if it is to fulfil its basic objective as a machine readable data carrier.

Manufacturers of bar code equipment and the producers and users of bar code symbols therefore require publicly available standard test specifications for the objective assessment of the quality of bar code symbols, to which they can refer when developing equipment and application standards or determining the quality of the symbols. Such test specifications form the basis for the development of measuring equipment for process control and quality assurance purposes during symbol production as well as afterwards.

The performance of measuring equipment is the subject of a separate International Standard, ISO/IEC 15426.

This International Standard is intended to be substantially equivalent in technical content to EN 1635 and ANSI standards X3.182 - 1990 and ANSI/UCC5 on which it has been based. It should be read in conjunction with the symbology specification applicable to the bar code symbol being tested, which provides symbology-specific detail necessary for its application.

There are currently many methods of assessing bar code quality at different stages of symbol production. The methodology provided in this specification is not intended as a replacement for any current process control methods but gives essential additional quality information. This methodology provides a basis for grading the quality of bar code symbols in relation to their expected performance when read and therefore gives symbol producers and their trading partners a universally standardized means for communicating about the quality of bar code symbols after they have been printed. It also provides symbol producers with information enabling them to adjust their production process.

Alternative methods of quality assessment may be agreed between parties or as part of an application specification.

Information technology — Automatic identification and data capture techniques — Bar code print quality test specification — Linear symbols

1 Scope

This International Standard

- specifies the methodology for the measurement of specific attributes of bar code symbols;
- defines a method for evaluating these measurements and deriving an overall assessment of symbol quality;
- gives information on possible causes of deviation from optimum grades to assist users in taking appropriate corrective action.

This International Standard applies to those symbologies for which a reference decode algorithm has been defined, and which are intended to be read using linear scanning methods, but its methodology can be applied partially or wholly to other symbologies.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 7724-2:1984, *Paints and varnishes — Colorimetry — Part 2: Colour measurement.*

EN 1556:1998, *Bar coding — Terminology.*