
**Information technology — Radio
frequency identification for item
management —**

**Part 4:
Parameters for air interface
communications at 2,45 GHz**

*Technologies de l'information — Identification par radiofréquence
(RFID) pour la gestion d'objets —*

*Partie 4: Paramètres de communications d'une interface d'air
à 2,45 GHz*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|---|----|
| Foreword..... | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions..... | 2 |
| 4 Symbols and abbreviated terms | 2 |
| 5 2,45 GHz RFID protocols that support this part of ISO/IEC 18000..... | 3 |
| 5.1 General..... | 3 |
| 5.1.1 Protocols | 3 |
| 5.1.2 Frequency..... | 3 |
| 5.1.3 Tag identification number..... | 4 |
| 5.1.4 Potential interference | 4 |
| 5.2 MODE 1: Passive backscatter RFID system | 4 |
| 5.2.1 MODE 1: Physical and media access control (MAC) parameters..... | 5 |
| 5.2.2 Physical layer and data coding | 10 |
| 5.2.3 Protocol and collision arbitration | 20 |
| 5.3 MODE 2: Long range high data rate RFID system..... | 47 |
| 5.3.1 MODE 2: Physical and media access control (MAC) parameters..... | 47 |
| 5.3.2 Modulation and coding..... | 52 |
| 5.3.3 General system description..... | 55 |
| 5.3.4 Frame structure..... | 55 |
| 5.3.5 CCC 6.2.5 Channel coding and sequences..... | 77 |
| 5.3.6 Command set for the command slot channel: CS-CH (only for R/W-tag)..... | 78 |
| 6 Table of characteristic differences between the modes specified in this part of ISO/IEC 18000 | 82 |
| Annex A (informative) Mode 1: Memory Map..... | 83 |
| A.1 Tag memory map | 83 |
| A.2 Unique identifier..... | 83 |
| A.3 Manufacturer ID and tag hardware..... | 85 |
| A.4 Tag Memory layout | 86 |
| A.5 Application (USER) memory..... | 88 |
| Annex B (informative) Mode 1: CRC..... | 89 |
| B.1 Interrogator to tag and tag to interrogator CRC-16..... | 89 |
| B.2 CRC calculation examples | 90 |
| Annex C (normative) Mode 2: Memory Map | 93 |
| C.1 Tag Memory map | 93 |
| C.2 Tag Serial number – <i>UserTagID</i> | 94 |
| C.3 Tag manufacturer’s identifiers – <i>MfrTagID</i> | 95 |
| Annex D (informative) Mode 2: CRC..... | 96 |
| D.1 Cyclic redundancy check (CRC) | 96 |
| D.2 CRC calculation example..... | 96 |
| Bibliography | 98 |

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

ISO/IEC 18000-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology* Subcommittee SC 31, *Automatic identification and data capture techniques*.

This second edition cancels and replaces the first edition (ISO/IEC 18000-4:2004), which has been technically revised.

ISO/IEC 18000 consists of the following parts, under the general title *Information technology — Radio frequency identification for item management*:

- *Part 1: Reference architecture and definition of parameters to be standardized*
- *Part 2: Parameters for air interface communications below 135 kHz*
- *Part 3: Parameters for air interface communications at 13,56 MHz*
- *Part 4: Parameters for air interface communications at 2,45 GHz*
- *Part 6: Parameters for air interface communications at 860 MHz to 960 MHz*
- *Part 7: Parameters for active air interface communications at 433 MHz*

Introduction

This part of ISO/IEC 18000 is one of a series of International Standards and Technical Reports developed by ISO/IEC JTC 1/SC 31, WG 4 for the identification of items (Item Management) using radio frequency identification (RFID) technology.

This part of ISO/IEC 18000 defines the 2,45 GHz protocols that support ISO/IEC 18000-1. Each of the specific physical/data link configurations is defined in a separate sub-clause. The configuration descriptions include a Physical Layer and a Data Link Layer.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning radio-frequency identification technology given in all parts of the document and especially in 5.2 and 5.3.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured the ISO and IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and IEC. Information may be obtained from the following companies.

| Contact details | Patent number |
|--|--|
| Intermec IP Corporation Legal Department Phyllis T. Turner-Brim, Esq. 6001 36th Ave, W Everett, Washington 98203, USA Tel.: +1(425)625-2480 Fax: +1(425)501-6587 Email: phyllis.turnerbrim@intermec.com | US 5,030,807 US 5,521,601 US 5,550,547 US 5,673,037 US 5,777,561 US 5,828,318 US 5,828,693 US 5,850,181 US 5,942,987 US 5,995,019 |
| NXP B.V. Intellectual Property & Licensing Mr. Harald Röggl Gutheil-Schoder-Gasse 8-12 A-1102 Vienna Austria Tel.: +43(1)60870-1469 Fax: +43(1)60870-1101 Email: harald.roeggla@nxp.com | CN02811230 JP 03-502778; US6,961,829B EP02735725.0 |
| Siemens Aktiengesellschaft, CT IP L&T Hans Joerg Mueller Otto-Hahn-Ring 6 D-81739 Munich Germany Tel: +49(89)636 82628 Fax: +49(89)636 81855 Email: hans-joerg.mueller@siemens.com | US 7289458 EP 1415263 DE 10137247 US 6944240 DE 19962458 EP 1240720 |

| Contact details | Patent number |
|--|---|
| Zebra Technologies Corporation, Legal Department, Mr. Eric McAlpine, IP Counsel, 333 Corporate Woods Parkway, Vernon Hills, Illinois 60061-3109, USA Tel: +1(847)793-5640 Fax: +1(847)955-4514 Email: emcalpine@zebra.com | US 5519381 US 5726630 EP 0598624 EP 0789254 EP 0789253 EP 01117486.9 US 5680459 US 6198381 JP 10-272945 |

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Information technology — Radio frequency identification for item management —

Part 4: Parameters for air interface communications at 2,45 GHz

1 Scope

This part of ISO/IEC 18000 defines the air interface for radio frequency identification (RFID) devices operating in the 2,45 GHz Industrial, Scientific, and Medical (ISM) band used in item management applications. This part of ISO/IEC 18000 provides a common technical specification for RFID devices that can be used by ISO committees developing RFID application standards. This part of ISO/IEC 18000 is intended to allow for compatibility and to encourage inter-operability of products for the growing RFID market in the international marketplace. This part of ISO/IEC 18000 defines the forward and return link parameters for technical attributes including, but not limited to, operating frequency, operating channel accuracy, occupied channel bandwidth, maximum equivalent isotropically radiated power (EIRP), spurious emissions, modulation, duty cycle, data coding, bit rate, bit rate accuracy, bit transmission order, and where appropriate operating channels, frequency hop rate, hop sequence, spreading sequence, and chip rate. This part of ISO/IEC 18000 further defines the communications protocol used in the air interface.

This part of ISO/IEC 18000 contains two modes. The first is a passive tag operating as an interrogator talks first and the second is a battery-assisted tag operating as a tag talks first. The detailed technical differences between the modes are shown in the parameter tables.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 7816-6, *Identification cards — Integrated circuit cards — Part 6: Interindustry data elements for interchange*

ISO/IEC 15963, *Information technology — Radio frequency identification for item management — Unique identification for RF tags*

ISO/IEC 18000-1, *Information technology — Radio frequency identification for item management — Part 1: Reference architecture and definition of parameters to be standardized*

ISO/IEC TR 18047-4, *Information technology — Radio frequency identification device conformance test methods — Part 4: Test methods for air interface communications at 2,45 GHz*

ISO/IEC 19762 (all parts), *Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary*