

INTERNATIONAL STANDARD

ISO/IEC
23002-4

Second edition
2014-04-15

Information technology — MPEG video technologies —

Part 4: Video tool library

*Technologies de l'information — Technologies vidéo MPEG —
Partie 4: Bibliothèque d'outils vidéo*



Reference number
ISO/IEC 23002-4:2014(E)



© ISO/IEC 2014

Withdrawn



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction.....	vii
1 Scope	1
2 Normative references.....	1
3 Terms and definitions	1
4 FU description convention	2
4.1 FU interfaces	2
4.2 FU IDs	2
4.3 Token Pool	5
5 General-Purpose FUs.....	8
5.1 Syntax Parsing.....	8
5.1.1 Generic Syntax Parser	8
5.1.2 Algo_Byte2bit	8
5.1.3 Mgmt_Select_MB_4	8
5.1.4 Mgmt_Merger420	9
5.1.5 Mgmt_Select_MB_8.....	9
6 FUs for MPEG-4 Simple Profile	10
6.1 Syntax Parsing.....	10
6.1.1 Algo_SynP.....	10
6.1.2 Mgmt_BlockExpand	10
6.1.3 Mgmt_Splitter420B	11
6.1.4 Mgmt_Splitter420MV	11
6.1.5 Algo_MVR_MedianOfThreeLeftAndTopAndTopRight	12
6.1.6 Mgmt_Splitter_420_TYPE	12
6.1.7 Algo_VLDtableB6_MPEG4Part2	13
6.1.8 Algo_VLDtableB7_MPEG4Part2	13
6.1.9 Algo_VLDtableB8_MPEG4Part2	14
6.1.10 Algo_VLDtableB12_MPEG4Part2	14
6.1.11 Algo_VLDtableB13_MPEG4Part2	14
6.1.12 Algo_VLDtableB14_MPEG4Part2	15
6.1.13 Algo_VLDtableB15_MPEG4Part2	15
6.1.14 Algo_VLDtableB16_MPEG4Part2	16
6.1.15 Algo_VLDtableB17_MPEG4Part2	16
6.2 Texture Decoding	17
6.2.1 Algo_IQ_QSAndQmatrixMp4vOrH263Scaler	17
6.2.2 Algo_DCRAddr_ThreeLeftTop_8x8	17
6.2.3 Algo_DCRAddr_ThreeLeftTop_16x16	18
6.2.4 Algo_DCRInvPred_CHROMA_8x8	18
6.2.5 Algo_DCRInvPred_LUMA_16x16	19
6.2.6 Algo_IS_ZigzagOrAlternateHorizontalVertical_8x8	20
6.2.7 Algo_IAP_AdaptiveHorizontalOrVerticalPred_8x8	20
6.2.8 Algo_IAP_AdaptiveHorizontalOrVerticalPred_16x16	21
6.2.9 Algo_IDCT2D_ISOIEC_23002_1	22
6.2.10 Mgmt_DCSplit	22
6.3 Motion Compensation.....	23
6.3.1 Mgmt_FB_w_Address_8x8	23
6.3.2 Mgmt_FB_w_Address_16x16	23
6.3.3 Algo_PictureReconstruction_Saturation	24
6.3.4 Algo_Interp_HalfpelBilinearRoundingControl.....	24

7	FUs for MPEG-4 AVC Constrained Baseline Profile.....	25
7.1	Syntax Parsing	25
7.1.1	Algo_NALU	25
7.1.2	Algo_SynP	25
7.1.3	Algo_BlockExpand	26
7.1.4	Algo_BlockSplit	27
7.1.5	Algo_IntraPred_Split	27
7.1.6	Algo_Parser_I_PCM	28
7.1.7	Algo_DemuxParserInfoForBlocks_Chroma	28
7.1.8	Algo_DemuxParserInfoForBlocks_Luma	28
7.2	Texture Decoding.....	29
7.2.1	Algo_IS_Zigzag_4x4	29
7.2.2	Algo_DCR_Hadamard_LUMA_IHT1d	29
7.2.3	Algo_Transpose4x4	30
7.2.4	Algo_DCR_Hadamard_LUMA_Reordering	30
7.2.5	Algo_DCR_Hadamard_LUMA_Scaling	31
7.2.6	Algo_DCR_Hadamard_CHROMA	31
7.2.7	Algo_IT4x4_1d	31
7.2.8	Algo_IT4x4_Addshift	32
7.2.9	Algo_IntraPred_LUMA_16x16	32
7.2.10	Algo_IntraPred_LUMA_4x4	33
7.2.11	Algo_Merge_4x4_to_16x16	33
7.2.12	Algo_IQ_QSAndSLAndIDCTScaler_4x4	33
7.2.13	Mgmt_IQ_INTRA16x16	34
7.2.14	Algo_IntraPred_4x4_to_8x8	34
7.2.15	Algo_IntraPred_CHROMA	35
7.2.16	Mgmt_Intra16x16	35
7.2.17	Mgmt_Intra4x4	36
7.2.18	Mgmt_IQ_Chroma	36
7.2.19	Mgmt_Buffer_Neighbour_FullMb	36
7.2.20	Mgmt_Buffer_Neighbour_YxY	37
7.2.21	Algo_Merge_4x4_to_16x16_norasterscan	37
7.2.22	Algo_Split_16x16_to_4x4_norasterscan	38
7.3	Motion Compensation	38
7.3.1	Algo_Interp_EighthPelBilinear	38
7.3.2	Algo_Interp_SeparableSixTapQuarterPel	39
7.3.3	Algo_Interp_Reord	39
7.3.4	Algo_MvLXReconstr	39
7.3.5	Mgmt_DPB	40
7.3.6	Algo_MMCO	41
7.3.7	AlgoRefList	41
7.3.8	Mgmt_InterPred	42
7.3.9	Algo_RefIdxtoFrameNum	42
7.4	Filtering	42
7.4.1	Mgmt_DBF_AdaptiveFilter	42
7.4.2	Algo_DBF_AdaptiveFilter	43
7.4.3	Algo_MvComponentReorder	43
7.5	Renderer	44
7.5.1	Mgmt_POC	44
7.5.2	Mgmt_BufferRender	44
7.5.3	Mgmt_Merger420_AVC	45
8	FUs for MPEG-4 AVC Progressive High Profile.....	45
8.1.1	Algo_SynP	45
8.1.2	Algo_BlockExpand	46
8.1.3	Algo_DemuxParserInfoForBlocks_Luma	47
8.2	Texture Decoding.....	47
8.2.1	Algo_IS_Zigzag_8x8	47
8.2.2	Algo_IQ_QSAndSLAndIDCTScaler_8x8	48
8.2.3	Algo_IIT_8x8	48

8.2.4	Algo_IntraPred_LUMA_8x8	49
8.2.5	Mgmt_Intra_8x8	49
8.2.6	Algo_Merge_8x8_to_16x16.....	50
8.2.7	Algo_DCR_Hadamard_CHROMA.....	50
8.2.8	Algo_DCR_Hadamard_LUMA_Scaling.....	50
8.2.9	Algo_IQ_QSAndSLAndIDCTScaler_4x4.....	51
8.2.10	Algo_Merge_8x8_to_16x16_norasterscan.....	51
8.2.11	Algo_Split_16x16_to_8x8_norasterscan.....	52
8.2.12	Mgmt_I4x4_I8x8_demux	52
8.2.13	Mgmt_I4x4_I8x8_mux.....	52
8.3	Motion Compensation.....	53
8.3.1	Algo_GeneratePredWeight.....	53
8.3.2	Mgmt_SelectMvpLX.....	53
8.3.3	Algo_MvLXReconstr	54
8.3.4	Algo_MvBuffer	55
8.3.5	Mgmt_SelectMvpLX.....	55
8.3.6	Algo_FrameNumToPocList	56
8.4	Filtering.....	56
8.4.1	Algo_DBF_AdaptiveFilter	56
8.4.2	Algo_MvComponentReorder.....	57
Annex A (normative) Naming Convention of FU		58
A.1	Simple Functional Units name convention.....	58
A.2	Description of the fields.....	58
Annex B (informative) FU Network Examples		60
B.1	Value of the RVC descriptions	60
B.2	FNL of MPEG-4 Simple Profile	60
B.3	FNL of MPEG-4 AVC Constrained Baseline Profile decoder	66
Annex C (normative) FNL of MPEG-4 AVC Progressive High Profile decoder.....		81
Bibliography.....		104

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 23002-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This second edition cancels and replaces the first edition (ISO/IEC 23002-4:2010), which has been technically revised. It also incorporates the Amendment ISO/IEC 23002-4:2010/Amd.1:2011.

ISO/IEC 23002 consists of the following parts, under the general title *Information technology — MPEG video technologies*:

- *Part 1: Accuracy requirements for implementation of integer-output 8×8 inverse discrete cosine transform*
- *Part 2: Fixed-point 8×8 inverse discrete cosine transform and discrete cosine transform*
- *Part 3: Representation of auxiliary video and supplemental information*
- *Part 4: Video tool library*
- *Part 5: Reconfigurable media coding conformance and reference software*

Introduction

This part of ISO/IEC 23002 defines the MPEG video tool library, which contains tools drawn from existing MPEG coding standards, such as ISO/IEC 14496-2 and ISO/IEC 14496-10, and ISO/IEC 23001-4 defines the methods capable of describing codec configurations in the reconfigurable video coding (RVC) framework.

This part of ISO/IEC 23002 primarily addresses reconfigurable video aspects and will only focus on the description of representation of video codec configurations under the RVC framework, but could be extended to a more generic reconfigurable media coding (RMC) framework.

The objective of RVC is to offer a framework that is capable of configuring and specifying video codecs as a collection of “higher level” modules by using video coding tools. The video coding tools are defined in video tool libraries. This part of ISO/IEC 23002 defines the MPEG video tool library. The RVC framework principle could also support non-MPEG tool libraries, provided that their developers have taken care to obey the appropriate rules of operation.

For the purpose of framework deployment, an appropriate description is needed to describe configurations of decoders composed of or instantiated from a subset of video tools from either one or more libraries. As illustrated in Figure 1, the configuration information consists of

- bitstream syntax description, and
- network of functional units (FUs) description (also referred to as the decoder configuration)

that together constitute the entire decoder description.

Bitstreams of existing MPEG standards are specified by specific syntax structures and decoders are composed of various coding tools. Therefore, RVC includes support for bitstream syntax descriptions as well as video coding tools. As depicted in Figure 1, a typical RVC decoder requires two types of information, namely the decoder description and the encoded media (e.g. video bitstreams) data.




Figure 1 — Conceptual diagram of RVC

A more detailed description of the RVC decoder is illustrated in Figure 2. As shown in Figure 2, the decoder description is required for the configuration of a RVC decoder. The Bitstream Syntax Description (BSD) and FU Network Description (FND) (which compose the Decoder Description) are used to configure or compose an abstract decoder model (ADM) which is instantiated through the selection of FUs from tool libraries optionally with proper parameter assignment. Such ADM constitutes the behavioral reference model used in setting up a decoding solution under the RVC framework. The process of yielding a decoding solution may vary depending on the technologies used for the desired implementations. Examples of the instantiation of an ADM and generation of proprietary decoding solutions can be found in ISO/IEC 23001-4.




Figure 2 — Graphical representation of the process for setting up a decoding solution under the RVC framework

Within the RVC framework, the decoder description describes a particular decoder configuration and consists of the FND and the BSD. The FND describes the connectivity of the network of FUs used to form a decoder whereas the parsing process for the bitstream syntax is implicitly described by the BSD. These two descriptions are specified using two standard XML-based languages or dialects:

- Functional unit network language (FNL) is a language that describes the FND, known also as “network of FUs”. The FNL specified normatively within the scope of the RVC framework is provided in ISO/IEC 23001-4.
- Bitstream syntax description language (BSDL), standardized in ISO/IEC 23001-5 (MPEG-B Part 5), describes the bitstream syntax and the parsing rules. A pertinent subset of this BSDL named RVC-BSDL is defined within the scope of the current RVC framework. This RVC-BSDL also includes possibilities for further extensions, which are necessary to provide complete description of video bitstreams. RVC-BSDL specified normatively within the scope of the RVC framework is provided in ISO/IEC 23001-4.

The decoder configuration specified using FNL, together with the specification of the bitstream syntax using RVC-BSDL fully specifies the ADM and provides an “executable” model of the RVC decoder description.

The instantiated ADM includes the information about the selected FUs and how they should be connected. As already mentioned, the FND with the network connection information is expressed by using FNL. Furthermore, the RVC framework specifies and uses a dataflow-oriented language called RVC-CAL for describing FUs’ behavior. The normative specification of RVC-CAL is provided in ISO/IEC 23001-4. The ADM is the behavioral model that should be referred to in order to implement any RVC conformant decoder. Any RVC compliant

decoding solution/implementation can be achieved by using proprietary non-normative tools and mechanisms that yield decoders that behave equivalent to the RVC ADM.

The decoder description, the MPEG tool library, and the associated instantiation of an ADM are normative. More precisely, the ADM is intended to be normative in terms of a behavioral model. In other words what is normative is the input/output behavior of the complete ADM as well as the input/output behavior of all the FUs that are included in the ADM.

withdrawn

Information technology — MPEG video technologies —

Part 4: Video tool library

1 Scope

This part of ISO/IEC 23002 defines the description of the MPEG video tool library (VTL) based on the decoder description specified in ISO/IEC 23001-4. This tool library defines the specification of FUs, which are sufficient to build complete decoding solutions according to the following coding standards:

- ISO/IEC 14496-2 (MPEG-4 Simple Profile), and
- ISO/IEC 14496-10 (MPEG-4 AVC Constrained Baseline Profile).

The objective of ISO/IEC 23001-4 is to define the general framework principles, and this part of ISO/IEC 23002 defines the MPEG VTL that includes relevant tools (or FUs) from the existing MPEG coding standards. Each FU is defined in the form of a textual description, which can be found in 4.1. The input and output behavior follows the conventions described in Clause 5 (general-purpose FUs), Clause 6 (MPEG-4 FUs), and Clause 7 (MPEG-4 AVC FUs).

This part of ISO/IEC 23002 compliant implementations can be designed using any software or hardware language and components. The reference software for the textual specification of FUs is written in RVC-CAL language of which a formal syntax is provided in ISO/IEC 23001-4, and which will be defined in Amendment 1 to ISO/IEC 23002-4.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14496-2, *Information technology — Coding of audio-visual objects — Part 2: Visual*

ISO/IEC 23001-4, *Information technology — MPEG systems technologies — Part 4: Codec configuration representation*