

# INTERNATIONAL STANDARD

**ISO/IEC  
24707**

First edition  
2007-10-01

---

---

## **Information technology — Common Logic (CL): a framework for a family of logic- based languages**

*Technologies de l'information — Logique commune (CL): un cadre pour  
une famille de langages basés sur la logique*

Withd

---

---

Reference number  
ISO/IEC 24707:2007(E)



© ISO/IEC 2007

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Withdrawn

**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	vi
Introduction .....	vii
1 Scope .....	1
2 Normative references .....	2
3 Terms and definitions .....	2
4 Symbols and abbreviations .....	5
4.1 Symbols .....	5
4.2 Abbreviations .....	6
5 Requirements and design overview .....	6
5.1 Requirements .....	6
5.2 A family of notations .....	8
6 Common Logic abstract syntax and semantics .....	8
6.1 Common Logic abstract syntax .....	8
6.2 Common Logic semantics .....	13
6.3 Importing and identification on a network .....	16
6.4 Satisfaction, validity and entailment.....	18
6.5 Sequence markers, recursion and argument lists: discussion .....	18
6.6 Special cases and translations between dialects .....	19
7 Conformance .....	20
7.1 Dialect conformance .....	20
7.2 Application conformance .....	22
7.3 Network conformance .....	22
Annex A (normative) Common Logic Interchange Format (CLIF) .....	23
A.1 Introduction .....	23
A.2 CLIF Syntax .....	24
A.3 CLIF semantics .....	29
A.4 CLIF conformance .....	32
Annex B (normative) Conceptual Graph Interchange Format (CGIF) .....	33
B.1 Introduction .....	33
B.2 CG Core Syntax and Semantics .....	39
B.3 Extended CGIF Syntax .....	45
B.4 CGIF conformance .....	51
Annex C (normative) eXtended Common Logic Markup Language (XCL) .....	54
C.1 Introduction .....	54
C.2 XCL Syntax .....	54
C.3 XCL Semantics .....	72
C.4 XCL Conformance .....	72
Bibliography .....	73

## Figures

Page

Figure 1 — Structure of a text and the taxonomy of the phrase category <i>text</i> .....	10
Figure 2 — Abstract syntax of sentence and its sub-categories.....	10
Figure 3 — Abstract syntax of a <i>module</i> .....	10
Figure 4 — Abstract syntax of a <i>quantified sentence</i> .....	11
Figure 5 — Abstract syntax of a boolean sentence .....	11
Figure 6 — Abstract syntax of an atom.....	12
Figure 7 — Abstract syntax of a term and term sequence .....	12
Figure B.1 — CG display form for John is going to Boston by bus.....	33
Figure B.2 — CG display form for “If a cat is on a mat, then it is a happy pet” .....	34
Figure B.3 — CL functions represented by actor nodes.....	35

## Tables

Page

Table 1 — Interpretations of Common Logic Expressions .....	15
Table A.1 — CLIF Semantics .....	30
Table A.2 — Mapping from additional CLIF forms to core CLIF forms .....	31
Table B.1 — Mapping from CL abstract syntax to extended CGIF syntax .....	52

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 24707 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

## Introduction

Common Logic is a logic framework intended for information exchange and transmission. The framework allows for a variety of different syntactic forms, called dialects, all expressible within a common XML-based syntax and all sharing a single semantics.

Common Logic has some novel features, chief among them being a syntax which is signature-free and permits 'higher-order' constructions such as quantification over classes or relations while preserving a first-order model theory, and a semantics which allows theories to describe intensional entities such as classes or properties. It also fixes the meanings of a few conventions in widespread use, such as numerals to denote integers and quotation marks to denote character strings, and has provision for the use of datatypes and for naming, importing and transmitting content on the World Wide Web using XML.

Withdrawn

# Information technology — Common Logic (CL): a framework for a family of logic-based languages

## 1 Scope

This International Standard specifies a family of logic languages designed for use in the representation and interchange of information and data among disparate computer systems.

The following features are essential to the design of this International Standard:

- Languages in the family have declarative semantics. It is possible to understand the meaning of expressions in these languages without appeal to an interpreter for manipulating those expressions.
- Languages in the family are logically comprehensive — at its most general, they provide for the expression of arbitrary first-order logical sentences.
- Interchange of information among heterogeneous computer systems.

The following are within the scope of this International Standard:

- representation of information in ontologies and knowledge bases;
- specification of expressions that are the input or output of inference engines;
- formal interpretations of the symbols in the language.

The following are outside the scope of this International Standard:

- the specification of proof theory or inference rules;
- specification of translators between the notations of heterogeneous computer systems;
- computer-based operational methods of providing relationships between symbols in the logical “universe of discourse” and individuals in the “real world”.

This International Standard describes Common Logic’s syntax and semantics.

It defines an abstract syntax and an associated model-theoretic semantics for a specific extension of first-order logic. The intent is that the content of any system using first-order logic can be represented in this International Standard. The purpose is to facilitate interchange of first-order logic-based information between systems.

Issues relating to computability using this International Standard (efficiency, optimization, etc.) are not addressed.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 2382-15:1999, *Information technology — Vocabulary — Part 15: Programming languages*

ISO/IEC 10646:2003, *Information technology — Universal Multiple-Octet Coded Character Set (UCS)*

ISO/IEC 14977:1996, *Information technology — Syntactic metalanguage — Extended BNF*

Withdrawn