

---

---

**Information technology — ASN.1  
encoding rules: Specification of  
Encoding Control Notation (ECN)**

*Technologies de l'information — Règles de codage ASN.1:  
Spécification de la notation de contrôle de codage (ECN)*

Withdrawn

Withdrawn



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This third edition cancels and replaces the second edition of ISO/IEC 8825-3:2008 which has been technically revised. It also incorporates ISO/IEC 8825-3:2008/Cor.1:2012.

ISO/IEC 8825-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology* Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.692 (08/2015).

International Telecommunication Union

**ITU-T**

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

**X.692**

(08/2015)

SERIES X: DATA NETWORKS, OPEN SYSTEM  
COMMUNICATIONS AND SECURITY

OSI networking and system aspects – Abstract Syntax  
Notation One (ASN.1)

---

**Information technology – ASN.1 encoding rules:  
Specification of Encoding Control Notation  
(ECN)**

Recommendation ITU-T X.692

ITU-T X-SERIES RECOMMENDATIONS  
**DATA NETWORKS, OPEN SYSTEM COMMUNICATIONS AND SECURITY**

<b>PUBLIC DATA NETWORKS</b>	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
<b>OPEN SYSTEMS INTERCONNECTION</b>	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
<b>INTERWORKING BETWEEN NETWORKS</b>	
General	X.300–X.349
Satellite data transmission systems	X.350–X.369
IP-based networks	X.370–X.379
<b>MESSAGE HANDLING SYSTEMS</b>	
<b>DIRECTORY</b>	
<b>OSI NETWORKING AND SYSTEM ASPECTS</b>	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
<b>Abstract Syntax Notation One (ASN.1)</b>	<b>X.680–X.699</b>
<b>OSI MANAGEMENT</b>	
Systems management framework and architecture	X.700–X.709
Management communication service and protocol	X.710–X.719
Structure of management information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
<b>SECURITY</b>	
<b>OSI APPLICATIONS</b>	
Commitment, concurrency and recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.889
Generic applications of ASN.1	X.890–X.899
<b>OPEN DISTRIBUTED PROCESSING</b>	
<b>INFORMATION AND NETWORK SECURITY</b>	
<b>SECURE APPLICATIONS AND SERVICES</b>	
<b>CYBERSPACE SECURITY</b>	
<b>SECURE APPLICATIONS AND SERVICES</b>	
<b>CYBERSECURITY INFORMATION EXCHANGE</b>	
<b>CLOUD COMPUTING SECURITY</b>	

For further details, please refer to the list of ITU-T Recommendations.

**INTERNATIONAL STANDARD ISO/IEC 8825-3  
RECOMMENDATION ITU-T X.692**

**Information technology – ASN.1 encoding rules:  
Specification of Encoding Control Notation (ECN)**

## Summary

Recommendation ITU-T X.692 | ISO/IEC 8825-3 defines the Encoding Control Notation (ECN) used to specify encodings (of ASN.1 types) that differ from those provided by standardized encoding rules such as the Basic Encoding Rules (BER) and the Packed Encoding Rules (PER).

## History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T X.692	2002-03-08	17	<a href="http://handle.itu.int/11.1002/1000/5647">11.1002/1000/5647</a>
1.1	ITU-T X.692 (2002) Annex E	2002-03-08	17	<a href="http://handle.itu.int/11.1002/1000/6361">11.1002/1000/6361</a>
1.2	ITU-T X.692 (2002) Amd. 1	2004-08-29	17	<a href="http://handle.itu.int/11.1002/1000/7292">11.1002/1000/7292</a>
1.3	ITU-T X.692 (2002) Technical Cor. 1	2005-05-14	17	<a href="http://handle.itu.int/11.1002/1000/8514">11.1002/1000/8514</a>
1.4	ITU-T X.692 (2002) Amd. 2	2006-06-13	17	<a href="http://handle.itu.int/11.1002/1000/8840">11.1002/1000/8840</a>
2.0	ITU-T X.692	2008-11-13	17	<a href="http://handle.itu.int/11.1002/1000/9610">11.1002/1000/9610</a>
2.1	ITU-T X.692 (2008) Cor. 1	2011-10-14	17	<a href="http://handle.itu.int/11.1002/1000/11380">11.1002/1000/11380</a>
3.0	ITU-T X.692	2015-08-13	17	<a href="http://handle.itu.int/11.1002/1000/12485">11.1002/1000/12485</a>

---

\* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

## FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

## NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

## INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2015

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

## CONTENTS

	<i>Page</i>
Introduction .....	x
Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN) .....	1
1 Scope .....	1
2 Normative references.....	1
2.1 Identical Recommendations   International Standards .....	1
2.2 Additional references .....	2
3 Definitions .....	2
3.1 ASN.1 definitions.....	2
3.2 ECN-specific definitions .....	2
4 Abbreviations .....	5
5 Definition of ECN syntax .....	5
6 Encoding conventions and notation .....	5
7 The ECN character set.....	5
8 ECN lexical items.....	6
8.1 Encoding object references .....	6
8.2 Encoding object set references .....	6
8.3 Encoding class references .....	7
8.4 Reserved word items .....	7
8.5 Reserved encoding class name items.....	7
8.6 Non-ECN item .....	7
9 ECN Concepts .....	8
9.1 Encoding Control Notation (ECN) specifications.....	8
9.2 Encoding classes .....	8
9.3 Encoding structures.....	9
9.4 Encoding objects.....	9
9.5 Encoding object sets.....	9
9.6 Defining new encoding classes .....	10
9.7 Defining encoding objects.....	11
9.8 Differential encoding-decoding.....	11
9.9 Encoders options in encodings .....	12
9.10 Properties of encoding objects .....	12
9.11 Parameterization.....	12
9.12 Governors.....	13
9.13 General aspects of encodings .....	13
9.14 Identification of information elements .....	14
9.15 Reference fields and determinants .....	14
9.16 Replacement classes and structures.....	14
9.17 Mapping abstract values onto fields of encoding structures.....	15
9.18 Transforms and transform composites .....	16
9.19 Contents of Encoding Definition Modules.....	16
9.20 Contents of the Encoding Link Module .....	17
9.21 Defining encodings for primitive encoding classes.....	17
9.22 Application of encodings .....	19
9.23 Combined encoding object set .....	19
9.24 Application point.....	19
9.25 Conditional encodings.....	20
9.26 Other conditions for applying encodings .....	20
9.27 Encoding control for the open type .....	21
9.28 Changes to ASN.1 Recommendations   International Standards.....	21

10	Identifying encoding classes, encoding objects, and encoding object sets .....	21
11	Encoding ASN.1 types .....	24
	11.1 General .....	24
	11.2 Built-in encoding classes used for implicitly generated encoding structures .....	25
	11.3 Simplification and expansion of ASN.1 notation for encoding purposes .....	25
	11.4 The implicitly generated encoding structure .....	27
12	The Encoding Link Module (ELM).....	28
	12.1 Structure of the ELM.....	28
	12.2 Encoding types .....	28
13	Application of encodings .....	29
	13.1 General .....	29
	13.2 The combined encoding object set and its application .....	29
14	The Encoding Definition Module (EDM) .....	32
15	The renames clause.....	33
	15.1 Explicitly generated and exported structures.....	33
	15.2 Name changes .....	34
	15.3 Specifying the region for name changes .....	35
16	Encoding class assignments.....	36
	16.1 General.....	36
	16.2 Encoding structure definition .....	39
	16.3 Alternative encoding structure .....	42
	16.4 Repetition encoding structure.....	43
	16.5 Concatenation encoding structure .....	43
17	Encoding object assignments.....	44
	17.1 General.....	44
	17.2 Encoding with a defined syntax .....	44
	17.3 Encoding with encoding object sets .....	45
	17.4 Encoding using value mappings.....	46
	17.5 Encoding an encoding structure .....	46
	17.6 Differential encoding-decoding .....	48
	17.7 Encoding options.....	49
	17.8 Non-ECN definition of encoding objects.....	50
18	Encoding object set assignments.....	50
	18.1 General.....	50
	18.2 Built-in encoding object sets.....	51
19	Mapping values .....	52
	19.1 General .....	52
	19.2 Mapping by explicit values .....	53
	19.3 Mapping by matching fields.....	54
	19.4 Mapping by #TRANSFORM encoding objects .....	55
	19.5 Mapping by abstract value ordering.....	56
	19.6 Mapping by value distribution .....	57
	19.7 Mapping integer values to bits .....	58
20	Defining encoding objects using defined syntax .....	59
21	Types used in defined syntax specification .....	60
	21.1 The Unit type .....	60
	21.2 The EncodingSpaceSize type.....	60
	21.3 The EncodingSpaceDetermination type.....	61
	21.4 The UnusedBitsDetermination type.....	61
	21.5 The OptionalityDetermination type .....	62
	21.6 The AlternativeDetermination type .....	63
	21.7 The RepetitionSpaceDetermination type .....	63
	21.8 The Justification type .....	64

21.9	The Padding type .....	65
21.10	The Pattern and Non-Null-Pattern types .....	65
21.11	The RangeCondition type .....	66
21.12	The Comparison type .....	66
21.13	The SizeRangeCondition type .....	67
21.14	The ReversalSpecification type .....	67
21.15	The ResultSize type .....	68
21.16	The HandleValueSet type .....	68
21.17	The IntegerMapping type .....	69
22	Commonly used encoding property groups .....	69
22.1	Replacement specification .....	69
22.1.1	Encoding properties, syntax and purpose .....	69
22.1.2	Specification restrictions .....	70
22.1.3	Encoder actions .....	71
22.1.4	Decoder actions .....	72
22.2	Pre-alignment and padding specification .....	72
22.2.1	Encoding properties, syntax and purpose .....	72
22.2.2	Specification constraints .....	72
22.2.3	Encoder actions .....	73
22.2.4	Decoder actions .....	73
22.3	Start pointer specification .....	73
22.3.1	Encoding properties, syntax and purpose .....	73
22.3.2	Specification constraints .....	73
22.3.3	Encoder actions .....	73
22.3.4	Decoder actions .....	74
22.4	Encoding space specification .....	74
22.4.1	Encoding properties, syntax and purpose .....	74
22.4.2	Specification restrictions .....	75
22.4.3	Encoder actions .....	75
22.4.4	Decoder actions .....	76
22.5	Optionality determination .....	76
22.5.1	Encoding properties, syntax and purpose .....	76
22.5.2	Specification restrictions .....	76
22.5.3	Encoder actions .....	77
22.5.4	Decoder actions .....	77
22.6	Alternative determination .....	78
22.6.1	Encoding properties, syntax and purpose .....	78
22.6.2	Specification restrictions .....	78
22.6.3	Encoder actions .....	79
22.6.4	Decoder actions .....	79
22.7	Repetition space specification .....	79
22.7.1	Encoding properties, syntax and purpose .....	79
22.7.2	Specification constraints .....	80
22.7.3	Encoder actions .....	81
22.7.4	Decoder actions .....	82
22.8	Value padding and justification .....	82
22.8.1	Encoding properties, syntax, and purpose .....	82
22.8.2	Specification restrictions .....	83
22.8.3	Encoder actions .....	83
22.8.4	Decoder actions .....	84
22.9	Identification handle specification .....	84
22.9.1	Encoding properties, syntax and purpose .....	84
22.9.2	Specification constraints .....	85
22.9.3	Encoders actions .....	85
22.9.4	Decoders actions .....	85
22.10	Concatenation specification .....	86
22.10.1	Encoding properties, syntax and purpose .....	86
22.10.2	Specification constraints .....	86
22.10.3	Encoder actions .....	86
22.10.4	Decoder actions .....	87

22.11	Contained type encoding specification.....	87
22.11.1	Encoding properties, syntax and purpose.....	87
22.11.2	Encoder actions.....	87
22.11.3	Decoder actions.....	87
22.12	Bit reversal specification.....	87
22.12.1	Encoding properties, syntax, and purpose.....	87
22.12.2	Specification constraints.....	88
22.12.3	Encoder actions.....	88
22.12.4	Decoder actions.....	88
23	Defined syntax specification for bit-field and constructor classes.....	88
23.1	Defining encoding objects for classes in the alternatives category.....	88
23.1.1	The defined syntax.....	88
23.1.2	Purpose and restrictions.....	89
23.1.3	Encoder actions.....	89
23.1.4	Decoder actions.....	90
23.2	Defining encoding objects for classes in the bitstring category.....	90
23.2.1	The defined syntax.....	90
23.2.2	Model for the encoding of classes in the bitstring category.....	91
23.2.3	Purpose and restrictions.....	91
23.2.4	Encoder actions.....	92
23.2.5	Decoder actions.....	92
23.3	Defining encoding objects for classes in the boolean category.....	92
23.3.1	The defined syntax.....	92
23.3.2	Purpose and restrictions.....	94
23.3.3	Encoder actions.....	94
23.3.4	Decoder actions.....	94
23.4	Defining encoding objects for classes in the characterstring category.....	95
23.4.1	The defined syntax.....	95
23.4.2	Model for the encoding of classes in the characterstring category.....	95
23.4.3	Purpose and restrictions.....	96
23.4.4	Encoder actions.....	96
23.4.5	Decoder actions.....	97
23.5	Defining encoding objects for classes in the concatenation category.....	97
23.5.1	The defined syntax.....	97
23.5.2	Purpose and restrictions.....	98
23.5.3	Encoder actions.....	99
23.5.4	Decoder actions.....	99
23.6	Defining encoding objects for classes in the integer category.....	99
23.6.1	The defined syntax.....	99
23.6.2	Purpose and restrictions.....	99
23.6.3	Encoder actions.....	100
23.6.4	Decoder actions.....	100
23.7	Defining encoding objects for the #CONDITIONAL-INT class.....	100
23.7.1	The defined syntax.....	100
23.7.2	Purpose and restrictions.....	101
23.7.3	Encoder actions.....	102
23.7.4	Decoder actions.....	103
23.8	Defining encoding objects for classes in the null category.....	103
23.8.1	The defined syntax.....	103
23.8.2	Purpose and restrictions.....	105
23.8.3	Encoder actions.....	105
23.8.4	Decoder actions.....	105
23.9	Defining encoding objects for classes in the octetstring category.....	105
23.9.1	The defined syntax.....	105
23.9.2	Model for the encoding of classes in the octetstring category.....	106
23.9.3	Purpose and restrictions.....	106
23.9.4	Encoder actions.....	107
23.9.5	Decoder actions.....	107
23.10	Defining encoding objects for classes in the open type category.....	108
23.10.1	The defined syntax.....	108
23.10.2	Model for the encoding of classes in the open type category.....	109

23.10.3	Purpose and restrictions .....	109
23.10.4	Encoder actions .....	109
23.10.5	Decoder actions .....	110
23.11	Defining encoding objects for classes in the optionality category .....	110
23.11.1	The defined syntax .....	110
23.11.2	Purpose and restrictions .....	111
23.11.3	Encoder actions .....	111
23.11.4	Decoder actions .....	111
23.12	Defining encoding objects for classes in the pad category .....	111
23.12.1	The defined syntax .....	111
23.12.2	Purpose and restrictions .....	112
23.12.3	Encoder actions .....	113
23.12.4	Decoder actions .....	113
23.13	Defining encoding objects for classes in the repetition category .....	113
23.13.1	The defined syntax .....	113
23.13.2	Purpose and restrictions .....	113
23.13.3	Encoder actions .....	114
23.13.4	Decoder actions .....	114
23.14	Defining encoding objects for the #CONDITIONAL-REPETITION class .....	114
23.14.1	The defined syntax .....	114
23.14.2	Purpose and restrictions .....	115
23.14.3	Encoder actions .....	116
23.14.4	Decoder actions .....	116
23.15	Defining encoding objects for classes in the tag category .....	117
23.15.1	The defined syntax .....	117
23.15.2	Purpose and restrictions .....	118
23.15.3	Encoder actions .....	118
23.15.4	Decoder actions .....	119
23.16	Defining encoding objects for classes in the other categories .....	119
24	Defined syntax specification for the #TRANSFORM encoding class .....	119
24.1	Summary of encoding properties and defined syntax .....	119
24.2	Source and target of transforms .....	121
24.3	The int-to-int transform .....	122
24.4	The bool-to-bool transform .....	123
24.5	The bool-to-int transform .....	124
24.6	The int-to-bool transform .....	124
24.7	The int-to-chars transform .....	124
24.8	The int-to-bits transform .....	125
24.9	The bits-to-int transform .....	126
24.10	The char-to-bits transform .....	127
24.11	The bits-to-char transform .....	129
24.12	The bit-to-bits transform .....	129
24.13	The bits-to-bits transform .....	130
24.14	The chars-to-composite-char transform .....	130
24.15	The bits-to-composite-bits transform .....	131
24.16	The octets-to-composite-bits transform .....	131
24.17	The composite-char-to-chars transform .....	131
24.18	The composite-bits-to-bits transform .....	131
24.19	The composite-bits-to-octets transform .....	132
25	Complete encodings and the #OUTER class .....	132
25.1	Encoding properties, syntax and purpose for the #OUTER class .....	132
25.2	Encoder actions for #OUTER .....	133
25.3	Decoder actions for #OUTER .....	133
Annex A	Addendum to Rec. ITU-T X.680   ISO/IEC 8824-1 .....	135
A.1	Exports and imports clauses .....	135
A.2	Addition of REFERENCE .....	136
A.3	Notation for character string values .....	136

Annex B Addendum to Rec. ITU-T X.681   ISO/IEC 8824-2	137
B.1 Definitions	137
B.2 Additional lexical items	137
B.2.1 Ordered value list field references	137
B.2.2 Ordered encoding object list field references	137
B.2.3 Encoding class field references	137
B.3 Addition of "ENCODING-CLASS"	137
B.4 FieldSpec additions	138
B.5 Fixed-type ordered value list field spec	138
B.6 Fixed-class encoding object field spec	138
B.7 Variable-class encoding object field spec	138
B.8 Fixed-class encoding object set field spec	139
B.9 Fixed-class ordered encoding object list field spec	139
B.10 Encoding class field spec	139
B.11 Ordered value list notation	140
B.12 Ordered encoding object list notation	140
B.13 Primitive field names	140
B.14 Additional reserved words	140
B.15 Definition of encoding objects	141
B.16 Additions to "Setting"	141
Annex C Addendum to Rec. ITU-T X.683   ISO/IEC 8824-4	143
D.1 General examples	146
D.1.1 An encoding object for a boolean type	146
D.1.2 An encoding object for an integer type	147
D.1.3 Another encoding object for an integer type	147
D.1.4 An encoding object for an integer type with holes	147
D.1.5 A more complex encoding object for an integer type	148
D.1.6 Positive integers encoded in BCD	148
D.1.7 An encoding object of class #BITS	149
D.1.8 An encoding object for an octetstring type	150
D.1.9 An encoding object for a character string type	150
D.1.10 Mapping character values to bit values	150
D.1.11 An encoding object for a sequence type	151
D.1.12 An encoding object for a choice type	151
D.1.13 Encoding a bitstring containing another encoding	152
D.1.14 An encoding object set	152
D.1.15 ASN.1 definitions	153
D.1.16 EDM definitions	153
D.1.17 ELM definitions	154
D.2 Specialization examples	154
D.2.1 Encoding by distributing values to an alternative encoding structure	154
D.2.2 Encoding by mapping ordered abstract values to an alternative encoding structure	155
D.2.3 Compression of non-continuous value ranges	155
D.2.4 Compression of non-continuous value ranges using a transform	156
D.2.5 Compression of an unevenly distributed value set by mapping ordered abstract values	156
D.2.6 Presence of an optional component depending on the value of another component	156
D.2.7 The presence of an optional component depends on some external condition	157
D.2.8 A variable length list	157
D.2.9 Equal length lists	158
D.2.10 Uneven choice alternative probabilities	159
D.2.11 A version 1 message	160
D.2.12 The encoding object set	161
D.2.13 ASN.1 definitions	161
D.2.14 EDM definitions	162
D.2.15 ELM definitions	162
D.3 Explicitly generated structure examples	162
D.3.1 Sequence with optional components defined by a pointer	163
D.3.2 Addition of a boolean type as a presence determinant	163
D.3.3 Sequence with optional components identified by a unique tag and delimited by a length field	165

D.3.4	Sequence-of type with a count .....	166
D.3.5	Encoding object sets.....	166
D.3.6	ASN.1 definitions.....	167
D.3.7	EDM definitions.....	167
D.3.8	ELM definitions .....	167
D.4	A more-bit encoding example .....	168
D.4.1	Description of the problem.....	168
D.4.2	Use of ASN.1 to provide the more-bit determinant.....	168
D.4.3	Use of value mappings to provide the more-bit determinant .....	169
D.4.4	Use of the replacement mechanism to provide the more-bit determinant .....	170
D.5	Legacy protocol specified with tabular notation .....	170
D.5.1	Introduction.....	170
D.5.2	Encoding definition for the top-level message structure .....	172
D.5.3	Encoding definition for a message structure .....	172
D.5.4	Encoding for the sequence type "B".....	173
D.5.5	Encoding for an octet-aligned sequence-of type with a length determinant.....	173
D.5.6	Encoding for an octet-aligned sequence-of type which continues to the end of the PDU.....	173
D.5.7	EDM definitions.....	173
D.5.8	ELM definitions .....	174
Annex E	Support for Huffman encodings.....	175
Annex F	Additional information on the Encoding Control Notation (ECN).....	177
Annex G	Summary of the ECN notation .....	178

Withdrawn

## Introduction

The Encoding Control Notation (ECN) is a notation for specifying encodings of ASN.1 types that differ from those provided by standardized encoding rules. ECN can be used to encode all types of an ASN.1 specification, but can also be used with standardized encoding rules such as BER or PER (Rec. ITU-T X.690 | ISO/IEC 8825-1 and Rec. ITU-T X.691 | ISO/IEC 8825-2) to specify only the encoding of types that have special requirements.

An ASN.1 type specifies a set of abstract values. Encoding rules specify the representation of these abstract values as a series of bits. ECN is designed to meet the following encoding needs:

- a) The need to write ASN.1 types (and get the support of ASN.1 tools in implementations) for established ("legacy") protocols where the encoding is already determined and differs from all standardized encoding rules.
- b) The need to produce encodings that are minor variations on standardized rules.

The linkage provided in an ECN specification to an ASN.1 specification is well-defined and machine processable, so encoders and decoders can be automatically generated from the combined specifications. This is a significant factor in reducing both the amount of work and the possibility of errors in making interoperable systems. Another significant advantage is the ability to provide automatic tool support for testing.

These advantages are available with ASN.1 alone when standardized encoding rules suffice, but the ECN work provides these advantages in circumstances where the standardized encoding rules are not sufficient.

NOTE 1 – Currently ECN support only binary-based encodings, but could be extended in the future to cover character-based encodings.

Annex A forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.680 | ISO/IEC 8824-1 to support the notation used in this Recommendation | International Standard.

Annex B forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.681 | ISO/IEC 8824-2 to support the notation used in this Recommendation | International Standard.

Annex C forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.683 | ISO/IEC 8824-4 to support the notation used in this Recommendation | International Standard.

NOTE 2 – It is not intended that Annexes A, B and C be progressed as amendments to the referenced Recommendations | International Standards. The modifications are solely for the purpose of ECN definition (see clause 5 and 9.28).

Annex D does not form an integral part of this Recommendation | International Standard, and contains examples of the use of ECN.

Annex E does not form an integral part of this Recommendation | International Standard and provides more detail on the support for Huffman encodings in ECN.

Annex F does not form an integral part of this Recommendation | International Standard, and identifies a Web site providing access to further information and links relevant to ECN.

Annex G does not form an integral part of this Recommendation | International Standard, and provides a summary of ECN using the notation of clause 5.

**INTERNATIONAL STANDARD  
ITU-T RECOMMENDATION****Information technology –  
ASN.1 encoding rules:  
Specification of Encoding Control Notation (ECN)****1 Scope**

This Recommendation | International Standard defines a notation for specifying encodings of ASN.1 types or of parts of types.

It provides several mechanisms for such specification, including:

- direct specification of the encoding using standardized notation;
- specification of the encoding by reference to standardized encoding rules;
- specification of the encoding of an ASN.1 type by reference to an encoding structure;
- specification of the encoding using non-ECN notation.

It also provides the means to link the specification of encodings to the type definitions to which they are to be applied.

ECN does not currently provide any support for specifications using the OID internationalized resource identifier type or the relative OID internationalized resource identifier type (see Rec. ITU-T X.680 | ISO/IEC 8824-1), and these are not referred to further in this Standard.

**2 Normative references**

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and International Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003. It cannot be applied using later versions of this standard.

**2.1 Identical Recommendations | International Standards**

- Recommendation ITU-T X.660 (2011) | ISO/IEC 9834-1:2012, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the international object identifier tree.*
- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*
- Recommendation ITU-T X.681 (2015) | ISO/IEC 8824-2:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2015) | ISO/IEC 8824-3:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2015) | ISO/IEC 8824-4:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2015) | ISO/IEC 8825-1:2015, *Information technology – ASN.1 encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER).*

- Recommendation ITU-T X.691 (2015) | ISO/IEC 8825-2:2015, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*.

NOTE 1 – Notwithstanding the ISO publication date, the above specifications are normally referred to as "ASN.1:2015".

NOTE 2 – The above references shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

## 2.2 Additional references

- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.

NOTE – The above reference shall be interpreted as a reference to ISO/IEC 10646 together with all its published amendments and technical corrigenda.

Withdrawn