

---

---

**Information technology — ASN.1  
encoding rules —**

Part 8:  
**Specification of JavaScript Object  
Notation Encoding Rules (JER)**

*Technologies de l'information — Règles de codage ASN.1 —*

Withhold



Withdrawn



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

ISO/IEC 8825-8 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.697 (10/2017).

A list of all parts in the ISO/IEC 8825 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

This is a preview - click here to buy the full publication

Withdrawn

## CONTENTS

Page

1	Scope .....	1
2	Normative references .....	1
	2.1 Identical Recommendations   International Standards .....	1
	2.2 Additional references .....	1
3	Definitions .....	2
	3.1 Specification of Basic Notation .....	2
	3.2 Information Object Specification .....	2
	3.3 Constraint Specification .....	2
	3.4 Parameterization of ASN.1 Specification .....	2
	3.5 Basic Encoding Rules (BER) .....	2
	3.6 Packed Encoding Rules (PER) .....	2
	3.7 Additional definitions .....	2
4	Abbreviations .....	3
5	Encodings specified by this Recommendation   International Standard .....	3
6	Conformance .....	4
7	General provisions .....	4
	7.1 Use of the type notation .....	4
	7.2 Constraints .....	4
	7.3 Type and value model used for encoding .....	6
	7.4 Types to be encoded .....	6
	7.5 Encoding instructions .....	6
	7.6 Production of a complete JER encoding .....	7
8	Notation, lexical items and keywords used in JER encoding instructions .....	7
9	Specifying JER encoding instructions .....	8
10	Assigning a JER encoding instruction using a type prefix .....	9
11	Assigning a JER encoding instruction using a JER encoding control section .....	9
12	Identification of the targets for a JER encoding instruction .....	9
	12.1 General rules .....	9
	12.2 Types defined in the module .....	10
	12.3 Built-in types .....	10
	12.4 Types imported from another module .....	10
13	Multiple assignment of JER encoding instructions .....	10
	13.1 Order in which multiple assignments are considered .....	10
	13.2 Effect of assigning a negating encoding instruction .....	11
	13.3 Multiple assignment of JER encoding instructions of the same category .....	11
14	The ARRAY encoding instruction .....	11
	14.1 General .....	11

14.2	Restrictions .....	11
15	The BASE64 encoding instruction.....	11
15.1	General .....	11
15.2	Restrictions .....	12
16	The NAME encoding instruction.....	12
16.1	General .....	12
16.2	Restrictions .....	13
17	The OBJECT encoding instruction.....	13
17.1	General .....	13
17.2	Restrictions .....	13
18	The TEXT encoding instruction.....	13
18.1	General .....	13
18.2	Restrictions .....	14
19	The UNWRAPPED encoding instruction.....	14
19.1	General .....	14
19.2	Restrictions .....	14
20	Encoding of boolean values .....	14
21	Encoding of integer values .....	15
22	Encoding of enumerated values .....	15
23	Encoding of real values .....	15
23.1	General .....	15
23.2	Encoding of the special real values .....	15
23.3	Encoding as a JSON number.....	16
23.4	Encoding as a JSON object.....	16
24	Encoding of bitstring values.....	16
24.1	General .....	16
24.2	Encoding of bitstring types with a fixed size .....	16
24.3	Encoding of bitstring types with a variable size.....	16
25	Encoding of octetstring values .....	16
26	Encoding of the null value .....	17
27	Encoding of sequence values .....	17
27.1	General .....	17
27.2	Array-based encoding .....	17
27.3	Object-based encoding.....	17
28	Encoding of sequence-of values.....	17
29	Encoding of set values.....	18
30	Encoding of set-of values.....	18

	<i>Page</i>
30.1 General .....	18
30.2 Array-based encoding .....	18
30.3 Object-based encoding .....	18
31 Encoding of choice values .....	18
31.1 General .....	18
31.2 Unwrapped encoding .....	18
31.3 Wrapped encoding .....	18
32 Encoding of object identifier values .....	19
33 Encoding of relative object identifier values .....	19
34 Encoding of values of the internationalized resource reference type .....	19
35 Encoding of values of the relative internationalized resource reference type .....	19
36 Encoding of values of the embedded-pdv type .....	19
37 Encoding of values of the external type .....	19
38 Encoding of values of the restricted character string types .....	19
39 Encoding of values of the unrestricted character string type .....	20
40 Encoding of values of the time types .....	20
41 Encoding of open type values .....	20
Annex A – Examples of JER encodings .....	21
A.1 ASN.1 description of the record structure .....	21
A.2 ASN.1 description of a record value .....	21
A.3 Example JER representation of this record value .....	21
A.4 Additional examples of JER encodings .....	22
Annex B – Examples of JER encoding instructions and their effect on the encodings .....	25
B.1 ASN.1 description of the record structure .....	25
B.2 ASN.1 description of a record value .....	25
B.3 JER representation of this record value .....	26
B.4 Additional examples of JER encodings .....	26
B.5 Examples of JER encodings of choice types .....	28

## Introduction

The publications Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4 together describe Abstract Syntax Notation One (ASN.1), a notation for the definition of messages to be exchanged between peer applications.

This Recommendation | International Standard defines encoding rules that may be applied to values of ASN.1 types defined using the notation specified in the above-mentioned publications. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There are more than one set of encoding rules that can be applied to values of ASN.1 types. This Recommendation | International Standard defines a set of JavaScript Object Notation Encoding Rules (JER), so called because the encodings they produce are instances of the JSON grammar specified in ECMA 404.

This Recommendation | International Standard specifies the syntax and semantics of JER encoding instructions which modify the JSON text produced by the application of JER to certain ASN.1 types.

Clauses 8 to 12 list the JER encoding instructions and specify the syntax for their assignment to an ASN.1 type or component using either a JER type prefix (see Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 31.3) or a JER encoding control section (see Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 54).

Clause 13 defines the order of precedence if JER encoding instructions are present in both a JER type prefix and in a JER encoding control section.

Clauses 14 to 19 specify:

- a) the syntax of each JER encoding instruction used in a type prefix or a JER encoding control section;
- b) restrictions on the JER encoding instructions that can be associated with a particular ASN.1 type (resulting from inheritance and multiple assignments).

Clauses 20 to 41 specify the JER encoding of ASN.1 types, referencing earlier clauses which define the JER encoding instructions.

Annex A is informative and contains examples of JER encodings where JER encoding instructions are not used.

Annex B is informative and contains examples of JER encoding instructions and their effect on the JER encodings.



**INTERNATIONAL STANDARD  
ITU-T RECOMMENDATION****Information technology – ASN.1 encoding rules: Specification of JavaScript  
Object Notation Encoding Rules (JER)****1 Scope**

This Recommendation | International Standard specifies a set of JavaScript Object Notation Encoding Rules (JER) that may be used to derive a transfer syntax for values of types defined in Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

The encoding rules specified in this Recommendation | International Standard:

- are used at the time of communication;
- are intended for use in circumstances where interoperability with applications using JSON is the major concern in the choice of encoding rules;
- allow the extension of an abstract syntax by addition of extra values for all forms of extensibility described in Rec. ITU-T X.680 | ISO/IEC 8824-1.

This Recommendation | International Standard also specifies the syntax and semantics of JER encoding instructions, and the rules for their assignment and combination. JER encoding instructions can be used to control the JER encoding for specific ASN.1 types.

**2 Normative references**

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

**2.1 Identical Recommendations | International Standards**

- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- Recommendation ITU-T X.681 (2015) | ISO/IEC 8824-2:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2015) | ISO/IEC 8824-3:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2015) | ISO/IEC 8824-4:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2015) | ISO/IEC 8825-1:2015, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*
- Recommendation ITU-T X.691 (2015) | ISO/IEC 8825-2:2015, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER).*

**2.2 Additional references**

- ECMA Standard ECMA-404 (2013) – *The JSON Data Interchange Format.*
- IETF RFC 2045 (1996), *Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies.*
- *ISO International Register of Coded Character Sets to be Used with Escape Sequences.*
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS).*