

STANDARD

**ISO/IEC
9594-4**

Seventh edition
2014-03-01

Information technology — Open Systems Interconnection — The Directory —

Part 4: Procedures for distributed operation

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire

Partie 4: Procédures pour le fonctionnement réparti

WITNESS

Reference number
ISO/IEC 9594-4:2014(E)



withdrawn



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9594-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.518 (10/2012).

This seventh edition cancels and replaces the sixth edition (ISO/IEC 9594-4:2008), which has been technically revised. It also incorporates the Technical Corrigendum ISO/IEC 9594-4:2008/Cor.1:2011.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*.

- *Part 1: Overview of concepts, models and services*
- *Part 2: Models*
- *Part 3: Abstract service definition*
- *Part 4: Procedures for distributed operation*
- *Part 5: Protocol specifications*
- *Part 6: Selected attribute types*
- *Part 7: Selected object classes*
- *Part 8: Public-key and attribute certificate frameworks*
- *Part 9: Replication*

CONTENTS

| | Page |
|---|------|
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 2.1 Identical Recommendations International Standards | 1 |
| 2.2 Other references | 2 |
| 3 Definitions | 2 |
| 3.1 Basic Directory definitions..... | 2 |
| 3.2 Directory model definitions | 2 |
| 3.3 DSA information model definitions | 2 |
| 3.4 Abstract service definitions | 3 |
| 3.5 Protocol definitions | 3 |
| 3.6 Directory replication definitions | 3 |
| 3.7 Distributed operation definitions..... | 3 |
| 4 Abbreviations | 5 |
| 5 Conventions..... | 5 |
| 6 Overview | 7 |
| 7 Distributed Directory system model..... | 8 |
| 8 DSA interactions model | 9 |
| 8.1 Decomposition of a request..... | 9 |
| 8.2 Uni-chaining..... | 9 |
| 8.3 Multi-chaining..... | 10 |
| 8.4 Referral..... | 11 |
| 8.5 Mode determination | 12 |
| 9 Overview of DSA abstract service | 13 |
| 10 Information types | 13 |
| 10.1 Introduction..... | 13 |
| 10.2 Information types defined elsewhere | 13 |
| 10.3 Chaining arguments | 14 |
| 10.4 Chaining results..... | 17 |
| 10.5 Operation progress | 17 |
| 10.6 Trace information..... | 18 |
| 10.7 Reference type..... | 18 |
| 10.8 Access point information | 19 |
| 10.9 DIT bridge knowledge | 20 |
| 10.10 Exclusions | 20 |
| 10.11 Continuation reference | 21 |
| 11 Bind and Unbind | 22 |
| 11.1 DSA Bind..... | 22 |
| 11.2 DSA Unbind | 23 |
| 12 Chained operations | 23 |
| 12.1 Chained operations..... | 23 |
| 12.2 Chained Abandon operation..... | 24 |
| 12.3 Chained operations and protocol version | 24 |
| 13 Chained errors | 24 |
| 13.1 Introduction..... | 24 |
| 13.2 DSA referral | 24 |
| 14 Introduction | 26 |
| 14.1 Scope and limits | 26 |
| 14.2 Conformance | 26 |
| 14.3 Conceptual model..... | 26 |
| 14.4 Individual and cooperative operation of DSAs | 26 |

| | <i>Page</i> |
|--|-------------|
| 14.5 Cooperative agreements between DSAs | 27 |
| 15 Distributed Directory behaviour..... | 27 |
| 15.1 Cooperative fulfilment of operations | 27 |
| 15.2 Phases of operation processing | 27 |
| 15.3 Managing Distributed Operations | 28 |
| 15.4 Loop handling | 29 |
| 15.5 Other considerations for distributed operation | 30 |
| 15.6 Authentication of Distributed operations | 31 |
| 16 The Operation Dispatcher..... | 32 |
| 16.1 General concepts | 32 |
| 16.2 Procedures of the Operation Dispatcher..... | 37 |
| 16.3 Overview of procedures | 38 |
| 17 Request Validation procedure | 39 |
| 17.1 Introduction..... | 39 |
| 17.2 Procedure parameters | 40 |
| 17.3 Procedure definition | 41 |
| 18 Name Resolution procedure | 44 |
| 18.1 Introduction..... | 44 |
| 18.2 Find DSE procedure parameters..... | 44 |
| 18.3 Procedures..... | 45 |
| 19 Operation evaluation | 54 |
| 19.1 Modification procedures | 55 |
| 19.2 Single entry interrogation procedure | 62 |
| 19.3 Multiple entry interrogation procedure | 62 |
| 20 Continuation Reference procedures..... | 77 |
| 20.1 Chaining strategy in the presence of shadowing | 77 |
| 20.2 Issuing chained subrequests to a remote DSA or LDAP server | 79 |
| 20.3 Procedures' parameters..... | 80 |
| 20.4 Definition of the procedures..... | 80 |
| 20.5 Abandon procedures..... | 89 |
| 20.6 DAP request to LDAP request procedure | 91 |
| 20.7 LDAP result to DAP reply procedure | 95 |
| 21 Results Merging procedure..... | 97 |
| 22 Procedures for distributed authentication | 99 |
| 22.1 Requester authentication | 100 |
| 22.2 Results authentication | 100 |
| 23 Knowledge administration overview | 101 |
| 23.1 Maintenance of knowledge references | 101 |
| 23.2 Requesting cross reference | 102 |
| 23.3 Knowledge inconsistencies | 103 |
| 24 Hierarchical operational bindings..... | 104 |
| 24.1 Operational binding type characteristics | 104 |
| 24.2 Operational binding information object Class definition | 107 |
| 24.3 DSA procedures for hierarchical operational binding management..... | 107 |
| 24.4 Procedures for operations..... | 111 |
| 24.5 Use of application contexts | 111 |
| 25 Non-specific hierarchical operational binding..... | 111 |
| 25.1 Operational binding type characteristics | 111 |
| 25.2 Operational binding information object class definition | 112 |
| 25.3 DSA procedures for non-specific hierarchical operational binding management | 113 |
| 25.4 Procedures for operations..... | 114 |
| 25.5 Use of application contexts | 114 |

| | <i>Page</i> |
|---|-------------|
| Annex A – ASN.1 for Distributed Operations..... | 115 |
| Annex B – Specification of hierarchical and non-specific hierarchical operational binding types | 119 |
| Annex C – Example of distributed name resolution | 121 |
| Annex D – Distributed use of authentication..... | 123 |
| D.1 Summary | 123 |
| D.2 Distributed protection model..... | 123 |
| D.3 Signed chained operations..... | 123 |
| Annex E – Knowledge maintenance example | 125 |
| Annex F – Amendments and corrigenda | 128 |

WITHDRAWN

Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, have been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory information base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard specifies the procedures by which the distributed components of the Directory interwork in order to provide a consistent service to its users.

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks may be mandated for use in certain environments through profiles. This seventh edition technically revises and enhances the sixth edition of this Recommendation | International Standard.

This seventh edition specifies versions 1 and 2 of the Directory protocols.

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However, some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the seven editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in Rec. ITU-T X.519 | ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for directory distributed operations.

Annex B, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module providing definitions for hierarchical operational bindings.

Annex C, which is not an integral part of this Recommendation | International Standard, describes an example of distributed name resolution.

Annex D, which is not an integral part of this Recommendation | International Standard, describes authentication in the distributed operations environment.

Annex E, which is not an integral part of this Recommendation | International Standard, illustrates knowledge maintenance.

Annex F, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

**INTERNATIONAL STANDARD ISO/IEC 9594-4
RECOMMENDATION ITU-T X.518****Information technology – Open Systems Interconnection –
The Directory: Procedures for distributed operation****SECTION 1 – GENERAL****1 Scope**

This Recommendation | International Standard specifies the behaviour of DSAs taking part in a distributed directory consisting of multiple Directory systems agents (DSAs) and/or LDAP servers with at least one DSA. The allowed behaviour has been designed to ensure a consistent service given a wide distribution of the DIB across a distributed directory. Only the behaviour of DSAs taking part in a distributed directory is specified. The behaviour of LDAP servers are specified in relevant LDAP specifications. There are no special requirements on an LDAP server beyond those given by the LDAP specifications.

The Directory is not intended to be a general purpose database system, although it may be built on such systems. It is assumed that there is a considerably higher frequency of queries than of updates.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The basic model*.
- Recommendation ITU-T X.500 (2012) | ISO/IEC 9594-1:2014, *Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services*.
- Recommendation ITU-T X.501 (2012) | ISO/IEC 9594-2:2014, *Information technology – Open Systems Interconnection – The Directory: Models*.
- Recommendation ITU-T X.509 (2012) | ISO/IEC 9594-8:2014, *Information technology – Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks*.
- Recommendation ITU-T X.511 (2012) | ISO/IEC 9594-3:2014, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition*.
- Recommendation ITU-T X.519 (2012) | ISO/IEC 9594-5:2014, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications*.
- Recommendation ITU-T X.520 (2012) | ISO/IEC 9594-6:2014, *Information technology – Open Systems Interconnection – The Directory: Selected attribute types*.
- Recommendation ITU-T X.521 (2012) | ISO/IEC 9594-7:2014, *Information technology – Open Systems Interconnection – The Directory: Selected object classes*.
- Recommendation ITU-T X.525 (2012) | ISO/IEC 9594-9:2014, *Information technology – Open Systems Interconnection – The Directory: Replication*.
- Recommendation ITU-T X.680 (2008) | ISO/IEC 8824-1:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*.
- Recommendation ITU-T X.681 (2008) | ISO/IEC 8824-2:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification*.
- Recommendation ITU-T X.682 (2008) | ISO/IEC 8824-3:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification*.

- Recommendation ITU-T X.683 (2008) | ISO/IEC 8824-4:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*.

2.2 Other references

- IETF RFC 3672 (2003), *Subentries in the Lightweight Directory Access Protocol (LDAP)*.
- IETF RFC 4510 (2006), *Lightweight Directory Access Protocol (LDAP): Technical Specification Road Map*.
- IETF RFC 4511 (2006), *Lightweight Directory Access Protocol (LDAP): The Protocol*.
- IETF RFC 4514 (2006), *Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names*.