This is a preview - click here to buy the full publication

INTERNATIONAL STANDARD

ISO/IEC/ IEEE 8802-22

First edition 2015-05-01

Corrected version 2016-06-01

Information technology—
Telecommunications and information exchange between systems— Local and metropolitan area networks—
Specific requirements—

Part 22:

Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Policies and Procedures for Operation in the TV Bands

Technologies de l'information — Télécommunications et échange d'information entre systèmes — Réseaux locaux et métropolitains — Exigences spécifiques —

Partie 22: Spécifications du contrôle d'accès du milieu sans fil cognitif (MAC) et de la couche physique (PHY) : Politiques et procédures pour le fonctionnement dans les bandes TV







COPYRIGHT PROTECTED DOCUMENT

Published in Switzerland

© IEEE 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from ISO or IEEE at the respective address below.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org Institute of Electrical and Electronics Engineers, Inc 3 Park Avenue, New York NY 10016-5997, USA

stds.ipr@ieee.org www.ieee.org

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/LEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 8802-22 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE 802.22-2011). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecompunications and information exchange between systems*, in parallel with its approval by the ISO/IEC national bodies, under the "fast-track procedure" defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

ISO/IEC/IEEE 8802 consists of the following parts, under the general title *Information technology* — *Telecommunications and information exchange between systems* — *Local and metropolitan area networks* — *Specific requirements*

- Part 1: Overview of Local Area Network Standards
- Part 2: Logical link control
- Part 5: Token ring access method and physical layer specifications
- Part 11: Wireless LAN medium access control (MAC) and physical layer (PHY) specifications
- Part 1X: Port-based network access control
- Part 1AB: Station and media access control connectivity discovery

ISO/IEC/IEEE 8802-22:2015(E)

- Part 1AE: Media access control (MAC) security
- Part 1AR: Secure device identity
- Part 1AS: Timing and synchronization for time-sensitive applications in bridged local area networks
- Part 15-4: Wireless medium access control (MAC) and physical layer (PHY) specifications for low-rate wireless personal area networks (WPANs)


This corrected version of ISO/IEC/IEEE 8802-22 incorporates the following corrections.

The abbreviation MAC has been corrected in the English title and the part title has been added for the French title.



Abstract: This standard specifies the air interface, including the cognitive medium access control layer (MAC) and physical layer (PHY), of point-to-multipoint wireless regional area networks comprised of a professional fixed base station with fixed and portable user terminals operating in the VHF/UHF TV broadcast bands between 54 MHz to 862 MHz.

Keywords: broadband wireless access network, cognitive radio, fixed user terminals, IEEE 802.22, portable user terminals, radio spectrum sensing, regional area network, WRAN standards



The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 1 July 2011. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-6723-7 STD97146 Print: ISBN 978-0-7381-6724-4 STDPD97146

IEEE prohibits discrimination, harassment and bullying. For more information, visit http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 802.22-2011, IEEE Standard for Information Technology—Telecommunications and information exchange between systems—Wireless Regional Area Networks (WRAN)—Specific requirements—Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Policies and Procedures for Operation in the TV Bands.

This standard specifies the air interface of broadband wireless access (BWA) systems for fixed and portable user terminals supporting multimedia services. The medium access control layer (MAC) supports a point-to-multipoint architecture. The MAC is structured to support a physical layer (PHY) specification especially suited for operation in TV broadcast bands while avoiding interference to the incumbent broadcast services.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to use action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at http://ieeexplore.ieee.org/xpl/standards.jsp, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at http://standards.ieee.org.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: http://standards.ieee.org/reading/ieee/updates/errata/index.html. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: http://standards.ieee.org/reading/ieee/interp/index.html.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA for approval, the following voting members had participated in the IEEE P802.22 Working Group:

Apurva N. Mody, Chair

Gerald Chouinard, Vice-chair and lead editor

22 22 33		5045 Sec. 2010
Kyu Hwan An	Subir Das	Baowei Ji
Chee Wei Ang	W. Carl Day	Ravi Kalavakunta
Kwok Shum Au	Opkar Dhaliwal	Jerome J. Kalke
Mark Austin	Johnny Dixon	Bub-Joo Kang
Anuj Batra	Peter Exclesine	Mark Kelley
John Benko	Charles Einolf	Ramon Khalona
Robert Berger	Michael Fischer	Thomas Kiernan
Dagnachew Birru	Wen Gao	Chang-Joo Kim
Scott Blue	Ingo Gaspard	Kihong Kim
Monique Bourgeois Brown	Monisha Ghosh	Sangbum Kim
Gregory Buchwald	Joanna Guenin	HakSun Kim
Winston Caldwell	Jin Guo	Byoung-Jo Kim
Ed Callaway	Thomas Gurley	Gwangzeen Ko
Dave Cavalcanti	JaeSong Han	Tom Kolze
Kiran Challapali	Hiroshi Harada	Bruce Kraemer
Soo-Young Chang	Ahren Hartman	Steve Kuffner
Remi Chayer	Robert F. Heile	Denis Kuwahara
Shiuh Yuan Chen	Anh Twan Hoang	Jeong Suk Lee
Tao Chen	Michael Hoghooghi	Chang-Ho Lee
Jinxia Cheng	Mark Hopkins	Geunho Lee
Aik Chindapol	Victor Hou	Haeyoung Lee
InHwan Choi	Wendong Hu	Zhongding Lei
Liwen Chu	Junhong Hui	Wing Seng Leon
Joon-Hwa Chun	Sung Hyun Hwang	Barry Lewis
Chris Clanton	Duckdong Hwang	Lingjie Li
Charles Cook	Tae-In Hyon	Ying-Chang Liang
Charles Cooper	Yutaka Ikeda	Kyutae Lim
Carlos Cordeiro	Soon Ik Jeon	Euntack Lim

V
Copyright © 2011 IEEE. All rights reserved.

Jiezhen Lin Jinnan Liu Hang Liu Michael Lynch Steve Mace David Magee Ben Manny David Mazzarese Tony Morella Peter Murray Max Muterspaugh Mullaguru Naidu Paul Nikolich John Notor Moh Nouroozian Seungmok Oh Barry O'Mahony Ashish Pandharipande Juha Pihlaja

Mohammad Rahman Ranga K. Reddy Ivan Reede Edgar Reihl Jon Walter Rosdahl William Rose Luis Escobar Sanz Shigenobu Sasaki Jeffrey Schiffer Chris Seagren Alireza Seyedi Cheng Shan Steve Shellhammer Dave Silk Kirk Skeba **Douglas Smith** Eli Sofer Myung Sun Song

Clifford Tavares Victor Tawil Shawn Taylor Paul Thompson James Tomcik JungSun Um George Vlantis Lei Wang Jianfeng Wang Yunbiao Wang Tom Wasilewski Alfred Wieczorek Kelly Williams Yuchun Wu Shiquan Wu Bo Xia Changlong Xu Shan Shan Xu Steve Xao Yonghong Zeng

Jianwei Zhang

Xin Zhang

Hideki Tanaka

Juha Pihlaja Patrick Pirat Ron Porat Jeff Poston Jim Raab

Major contributions to this standard were made by the following individuals:

Srikathyayani Srikanteswara

Jayne Stancavage

Carl Stevenson

William Stiles

Kwok Shum Au
John Benko
Winston Caldwell
Dave Cavalcanti
Soo-Young Chang
Gerald Chouinard
Carlos Cordeiro
Charles Einolf
Wen Gao
Monisha Ghosh
Thomas Gurley
Anh Twan Hoang
Wendong Hu
Sung Hyun Hwang

Jerome J. Kalke

Ramon Khalona Thomas Kiernan Kihong Kim Sangbum Kim Kak-Sun Kim Gwangzeen Ko Steve Kuffner Zhongding Lei Lingjie Li Kyutae Lim Jinnan Liu David Mazzarese Apurva N. Mody Peter Murray

Mogh Nouroozian

Ashish Pandharipande
Patrick Pirat
Mohammad Rahman
Ranga K. Reddy
Ivan Reede
Shigenobu Sasaki
Cheng Shan
Steve Shellhammer
Eli Sofer
Carl Stevenson
Victor Tawil
JungSun Um
George Vlantis
Jianfeng Wang

Yonghong Zeng

The following members of the balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Iwan Adhicandra Thomas Alexander Nobumitsu Amachi Yafan An Butch Anton Franklin A. Antony Danilo Antonelli Kwok Shum Au Tuncer Baykas Maciej Borowka Nancy Bravin Vern Brethour William Byrd Meredith Caldwell Radhakrishna Canchi Juan Carreon Kenneth Carrigan Dave Cavalcanti Gerald Chouinard Keith Chow Charles Cook Todor Cooklev Subir Das Patrick Diamond Thomas Dineen Carlo Donati Souray Dutta Peter Ecclesine Richard Eckard Charles Einolf Shulan Feng Stanislav Filin Avraham Freedman Monisha Ghosh Pieter-Paul Giesberts James Gilb Gregory Gillooly Reinhard Gloger Patrick Gonja Randall Groves Thomas Gurley C. Guy Seishi Hanaoka Robert F. Heile

Oliver Hoffmann

Wendong Hu

Yerang Hur Sung Hyun Hwang Akio Iso Atsushi Ito Rai Jain Junghoon Jee Bobby Jose Tal Kaitz Shinkyo Kaku Masahiko Kaneko Piotr Karocki Richard Kennedy Stuart J. Kerry Kihong Kim Yongbum Kim Gwangzeen Ko Bruce Kraemer Joseph Kwak Jeremy Landt Zhongding Lei Lingjie Li Jan-Ray Liao Arthur Light Lu Liru Daniel Lubar Greg Luri Mighael Lynch Elvis Maculuba Syam Madanapalli Wayne W Manges Roger Marks Jeffery Masters Stephen Mecann Michael Moinnis Steven Methley Gary Michel Apurva Mody Jose Morales Ronald Murias Rick Murphy Peter Murray Juichi Nakada Michael S. Newman Nick S. A Nikjoo Paul Nikolich

John Notor

Chris Osterloh

Satoshi Oyama Riku Pirhonen Clinton Powell Venkatesha Prasad Mohammad Rahman Ranga K. Reddy Ivan Reede Alex Reznik Maximilian Riegel Robert Robinson Benjamin Rolfe William Rose Herbert Ruck Randall Safier Shigenobu Sasaki Naotaka Sato Ryo Sawai Bartien Sayogo Matthew Sherman Gil Shultz Kapil Sood Anajad Soomro Chad Spooner Thomas Starai Rene Struik Walter Struppler Mark Sturza Alourdes Sully Chin-Sean Sum Jun Ichi Takada Victor Tawil Ha Nguyen Tran Mark-Rene Uchida JungSun Um Anna Urra Dmitri Varsanofiev Prabodh Varshney Jane Verner George Vlantis Jianfeng Wang Hung-Yu Wei Alfred Wieczorek Akira Yamaguchi Oren Yuen Janusz Zalewski Xin Zhang

When the IEEE-SA Standards Board approved this on 16 June 2011, it had the following membership:

Richard H. Hulett, Chair John Kulick, Vice Chair Robert M. Grow, Past Chair Judith Gorman, Secretary

Masayuki Ariyoshi William Bartley Ted Burse Clint Chaplin Wael Diab Jean-Philippe Faure Alexander Gelman Paul Houzé Jim Hughes
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling
Oleg Logvinov
Ted Olsen

Gary Robinson Jon Walter Rosdahl Sam Sciacca Mike Seavey Curtis Siller Phil Winston Howard L. Wolfman

Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish Aggarwal, NRC Representative Richard DeBlasio, DOE Representative Michael Janezic, NIST Representative

Patricia Gerdon

IEEE Standards Program Manager, Document Development

Catherine Berger IEEE Standards Project Editor

Contents

1	Over	view	1
	1.1	Scope	1
	1.2	Purpose	
	1.3	Reference application	
2	Norn	native references	3
3	Defin	nitions	5
4	Abbr	eviations and acronyms	······ 10
			,
5	Syste	em architecture	13
	-		
	5.1	Reference architecture	13
	5.2	Reference architecture Management reference architecture	17
		_ ((/)	
6	Pack	et Convergence sublayer	20
	6.1	MAC SDU format	20
	6.2	Classification	20
	6.3	IEEE 802.3/Ethernet-specific part	22
	6.4	IP specific part	22
		$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	
7	MAC	C Common Part sublayer	24
	7.1	General	24
	7.2	Addressing and connections	24
	7.3	General superframe structure General frame structure	26
	7.4	General frame structure	27
	7.5	Control headers.	
	7.6	MAC PDV formats	
	7.7	Management messages	
	7.8	Management of MAC PDUs	
	7.9	ARQ mechanism	
	7.10	Scheduling services	125
	7.11	Bandwidth management	
	7.12	PHY support	
	7.13 7.14	Contention resolution	
	7.14		
		Ranging	
	7.16 7.17	Channel descriptor management	
	7.17	Multicast support	
	7.18	Incumbent protection.	
	7.19	Self-coexistence	
	7.20	Quiet periods and sensing	
	7.21	Channel management	
	1.44	Chainer management	40

7.23	Synchronization of the IEEE 802.22 base stations	249
8 S	ecurity mechanism in IEEE 802.22	250
0.1	Consider Analytication for the Data/Constant and Management Discour	250
8.1	Security Architecture for the Data/Control and Management Planes	
8.2	SCM protocol	
8.3	Key usage	
8.4	Cryptographic methods	
8.5	Certificate profile	
8.6	Security sublayer 2—Security mechanisms for the cognitive functions	
8.7	CPE privacy	
9 P	HY	307
9.1	Symbol description	307
9.2	Data rates.	
9.3	Functional block diagram applicable to the PHY layer	311
9.4		312
9.5	CBP packet format	320
9.6	OFDM subcarrier allocation	322
9.7	Channel coding	329
9.8	Constellation mapping and modulation	
9.9	Control mechanisms	
9.10		
9.11	Frequency Control requirements	
9.12	Antenna	358
9.13		362
9.14	Receiver requirements	363
10 C	ognitive radio capability	365
10.1	General	365
10.1		366
10.2		302
10.3		406
10.4	- // // \ \ \ \ \	
10.5		
10.7	. (\	
11 C	onfiguration	440
12 Pa	arameters and connection management	441
12.1	Parameters, timers, message IEs	441
12.2		
12.3		
13 M	ΠB structure	453
13.1	MIB description.	453
	A (normative) IEEE 802-22 regulatory domains and regulatory classes requirements	557
Annex .	A CHORDANIVE LEEP, XUZ ZZ regulatory domains and regulatory classes requirements	11/

A.1 Regulatory domains, regulatory classes, and professional installation	557
A.2 Radio performance requirements	
A.3 Channel availability and sensing requirements	
A.4 Device identification requirements	
A.5 Channelization based on the regulatory domain	
,	
Annex B (informative) Multicarrier fine ranging method	568
B.1 General description	568
B.2 Practical embodiment of the proposed multicarrier fine ranging method	
B.3 References	
Annex C (informative) Sensing	576
C.1 Blind sensing techniques	576
C.2 Signal specific sensing techniques	585
C.3 References	627
Annex D (informative) Summary of the characteristics of the IEEE 802.22.1 beacon signal	
and protocols	629
D.1 General	629
D.2 Superframe structure. D.3 Beacon frame structure D.4 Synchronization burst D.5 Inter-device communication period (ICR)	629
D.3 Beacon frame structure	630
D.4 Synchronization burst	631
	632
D.6 PHY specifications	632
D.7 Reference architecture for the WRAN receiver	633
D.8 Sensing and detection at the WRAN receiver	634
D.9 Options for detecting the IEEE 802 22.1 beacon signal	644
D.10 Operation scenarios for the coexistence of IEEE 802.22.1 and IEEE 802.22	646
D.11 References	647
Annex E (informative) Distributed spectrum sensing and authentication to provide protection agains	t
thermal noise	648
*/ \	
Annex F (informative) Network security aspects	653
F.1 Availability.	653
F.Z. Authentication	653
F.3 Authorization	
F.4 Identification	654
F.5 Integrity	654
F.6 Confidentiality/Privacy	655
Annex G (informative) Bibliography	656

IEEE Standard for Information Technology— Telecommunications and information exchange between systems

Wireless Regional Area Networks (WRAN)—
Specific requirements

Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Policies and Procedures for Operation in the TV Bands

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

Overview

1.1 Scope

This standard specifies the air interface, including the cognitive medium access control layer (MAC) and physical layer (PHY), of point-to-multipoint wireless regional area networks comprised of a professional fixed base station with fixed and portable user terminals operating in the VHF/UHF TV broadcast bands between 54 MHz to 862 MHz.

IEEE Std 802.22-2011

IEEE Standard for Wireless Regional Area Networks Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Policies and procedures for operation in the TV Bands

1.2 Purpose

This standard is intended to enable deployment of interoperable IEEE 802® multivendor wireless regional area network products, to facilitate competition in broadband access by providing alternatives to wireline broadband access and extending the deployability of such systems into diverse geographic areas, including sparsely populated rural areas, while preventing harmful interference to incumbent licensed services in the TV broadcast bands.

1.3 Reference application

The Wireless Regional Area Networks (WRANs) for which this standard has been developed are expected to operate primarily in low population density areas in order to provide broadband access to data networks. The WRAN systems will use vacant channels in the VHF and UHF bands allocated to the Television Broadcasting Service in the frequency range between 54 MHz and 862 MHz white avoiding interference to the broadcast incumbents in these bands. A typical application can be the coverage of the tural area around a village, as illustrated in Figure 1, within a radius of 10 km to 30 km from the base station depending on its EIRP and antenna height. The MAC can also accommodate user terminals located as far as 100 km with proper scheduling of the traffic in the frame when exceptional RF signal propagation conditions are present. With the PHY implemented in this standard, WRAN systems can cover up to a radius of 30 km without special scheduling.




Figure 1 An IEEE 802.22 WRAN cell with a base station and user terminals

A base station (BS) complying with this standard shall be able to provide high-speed Internet service for up to 512 fixed or portable customer premise equipment (CPE) devices or groups of devices within its coverage area assuming different quality of service (QoS) requirements for various CPEs, while meeting the regulatory requirements for protection of the incumbents.

The standard includes cognitive radio techniques to mitigate interference to incumbents, including geolocation capability, provision to access a database of incumbent services, and spectrum-sensing technology to detect the presence of incumbent services, other WRAN systems, and IEEE 802.22.1 wireless beacons.

IEEE Std 802.22-2011

IEEE Standard for Wireless Regional Area Networks Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Policies and procedures for operation in the TV Bands

2. Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. At the time of publication, the editions indicated were valid. All standards and specifications are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the references listed below.

ANSI X9.62-2005, Public Key Cryptography for the Financial Services Industry: The Elliptic Curve Digital Signature Algorithm (ECDSA), November 2005.¹

ANSI X9.63-2001, Public Key Cryptography for the Financial Services Industry: Key Agreement and Key Transport Using Elliptic Curve Cryptography, November 2001.

IEEE Std 802®-2001, IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture. 2, 3

IEEE Std 802.16™-2009, IEEE Standard for Local and Metropolitan Area Networks—Part 16: Air Interface for Broadband Wireless Access Systems.

IEEE Std 802.22.1TM-2010, IEEE Standard for Local and metropolitan area networks—Part 22.1: Methods to Enhance Protection of Low-Power, Licensed Device Operation in the TV Broadcast Bands from Harmful Interference from License-Exempt Devices Operating in those Bands.

FIPS 180-3, Secure Hash Standard (SHS), October 2008.

FIPS 186-3, Digital Signature Standard (DSS), June 2009.

FIPS 197, Advanced Encryption Standard, November 2001

IETF RFC 2437, PKCS #1; RSA Cryptography Specification Version 2.0, October 1998.5

IETF RFC 2578, "Structure of Management Information Version 2 (SMIv2)," K. McCloghrie, D. Perkins, J. Schoenwaelder, J. Case, M. Rose, S. Waldbusser, April 1999.

IETF RFC 2758, "Definitions of Managed Objects for Service Level Agreements Performance Monitoring," K. White, February 2000.

IETF RFC 3279, Algorithms and Identifiers for the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation Dist (CRL) Profile, April 2002.

IETF REC 4442, Elliptic Curve Crytopgraphy (ECC) for Transport Layer Security (TLS), May 2006.

IETF RFC 5216, The EAP-TLS Authentical Protocol, March 2008.

IETF RFC 5246, The Transport Layer Security (TLS) Protocol Version 1.2, August 2008.

3

¹ ANSI publications are available from the Sales Department, American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA (http://www.ansi.org/).

² IEEE publications are available from the Institute of Electrical and Electronics Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854, USA (http://standards.ieee.org/).

³ The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc. ⁴ FIPS publications are available from the National Technical Information Service (NTIS), U. S. Dept. of Commerce, 5285 Port Royal Rd., Springfield, VA 22161 (http://www.ntis.org/).

Internet Requests for Comments (RFCs) are available on the World Wide Web at the following ftp site: venera.isi.edu; logon: anony-mous; password: user's e-mail address; directory: in-inotes.

IEEE Std 802.22-2011

IEEE Standard for Wireless Regional Area Networks Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Policies and procedures for operation in the TV Bands

IETF RFC 5280, Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile, May 2008.

IETF RFC 5281, Extensible Authentication Protocol Tunneled Transport Layer Security Authenticated Protocol Version 0 (EAP-TTLSv0), August 2008.

IETF RFC 5649, Advanced Encryption Standard (AES) Key Wrap Algorithm with Padding, August 2009.

NIST Special Publication 800-38D, Recommendation for Block Cipher Modes of Operation: Galois/Counter Mode (GCM) and GMAC, November 2007.

NMEA 0183, Interface Standard of the National Marine Electronics Association, Version 4.00 http://www.nmea.org/content/nmea standards/nmea 083 v 400.asp.

Radio Regulations, International Telecommunications Union, Geneva, Switzerland, Edition of 2008.

SEC 4, Standards for Efficient Cryptography Group (SECG)—SEC 4: Efficient Curve Qu-Vanstore Implicit Certificate Scheme (ECQV) Working Draft, March 9, 2011, http://www.secg.org/download/aid-785/sec4-0.97.pdf.⁷

Trusted Computing Group, "TPM Main Specification Level 2 Version 1.2 (Revision 103)—Part 1—Design Principles," July 2007, http://www.trustedcomputinggroup.org/files/resource_files/ACD19914-1D09-3519-ADA64741A1A15795/mainP1DPrev103.zip.

Trusted Computing Group, "TPM Main Specification Level 2 Version 1.2 (Revision 103) —Part 2—Structures of the TPM," October 2006, http://www.trustedcomputinggroup.org/files/resource_files/8D3D6571-1D09-3519-AD22EA2911D4E9D0/mainP2Structrey 103.pdf.

Trusted Computing Group, "TRM Main Specification Level 2 Version 1.2 (Revision 103)—Part 3—Commands," October 2006, http://www.trustedcomputinggroup.org/files/static_page_files/ACD28F6C-1D09-3519-AD210DC2597F1E4C/mainR3Commandsrev103.pdf.

U.S. FCC, ET Docket 08-260, "Second Report and Order and Memorandum Opinion and Order in the Matter of Unlicensed Operation in the TV Broadcast Bands," November 14, 2008.

U.S. FCC, ET Docket 10-174, "Second Memorandum Opinion and Order in the Matter of Unlicensed Operation in the TV Broadcast Rands," September 23, 2010.

⁶ NIST SP 800-38D can be found at http://csrc.nist.gov/publications/nistpubs/800-38D/SP-800-38D.pdf.

⁷ At the time this standard published, SEC 4 was still in draft form. The draft can be found at http://www.secg.org/. Alternately, users may contact the IEEE to obtain this draft.