



# INTERNATIONAL STANDARD

---

**Fixed resistors for use in electronic equipment –  
Part 4-10: Blank detail specification: Power resistors with axial leads for  
through-hole assembly on circuit boards (THT), for general electronic  
equipment, classification level G**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 31.040.10

ISBN 978-2-8322-7959-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
0 Introduction to the template provided by this blank detail specification.....	7
0.1 Scope of this blank detail specification.....	7
0.2 Function of this blank detail specification .....	7
0.3 Identification of the detail specification and the resistor .....	8
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	11
4 Characteristics and ratings .....	11
4.1 General.....	11
4.2 Dimensions .....	11
4.3 Ratings .....	13
4.4 Resistance range and tolerance on resistance .....	15
5 Tests and test severities.....	16
5.1 General.....	16
5.2 Resistance.....	16
5.3 Temperature coefficient of resistance .....	17
5.4 Temperature rise .....	17
5.5 Endurance at the rated temperature 70 °C .....	17
5.6 Endurance at other than rated temperature .....	17
5.6.1 Endurance at room temperature .....	17
5.6.2 Endurance at a maximum temperature: UCT with category dissipation .....	17
5.7 Short-term overload of power resistors.....	17
5.7.1 Power film resistors .....	17
5.7.2 Wirewound resistors .....	18
5.8 Electrostatic discharge (ESD) test.....	18
5.9 Visual examination.....	18
5.10 Gauging of dimensions .....	19
5.11 Detail dimensions .....	19
5.12 Robustness.....	19
5.12.1 Robustness of terminations .....	19
5.12.2 Robustness of the resistor body.....	19
5.13 Shock and vibration .....	19
5.13.1 Vibration .....	19
5.13.2 Shock or bump .....	19
5.14 Rapid change of temperature.....	19
5.15 Climatic sequence.....	20
5.16 Damp heat, steady state test.....	20
5.17 Solderability, with lead-free solder .....	21
5.18 Solderability, with SnPb solder.....	21
5.19 Resistance to soldering heat.....	21
5.20 Solvent resistance test.....	21
5.21 Insulation resistance .....	22
5.22 Voltage proof .....	22
5.23 Flammability test.....	22
6 Performance requirements.....	22

6.1	General.....	22
6.2	Limits for change of resistance at tests .....	22
6.3	Temperature coefficient of resistance .....	23
6.4	Temperature rise .....	24
6.5	Visual examination.....	24
6.5.1	General visual criteria.....	24
6.5.2	Visual criteria after tests .....	25
6.5.3	Visual criteria for packaging.....	25
6.6	Solderability.....	25
6.7	Insulation resistance .....	25
6.8	Flammability .....	26
7	Marking, packaging and ordering information.....	26
7.1	Marking of the component.....	26
7.2	Packaging.....	26
7.3	Marking of the packaging .....	26
7.4	Ordering information .....	26
8	Additional information.....	27
8.1	General.....	27
8.2	Storage and Transportation.....	27
8.3	Substrate for assembly .....	27
8.4	Soldering process .....	27
8.5	Use of cleaning agents or solvents.....	27
8.6	Coating or potting after assembly.....	28
9	Quality assessment procedures .....	28
9.1	General.....	28
9.1.1	100 % test .....	28
9.1.2	Certificate of Conformity (CoC).....	28
9.1.3	Certified test records of released lots .....	29
9.2	Qualification approval .....	29
9.3	Maintenance of a qualification approval .....	29
9.3.1	Quality conformance inspection .....	29
9.3.2	Non-conforming specimen .....	29
Annex A (normative)	Symbols and abbreviated terms .....	41
A.1	Symbols.....	41
A.2	Abbreviated terms.....	43
Annex B (normative)	Reference for visual examination .....	44
Annex X (informative)	Cross-reference for references to the prior revision of this specification.....	45
Bibliography	.....	46
Figure 1	– Outline and dimensions.....	12
Figure 2	– Lead eccentricity of the wire terminations.....	13
Figure 3	– Length of excessive coating on the wire terminations .....	13
Figure 4	– Derating curve for power resistors.....	15
Table 1	– Styles and dimensions.....	12
Table 2	– Climatic categories.....	14

Table 3 – Ratings.....	14
Table 4 – Temperature coefficients, tolerances and resistance ranges for climatic category ... / ... / ... .....	16
Table 5 – Short-term overload duration .....	18
Table 6 – ESD test voltages.....	18
Table 7 – Additional cycles of the damp heat, cyclic test.....	20
Table 8 – Damp heat, steady state test duration .....	20
Table 9 – Limits for change of resistance at tests .....	23
Table 10 – Permitted change of resistance due to the variation of temperature .....	24
Table 11 – Test schedule for the qualification approval of power resistors .....	30
Table 12 – Test schedule for quality conformance inspection of power resistors .....	35
Table X.1 – Cross reference for references to clauses .....	45

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –

#### **Part 4-10: Blank detail specification: Power resistors with axial leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> or [www.iso.org/patents](http://www.iso.org/patents). IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60115-4-10 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This first edition cancels and replaces IEC 60115-4-1:1983. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) it employs the product classification based on application requirements as defined in the generic specification IEC 60115-1:2020;

- b) it permits the specification additional dimensional requirements concerning the eccentricity of termination wires and the coating extending onto wires;
- c) it provides for a tabulated presentation of resistance ranges in relationship to the temperature coefficient and the tolerance;
- d) it supports solderability testing for both, traditional lead-bearing soldering and up-to-date lead-free soldering, as required;
- e) it introduces a test for the specimens' robustness to electrostatic discharge if required;
- f) it introduces a test for the specimens' resistance to solvents if required;
- g) it introduces a test for the flammability of the specimens if required;
- h) it employs consistent stability requirements grouped in stability classes;
- i) it supports the provision of detailed visual acceptance criteria
- j) it includes the requirement for a visual inspection of the primary and proximity packaging;
- k) it provides the correlated test schedules for a qualification approval and for subsequent quality conformance inspections side by side;
- l) it employs quality assessment procedures which meet the requirements of a zero-defect approach, which evades the use of historic AQL levels and the permission of non-conforming specimens in test groups;
- m) it provides for the inclusion of specific visual acceptance criteria, to be applied in addition to those given in Annex B of the sectional specification IEC 60115-4:2022;
- n) furthermore, it employs a new document structure, for which a transition guidance is provided in Annex X.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/3039/CDV	40/3078/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60115 series, published under the general title *Fixed resistors for use in electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## 0 Introduction to the template provided by this blank detail specification

COMMENT This introduction is not intended to be copied into the drafted detail specification. Therefore, it is positioned in front of the conventional document structure and clause numbering range. It nevertheless contains normative requirements to the drafted detail specification.

### 0.1 Scope of this blank detail specification

This part of IEC 60115-4 is applicable to the drafting of detail specifications for fixed power resistors with leads, classified to level G, which is defined in IEC 60115-1:2020, 3.4 for general electronic equipment.

Another part of IEC 60115-4 provides separate blank detail specifications for the drafting of detail specifications for fixed power resistors with leads, classified to level P and/or to level R.

Yet other parts of IEC 60115-4 may be issued to provide blank detail specifications for the drafting of detail specifications for vertical or radial fixed power resistors of other technologies or of other classification levels.

### 0.2 Function of this blank detail specification

A blank detail specification is a supplementary document to the sectional specification and contains requirements for style, layout and minimum contents of detail specifications. Detail specifications not complying with these requirements shall not be accepted as being in accordance with IEC specifications nor shall they be described as such.

Detail specifications complying with the requirements of this blank detail specification are a legitimate basis for the quality assessment of leaded fixed power resistors under an adequate quality assessment system, e.g. the IEC Quality Assessment System for Electronic Components (IECQ System), whereas the plain blank detail specification is not a suitable basis.

The detail specification should contain a table of contents prior to the first page of the actual specification.

In the preparation of the detail specification, the content of IEC 60115-4:2022, 8.2 shall be taken into account. The detail specification should be written by using the preferred values given in IEC 60115-4.

Units, graphical symbols and letter symbols shall, whenever possible, be taken from those specified by the following standards:

- IEC 60027-1, *Letter symbols to be used in electrical technology – Part 1: General*
- IEC 60617, *Graphical symbols for diagrams*
- IEC 80000 (all parts), *Quantities and units*
- ISO 80000 (all parts), *Quantities and units*

This blank detail specification uses for its purpose two different kinds of notes:

NOTE For notes which give additional information intended to assist the understanding or use of the resulting document and therefore shall be copied as NOTE into the drafted detail specification. As outlined in the ISO/IEC directives, these notes shall not contain any requirement, instruction, recommendation or permission.

COMMENT For editorial notes which are intended to aid and direct the specification writer and therefore shall not be copied into the drafted detail specification. In order to accomplish their function, editorial notes require the use of instructions, recommendations and permissions addressed to the writer of the detail specification.

### 0.3 Identification of the detail specification and the resistor

The first page of the detail specification should have a layout starting with a title block as recommended on the following page.

The numbers in square brackets are editorial references, which are not intended to be copied into the drafted detail specification, and which correspond to the following information on the contents which shall be inserted in the indicated positions.

- [1] The name of the standardization organization under whose authority the detail specification is published and, if applicable, the organization from whom the detail specification is available.
- [2] The number allocated to the detail specification by the IEC or by the responsible standardization organization, together with the date of issue and issue number, as applicable. Further reference details required by the responsible standardization organization or quality assessment system may be given here, including an established mark of conformity, as applicable.
- [3] The number and issue date and number, as applicable, of the relevant generic specification, sectional specification and blank detail specification, where the referenced issues shall be the most recent issues of the respective specifications.
- [4] The title of the detail specification, providing a short description of the type of resistors. This entry should support the discrimination between similar specifications and should be suitable for an entry in a register of approvals or in a catalogue of standards. It may duplicate information given in fields [6] and [7] and in the textual scope in Clause 1.
- [5] An outline drawing or illustration of the products.  
This entry should aid the easy recognition of the specified resistors and, if possible, support the discrimination between similar specifications. It may duplicate information given in Figure 1.
- [6] Information on the typical construction of the resistors (where applicable), information of the specified resistors being insulated or non-insulated (see IEC 60115-1:2020, 3.1.7), and information on compatibility with a specific soldering process (if applicable, see 8.3). This entry may duplicate information given in the textual scope in Clause 1.
- [7] The classification level of the resistors covered by this detail specification, the level of quality assessment (Assessment level EZ), and the general level of stability requirements at performance tests (Stability class).  
This information may duplicate information given in the textual scope in Clause 1.
- [8] Optional field for table notes.
- [9] Statement(s) about the availability of information on components qualified to this detail specification, if applied within a full quality assessment system.

Example for the use within the IECQ system:

Information about components qualified to this detail specification is available in the approvals section of the website <http://www.iecq.org>.



Specification available from:	<b>IEC 60115-4-10XX: 20YY</b>
[1]	[2]
<b>Electronic components of assessed quality in accordance with:</b> Generic Specification: IEC 60115-1:2020 Sectional Specification: IEC 60115-4:2022 Blanc Detail Specification: IEC 60115-4-10:2023	
[3]	
<b>FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –</b>  <b>Part 4-10XX: Detail specification:</b> <b>Power resistors with axial leads for through-hole assembly on circuit boards (THT), for general electronic equipment – classification level G</b>	
[4]	
Outline drawing	Technology info  Insulated / non-insulated  Product classification level G  Assessment level EZ  Stability classes ...
[5]	[6]
	[7]
	[8]

COMMENT The remainder of this page is intentionally left empty in order to start Clause 1 on top of the next page.

Information about components qualified to this detail specification is available .....
[9]

## FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –

### **Part 4-10: Blank detail specification: Power resistors with axial leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G**

#### **1 Scope**

COMMENT The text of this clause may repeat information already given in some fields of the above title block. Essential information on the special type of components covered by the drafted detail specification may be added, preferably at the place marked with "...".

This detail specification specifies the characteristics and ratings of fixed power resistors with axial leads for through hole assembly (THT) on circuit boards ...

...

The resistors covered herein are classified to level G, as defined in IEC 60115-1:2020, 3.4 for general electronic equipment, typically operated under benign or moderate environmental conditions, where the major requirement is function. Examples for level G include consumer products and telecommunication user terminals.

This detail specification is based upon the blank detail specification IEC 60115-4-10:2023.

This detail specification establishes test schedules and performance requirements permitting the quality assessment of the resistors covered herein according to the quality assessment procedures specified by IEC 60115-1:2020, Annex Q.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60115-1:2020, *Fixed resistors for use in electronic equipment – Part 1: Generic specification*

IEC 60115-4:2022, *Fixed resistors for use in electronic equipment – Part 4: Sectional specification: Power resistors for through hole assembly on circuit boards (THT) or for assembly on chassis*

IEC 60115-4-10:2023, *Fixed resistors for use in electronic equipment – Part 4-10: Blank detail specification: Power resistors with axial leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G*

IEC 60286-1, *Packaging of components for automatic handling – Part 1: Tape packaging of components with axial leads on continuous tapes*

IEC 60294, *Measurement of the dimensions of a cylindrical component with axial terminations*

IEC 60301, *Preferred diameters of wire terminations of capacitors and resistors*

IEC 61760-1, *Surface mounting technology – Part 1: Standard method for the specification of surface mounting components (SMDs)*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

...

COMMENT 1 The above list of normative references provides an example and needs to be adapted to the actual requirements of the drafted detail specification, indicated by the space marked with "...", which however does not preclude from sorting in proper numerical order.

COMMENT 2 According to the ISO/IEC directives, dated references are required when reference is made to a specific part of the referenced standard and generally should be applied only in such cases.

COMMENT 3 It is recommended to update any dated references to the most recent revision of the referenced standard when drafting a detail specification. This involves updating of the dated normative references within the text of the drafted detail specification.