

This is a preview - click here to buy the full publication



IEC 60335-2-104

Edition 2.0 2021-05
REDLINE VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-104: Particular requirements for appliances to recover and/or recycle
refrigerant from air conditioning and refrigeration equipment**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.200; 71.100.45

ISBN 978-2-8322-9788-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General requirement.....	12
5 General conditions for the tests	12
6 Classification.....	12
7 Marking and instructions.....	12
8 Protection against access to live parts.....	14
9 Starting of motor-operated appliances	14
10 Power input and current.....	14
11 Heating.....	14
12 Void.....	19
13 Leakage current and electric strength at operating temperature.....	19
14 Transient overvoltages	19
15 Moisture resistance	19
16 Leakage current and electric strength.....	20
17 Overload protection of transformers and associated circuits	20
18 Endurance.....	20
19 Abnormal operation	20
20 Stability and mechanical hazards.....	26
21 Mechanical strength	26
22 Construction	28
23 Internal wiring.....	35
24 Components	35
25 Supply connection and external flexible cords	36
26 Terminals for external conductors.....	36
27 Provision for earthing	36
28 Screws and connections	36
29 Clearances, creepage distances and solid insulation	36
30 Resistance to heat and fire	37
31 Resistance to rusting.....	37
32 Radiation, toxicity and similar hazards.....	37
Annexes	39
Annex AA (normative) Vacuum levels	39
Annex AA (normative) Temperature and pressure test	50
Annex BB (normative) Particulate used in standard contaminated refrigerant.....	50
Annex-CC BB (normative) Compatibility requirements.....	53
Annex CC (normative) Pressure tests	54
CC.1 General.....	54

CC.2	Pressure test value determined under testing carried out in Clause 11.....	54
CC.3	Pressure test value determined under testing carried out in Clause 19.....	54
CC.4	Pressure test value determined under testing carried out under standstill conditions	54
CC.5	Fatigue test option for Clause CC.2 and CC.4.....	55
Annex DD (normative) Requirements for swelling oil.....		
Annex DD (normative)	Leak simulation tests	58
DD.1	General.....	58
DD.2	Test methods	58
Annex EE (normative)	Manual – Installation and operating instructions.....	60
Bibliography	62
Figure 101	– Supply circuit for locked-rotor test of a motor of the single-phase type	38
Table 3 1	– Temperature limits.....	16
Table 8 2	– Maximum winding temperature	21
Table 9 3	– Maximum abnormal temperature	25
Table 4	– High side pressure for strength tests	32
Table 5	– Low side pressure for strength tests	33
Table AA.1 – Standard contaminated refrigerant samples		
Table BB.1 – Weight % in various size ranges pm		
Table CC.1 BB.1	– Alternate values of time and temperature for the compatibility test.....	53

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-104: Particular requirements for appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60335-2-104:2003. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60335-2-104 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 1 – The scope has been edited to reflect that "appliance" in this document means recovery and/or recycle equipment to recover and/or recycle refrigerant from air-conditioning and refrigeration equipment.
- b) Clause 2 – Normative references were added.
- c) Clause 3 – Some definitions were deleted, some were added.
- d) Subclause 7.1 – Some markings were deleted, some were added.
- e) Subclause 7.6 – Symbols were added for "read operator's manual", "operator's manual; operating instructions" including coloring are placed in visible location; maximum allowable pressure markings following X MPa.
- f) Subclause 19.11.4 was modified.
- g) Subclause 21.1 was modified.
- h) Subclause 21.2 was modified.
- i) Subclause 22.102 was modified.
- j) Subclause 22.104.1.1 was modified.
- k) Subclause 22.104.5 was modified.
- l) Subclause 22.104.10 was modified.
- m) Subclause 22.104.11 was modified.
- n) Subclause 22.105.1 was modified.
- o) Subclause 22.107 was modified.
- p) Subclause 30.2 was moved to Clause 29.
- q) Annex AA was deleted and replaced with Annex AA.
- r) Annex BB was deleted and replaced with former IEC 60335-2-104 Annex CC (normative) Compatibility requirements following addition to Annex BB.
- s) Annex DD was deleted and replaced with Annex CC.
- t) New Annex DD was added.
- u) New Annex EE was added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61D/472/FDIS	61D/474/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available

at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the fifth edition of IEC 60335-1:2010 and its amendments.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1 so as to convert that publication into the IEC Standard: Safety requirements for electrical appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below:

- 6.1: Class 01 appliances are allowed (Japan).
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden).

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-104: Particular requirements for appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment

1 Scope

This clause of Part 1 is replaced by the following:

This part of IEC 60335 deals with the safety of electrical ~~appliances~~ **recovery** and/or **recycle** equipment to recover and/or **recycle refrigerant** from air conditioning and refrigeration equipment. This applies to air-conditioning, heat-pumps and refrigeration equipment incorporating open drive or motor-**compressors**, their maximum **rated voltages** being not more than ~~250~~ 300 V for single phase appliances and 600 V for all other ~~appliances~~ equipment.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by service personnel in shops, in light industry and on farms, are within the scope of this standard.

The appliances referenced above may consist of one or more factory made assemblies. If provided in more than one assembly, the separate assemblies are to be used together, and the requirements are based on the use of matched assemblies.

~~NOTE 101—A definition of “sealed motor **compressor**” is given in IEC 60335-2-34.~~

~~NOTE 102—Requirements for refrigeration safety are covered by ISO 5149.~~

~~NOTE 103—For appliances using flammable refrigerants, additional requirements are under consideration.~~

~~NOTE 104—Attention is drawn to the fact that~~

~~— for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;~~

~~— for appliances subjected to pressure, additional requirements may be necessary;~~

~~— in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, national water supply authorities and similar authorities.~~

~~NOTE 105—This standard does not apply to~~

~~— appliances designed exclusively for industrial processing;~~

~~— appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).~~

NOTE 101 In this document, the term appliance is to denote **recovery** equipment.

2 Normative references

This clause of Part 1 is applicable except as follows.

Replacement:

IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*

Addition:

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15:2010¹, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 600320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60335-2-34:2002/2012, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

IEC 60335-2-40:2018, *Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*

IEC 62640:2011, *Residual current devices with or without overcurrent protection for socket-outlets for household and similar uses*
IEC 62640:2011/AMD1:2015

~~ISO 5149:1993, *Mechanical Refrigerating systems used for cooling and heating – Safety requirements*~~

ISO 5149-2, *Refrigerating systems and heat pumps – Safety and environmental requirements – Part 2: Design, construction, testing, marking and documentation*

ISO 817:2014, *Refrigerants – Designation and safety classification*
ISO 817:2014/AMD1:2017

ASTM D4728-17, *Standard Test Method for Random Vibration Testing of Shipping Containers*

SAE J2210 HFC-134a (R-134a), *Recovery/Recycling Equipment for Mobile Air-Conditioning Systems*

SAE J2843 R-1234yf [HFO-1234yf], *Recovery/Recycling/Recharging Equipment for Flammable Refrigerants for Mobile Air-Conditioning Systems*

SAE J3030, *Automotive Refrigerant Recovery/Recycling/Recharging Equipment Intended for use with Both R-1234yf and R-134a*

¹ Withdrawn.

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-104: Particular requirements for appliances to recover and/or recycle
refrigerant from air conditioning and refrigeration equipment**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 General requirement.....	10
5 General conditions for the tests	10
6 Classification.....	10
7 Marking and instructions.....	11
8 Protection against access to live parts.....	12
9 Starting of motor-operated appliances	13
10 Power input and current.....	13
11 Heating.....	13
12 Void.....	17
13 Leakage current and electric strength at operating temperature.....	17
14 Transient overvoltages	17
15 Moisture resistance	17
16 Leakage current and electric strength.....	18
17 Overload protection of transformers and associated circuits	18
18 Endurance.....	18
19 Abnormal operation	18
20 Stability and mechanical hazards.....	23
21 Mechanical strength	23
22 Construction	26
23 Internal wiring.....	32
24 Components	33
25 Supply connection and external flexible cords	33
26 Terminals for external conductors.....	33
27 Provision for earthing	33
28 Screws and connections	34
29 Clearances, creepage distances and solid insulation	34
30 Resistance to heat and fire	34
31 Resistance to rusting.....	34
32 Radiation, toxicity and similar hazards.....	34
Annexes	36
Annex AA (normative) Temperature and pressure test.....	37
Annex BB (normative) Compatibility requirements.....	39
Annex CC (normative) Pressure tests	40
CC.1 General.....	40
CC.2 Pressure test value determined under testing carried out in Clause 11.....	40
CC.3 Pressure test value determined under testing carried out in Clause 19.....	40

CC.4 Pressure test value determined under testing carried out under standstill conditions	40
CC.5 Fatigue test option for Clause CC.2 and CC.4.....	41
Annex DD (normative) Leak simulation tests.....	43
DD.1 General.....	43
DD.2 Test methods	43
Annex EE (normative) Manual – Installation and operating instructions.....	45
Bibliography.....	47
Figure 101 – Supply circuit for locked-rotor test of a motor of the single-phase type	35
Table 1 – Temperature limits	14
Table 2 – Maximum winding temperature	19
Table 3 – Maximum abnormal temperature	22
Table 4 – High side pressure for strength tests	30
Table 5 – Low side pressure for strength tests	30
Table BB.1 – Alternate values of time and temperature for the compatibility test.....	39

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-104: Particular requirements for appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-104 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 1 – The scope has been edited to reflect that "appliance" in this document means recovery and/or recycle equipment to recover and/or recycle refrigerant from air-conditioning and refrigeration equipment.
- b) Clause 2 – Normative references were added.
- c) Clause 3 – Some definitions were deleted, some were added.
- d) Subclause 7.1 – Some markings were deleted, some were added.

- e) Subclause 7.6 – Symbols were added for “read operator’s manual”, “operator’s manual; operating instructions” including coloring are placed in visible location; maximum allowable pressure markings following X MPa.
- f) Subclause 19.11.4 was modified.
- g) Subclause 21.1 was modified.
- h) Subclause 21.2 was modified.
- i) Subclause 22.102 was modified.
- j) Subclause 22.104.1.1 was modified.
- k) Subclause 22.104.5 was modified.
- l) Subclause 22.104.10 was modified.
- m) Subclause 22.104.11 was modified.
- n) Subclause 22.105.1 was modified.
- o) Subclause 22.107 was modified.
- p) Subclause 30.2 was moved to Clause 29.
- q) Annex AA was deleted and replaced with Annex AA.
- r) Annex BB was deleted and replaced with former IEC 60335-2-104 Annex CC (normative) Compatibility requirements following addition to Annex BB.
- s) Annex DD was deleted and replaced with Annex CC.
- t) New Annex DD was added.
- u) New Annex EE was added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61D/472/FDIS	61D/474/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the fifth edition of IEC 60335-1:2010 and its amendments.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1 so as to convert that publication into the IEC Standard: Safety requirements for electrical appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below:

- 6.1: Class 01 appliances are allowed (Japan).
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden).

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-104: Particular requirements for appliances to recover and/or recycle refrigerant from air conditioning and refrigeration equipment

1 Scope

This clause of Part 1 is replaced by the following:

This part of IEC 60335 deals with the safety of electrical **recovery** and/or **recycle** equipment to recover and/or **recycle refrigerant** from air conditioning and refrigeration equipment. This applies to air-conditioning, heat-pumps and refrigeration equipment incorporating open drive or motor-**compressors**, their maximum **rated voltages** being not more than 300 V for single phase appliances and 600 V for all other equipment.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by service personnel in shops, in light industry and on farms, are within the scope of this standard.

The appliances referenced above may consist of one or more factory made assemblies. If provided in more than one assembly, the separate assemblies are to be used together, and the requirements are based on the use of matched assemblies.

NOTE 101 In this document, the term appliance is to denote **recovery** equipment.

2 Normative references

This clause of Part 1 is applicable except as follows.

Replacement:

IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*

Addition:

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15:2010¹, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 600320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60335-2-34:2012, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

¹ Withdrawn.

IEC 60335-2-40:2018, *Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*

IEC 62640:2011, *Residual current devices with or without overcurrent protection for socket-outlets for household and similar uses*

IEC 62640:2011/AMD1:2015

ISO 5149-2, *Refrigerating systems and heat pumps – Safety and environmental requirements – Part 2: Design, construction, testing, marking and documentation*

ISO 817:2014, *Refrigerants – Designation and safety classification*

ISO 817:2014/AMD1:2017

ASTM D4728-17, *Standard Test Method for Random Vibration Testing of Shipping Containers*

SAE J2210 HFC-134a (R-134a), *Recovery/Recycling Equipment for Mobile Air-Conditioning Systems*

SAE J2843 R-1234yf [HFO-1234yf], *Recovery/Recycling/Recharging Equipment for Flammable Refrigerants for Mobile Air-Conditioning Systems*

SAE J3030, *Automotive Refrigerant Recovery/Recycling/Recharging Equipment Intended for use with Both R-1234yf and R-134a*