INTERNATIONAL **STANDARD**

IEC 60335-2-43

> Third edition 2002-10

Household and similar electrical appliances -Safety -

Part 2-43:

Particular requirements for clothes dryers and towel rails

Appareils électrodomestiques et analogues -Sécurité -

Partie 2-43:

Règles particulières pour les appareils de séchage du linge et les sèche-serviettes

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



M

CONTENTS

Scope	FΟ	REWORD	3
2 Normative references 6 3 Definitions 6 4 General requirement 7 5 General conditions for the tests 7 6 Classification 7 7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 11 21 Mechanical strength 10 22	INT	RODUCTION	5
2 Normative references 6 3 Definitions 6 4 General requirement 7 5 General conditions for the tests 7 6 Classification 7 7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 11 21 Mechanical strength 10 22			
33 Definitions 6 44 General requirement 7 55 General conditions for the tests 7 6 Classification 7 7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components <td>1</td> <td></td> <td></td>	1		
4 General requirement	2	Normative references	6
5 General conditions for the tests 7 6 Classification 7 7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 11 24 Components 11 25	3	Definitions	6
6 Classification 7 7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 6 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 11 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27	4	General requirement	7
7 Marking and instructions 7 8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 6 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 11 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11	5	General conditions for the tests	7
8 Protection against access to live parts 7 9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11	6	Classification	7
9 Starting of motor-operated appliances 7 10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11	7	Marking and instructions	7
10 Power input and current 7 11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11	8	Protection against access to live parts	7
11 Heating 7 12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 12	9	Starting of motor-operated appliances	7
12 Void 8 13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 12 Annexes 12	10	Power input and current	7
13 Leakage current and electric strength at operating temperature 8 14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 9 21 Mechanical strength 9 22 Construction 9 23 Internal wiring 9 24 Components 9 25 Supply connection and external flexible cords 9 26 Supply connection and external flexible cords 9 27 Provision for earthing 9 28 Screws and connections 9 29 Clearances and creepage distances and solid insulation 9 30 Resistance to heat and fire 9 31 Resistance to rusting 9 32 Radiation, toxicity and similar hazards 9 34 Annexes 9 36 37 38 39 30 30 31 31 31 32 31 32 33 34 34 35 36 37 38 38 39 30 30 31 31 32 34 34 34 35 36 37 38 38 39 30 30 31 31 32 34 34 34 34 34 35 36 37 38 38 39 30 30 31 31 31 32 34 34 34 34 34 34 34 34 34 34 34 34 34	11	Heating	7
14 Transient overvoltages 8 15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	12	Void	8
15 Moisture resistance 8 16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	13	Leakage current and electric strength at operating temperature	8
16 Leakage current and electric strength 9 17 Overload protection of transformers and associated circuits 9 18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	14	Transient overvoltages	8
17 Overload protection of transformers and associated circuits. 18 Endurance	15	Moisture resistance	8
18 Endurance 9 19 Abnormal operation 9 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	16	Leakage current and electric strength	9
19 Abnormal operation 6 20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	17	Overload protection of transformers and associated circuits	9
20 Stability and mechanical hazards 10 21 Mechanical strength 10 22 Construction 10 23 Internal wiring 10 24 Components 10 25 Supply connection and external flexible cords 11 26 Terminals for external conductors 11 27 Provision for earthing 11 28 Screws and connections 11 29 Clearances and creepage distances and solid insulation 11 30 Resistance to heat and fire 11 31 Resistance to rusting 11 32 Radiation, toxicity and similar hazards 11 Annexes 12	18	Endurance	9
21 Mechanical strength1022 Construction1023 Internal wiring1024 Components1025 Supply connection and external flexible cords1126 Terminals for external conductors1127 Provision for earthing1128 Screws and connections1129 Clearances and creepage distances and solid insulation1130 Resistance to heat and fire1131 Resistance to rusting1132 Radiation, toxicity and similar hazards11Annexes12	19	Abnormal operation	9
22 Construction	20	Stability and mechanical hazards	.10
23 Internal wiring1024 Components1025 Supply connection and external flexible cords1126 Terminals for external conductors1127 Provision for earthing1128 Screws and connections1129 Clearances and creepage distances and solid insulation1130 Resistance to heat and fire1131 Resistance to rusting1132 Radiation, toxicity and similar hazards11Annexes12	21	Mechanical strength	.10
24 Components1025 Supply connection and external flexible cords1126 Terminals for external conductors1127 Provision for earthing1128 Screws and connections1129 Clearances and creepage distances and solid insulation1130 Resistance to heat and fire1131 Resistance to rusting1132 Radiation, toxicity and similar hazards11Annexes12	22	Construction	.10
Supply connection and external flexible cords	23	Internal wiring	.10
Terminals for external conductors	24	Components	.10
27 Provision for earthing1128 Screws and connections1129 Clearances and creepage distances and solid insulation1130 Resistance to heat and fire1131 Resistance to rusting1132 Radiation, toxicity and similar hazards11Annexes12	25	Supply connection and external flexible cords	.11
28 Screws and connections	26	Terminals for external conductors	.11
29 Clearances and creepage distances and solid insulation	27	Provision for earthing	.11
30 Resistance to heat and fire	28	Screws and connections	.11
31 Resistance to rusting	29	Clearances and creepage distances and solid insulation	.11
32 Radiation, toxicity and similar hazards	30		
Annexes12	31	Resistance to rusting	.11
	32	Radiation, toxicity and similar hazards	.11
Bibliography12	Anı	nexes	.12
	Bib	liographyliography	.12

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-43: Particular requirements for clothes dryers and towel rails

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 1995. It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61/2218/FDIS	61/2293/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric clothes dryers and towel rails.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

-4 -

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- · amended.

The following differences exist in the countries indicated below.

- 11.101: The temperature rise limits are lower (USA).
- 19.13: The temperature rise of textiles is not measured (USA).
- 24.101: Self-resetting thermal cut-outs are allowed if they have been tested for reliability (USA).

A bilingual version of this standard may be issued at a later date.

- 5 -

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

-6-

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-43: Particular requirements for clothes dryers and towel rails

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric clothes dryers for drying textiles on racks located in a warm airflow and to electric towel rails, for household and similar purposes, their **rated voltage** being not more than 250 V.

NOTE 101 The clothes racks may be fixed or free-standing in a cabinet. The air circulation may be natural or forced.

Appliances not intended for normal household use but that nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- tumble dryers (IEC 60335-2-11);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).