



# CONSOLIDATED VERSION



---

## Household and similar electrical appliances – Safety – Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 13.120; 29.120.01; 91.090

ISBN 978-2-8322-4928-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## REDLINE VERSION



---

**Household and similar electrical appliances – Safety –  
Part 2-95: Particular requirements for drives for vertically moving garage doors  
for residential use**



## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 General requirement.....	9
5 General conditions for the tests .....	9
6 Classification.....	9
7 Marking and instructions.....	10
8 Protection against access to live parts.....	12
9 Starting of motor-operated appliances .....	12
10 Power input and current .....	12
11 Heating .....	12
12 Void.....	13
13 Leakage current and electric strength at operating temperature.....	13
14 Transient overvoltages .....	13
15 Moisture resistance .....	13
16 Leakage current and electric strength.....	13
17 Overload protection of transformers and associated circuits .....	13
18 Endurance.....	13
19 Abnormal operation .....	13
20 Stability and mechanical hazards .....	14
21 Mechanical strength .....	18
22 Construction .....	18
23 Internal wiring.....	20
24 Components .....	20
25 Supply connection and external flexible cords .....	20
26 Terminals for external conductors.....	20
27 Provision for earthing .....	20
28 Screws and connections.....	20
29 Clearances, creepage distances and solid insulation .....	20
30 Resistance to heat and fire.....	21
31 Resistance to rusting.....	21
32 Radiation, toxicity and similar hazards.....	21
Figure 101 – Examples of types of garage doors .....	22
Figure 102 – Example of pictogram warning against child entrapment.....	23
Annexes .....	24
<b>Annex R (normative) Software evaluation .....</b>	<b>25</b>
Bibliography.....	26
Figure 101 – Examples of types of garage doors .....	22

Figure 102 – Example of pictogram warning against child entrapment.....23

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

#### **DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 60335-2-95 bears the edition number 3.2. It consists of the third edition (2011-09) [documents 61/4103/CDV and 61/4201/RVC], its amendment 1 (2015-01) [documents 61/4827/FDIS and 61/4871/RVD] and its amendment 2 (2017-10) [documents 61/5294/CDV and 61/5380A/RVC]. The technical content is identical to the base edition and its amendments.**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-95 are as follows (minor changes are not listed).

- Some notes have been converted to normative text (11.7, 20.2, 20.101).
- A requirement to fit an entrapment protection device has been added (22.109).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for drives for vertically moving garage doors for residential use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan).
- 7.1: Additional markings are required (USA).
- 7.12.1: Additional warnings and instructions are required (USA).
- 11.7: The test conditions are different (USA).
- 19.9: A running overload test is carried out (USA).
- 20.101: The test is not carried out (USA).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.



## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

#### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **drives** for garage doors for residential use that open and close in a vertical direction, the **rated voltage** of the **drives** being not more than 250 V for single-phase appliances and 480 V for other appliances. It also covers the hazards associated with the movement of these electrically driven garage doors.

NOTE 101 Examples of garage doors are shown in Figure 101.

NOTE 102 The **drive** may be supplied with a garage door.

NOTE 103 This standard also applies to **entrapment protection devices** for use with **drives**. It does not cover hazards related to the mechanisms of the door itself.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account playing with the appliance by young children, but recognizes that children may be in the vicinity of the garage door.

NOTE 104 Attention is drawn to the fact that in many countries additional requirements are specified by the national authorities responsible for the protection of labour and similar authorities.

NOTE 105 This standard does not apply to **drives**

- for rolling shutters, awnings, blinds and similar equipment (IEC 60335-2-97);
- for garage doors for use by more than one household (IEC 60335-2-103);
- for commercial and industrial purposes;
- intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

#### 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60068-2-52, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

## FINAL VERSION



---

### Household and similar electrical appliances – Safety – Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 General requirement.....	9
5 General conditions for the tests .....	9
6 Classification.....	9
7 Marking and instructions.....	10
8 Protection against access to live parts.....	12
9 Starting of motor-operated appliances .....	12
10 Power input and current .....	12
11 Heating .....	12
12 Void.....	13
13 Leakage current and electric strength at operating temperature.....	13
14 Transient overvoltages .....	13
15 Moisture resistance .....	13
16 Leakage current and electric strength.....	13
17 Overload protection of transformers and associated circuits .....	13
18 Endurance.....	13
19 Abnormal operation .....	13
20 Stability and mechanical hazards .....	14
21 Mechanical strength .....	18
22 Construction .....	18
23 Internal wiring.....	20
24 Components .....	20
25 Supply connection and external flexible cords .....	20
26 Terminals for external conductors.....	20
27 Provision for earthing .....	20
28 Screws and connections.....	20
29 Clearances, creepage distances and solid insulation .....	20
30 Resistance to heat and fire.....	21
31 Resistance to rusting.....	21
32 Radiation, toxicity and similar hazards.....	21
Figure 101 – Examples of types of garage doors .....	22
Figure 102 – Example of pictogram warning against child entrapment.....	23
Annexes .....	24
Annex R (normative) Software evaluation .....	25
Bibliography.....	26
Figure 101 – Examples of types of garage doors .....	22

Figure 102 – Example of pictogram warning against child entrapment.....23

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

#### **DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 60335-2-95 bears the edition number 3.2. It consists of the third edition (2011-09) [documents 61/4103/CDV and 61/4201/RVC], its amendment 1 (2015-01) [documents 61/4827/FDIS and 61/4871/RVD] and its amendment 2 (2017-10) [documents 61/5294/CDV and 61/5380A/RVC]. The technical content is identical to the base edition and its amendments.**

**This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.**

IEC 60335-2-95:2011+AMD1:2015 – 5 –  
+AMD2:2017 CSV © IEC 2017

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-95 are as follows (minor changes are not listed).

- Some notes have been converted to normative text (11.7, 20.2, 20.101).
- A requirement to fit an entrapment protection device has been added (22.109).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for drives for vertically moving garage doors for residential use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan).
- 7.1: Additional markings are required (USA).
- 7.12.1: Additional warnings and instructions are required (USA).
- 11.7: The test conditions are different (USA).
- 19.9: A running overload test is carried out (USA).
- 20.101: The test is not carried out (USA).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.



## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

#### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **drives** for garage doors for residential use that open and close in a vertical direction, the **rated voltage** of the **drives** being not more than 250 V for single-phase appliances and 480 V for other appliances. It also covers the hazards associated with the movement of these electrically driven garage doors.

NOTE 101 Examples of garage doors are shown in Figure 101.

NOTE 102 The **drive** may be supplied with a garage door.

NOTE 103 This standard also applies to **entrapment protection devices** for use with **drives**. It does not cover hazards related to the mechanisms of the door itself.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account playing with the appliance by young children, but recognizes that children may be in the vicinity of the garage door.

NOTE 104 Attention is drawn to the fact that in many countries additional requirements are specified by the national authorities responsible for the protection of labour and similar authorities.

NOTE 105 This standard does not apply to **drives**

- for rolling shutters, awnings, blinds and similar equipment (IEC 60335-2-97);
- for garage doors for use by more than one household (IEC 60335-2-103);
- for commercial and industrial purposes;
- intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

#### 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60068-2-52, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*