INTERNATIONAL STANDARD

IEC 60502-1

Second edition 2004-04

Power cables with extruded insulation and their accessories for rated voltages from 1 kV (U_m = 1,2 kV) up to 30 kV (U_m = 36 kV) –

Part 1: Cables for rated voltages of 1 kV (($U_m = 1,2 \text{ kV}$) and 3 kV ($U_m = 3,6 \text{ kV}$)

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.



INTERNATIONAL STANDARD

IEC 60502-1

Second edition 2004-04

Power cables with extruded insulation and their accessories for rated voltages from 1 kV (U_m = 1,2 kV) up to 30 kV (U_m = 36 kV) –

Part 1: Cables for rated voltages of 1 kV (($U_m = 1,2 \text{ kV}$) and 3 kV ($U_m = 3,6 \text{ kV}$)

© IEC 2004 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



CONTENTS

FO	FOREWORD11		
1	Scope	15	
2	Normative references	15	
3	Terms and definitions		
	3.1 Definitions of dimensional values (thicknesses, cross-sections, etc.)	19	
	3.2 Definitions concerning the tests	19	
4	Voltage designations and materials		
	4.1 Rated voltages		
	4.2 Insulating compounds		
	4.3 Sheathing compounds		
5	Conductors		
6	Insulation		
	6.1 Material		
_	6.2 Insulation thickness		
7	Assembly of multicore cables, inner coverings and fillers		
	7.1 Inner coverings and fillers		
	7.2 Cables with rated voltage 0,6/1 (1,2) kV		
0	7.3 Cables with rated voltage 1,8/3 (3,6) kV		
8	Metallic layers for single-core and multicore cables		
9	Metallic screen		
	9.1 Construction		
10	9.2 Requirements Concentric conductor		
10			
	10.1 Construction		
	10.3 Application		
11	•		
12			
12	12.1 Types of metallic armour		
	12.2 Materials		
	12.3 Application of armour		
	12.4 Dimensions of the armour wires and armour tapes		
	12.5 Correlation between cable diameters and armour dimensions		
	12.6 Round or flat wire armour	43	
	12.7 Double tape armour	43	
13	Oversheath	43	
	13.1 General	43	
	13.2 Material	43	
	13.3 Thickness	45	
14	Test conditions	45	
	14.1 Ambient temperature	45	
	14.2 Frequency and waveform of power frequency test voltages		
	14.3 Waveform of impulse test voltages	45	

15	Routi	ne tests	45		
	15.1	General	45		
	15.2	Electrical resistance of conductors	47		
	15.3	Voltage test	47		
16	Sample tests				
	16.1	General	49		
	16.2	Frequency of sample tests	49		
	16.3	Repetition of tests	51		
	16.4	Conductor examination	51		
	16.5	Measurement of thickness of insulation and of non-metallic sheaths (including extruded separation sheaths, but excluding inner extruded coverings)	51		
	16.6	Measurement of thickness of lead sheath	53		
		Measurement of armour wires and tapes			
		Measurement of external diameter			
		Hot set test for EPR, HEPR and XLPE insulations and elastomeric sheaths			
17	Type	tests, electrical	55		
	17.1	Insulation resistance measurement at ambient temperature	57		
	17.2	Insulation resistance measurement at maximum conductor temperature	57		
		Voltage test for 4 h			
		Impulse test for cables of rated voltage 1,8/3 (3,6) kV			
18	Type	tests, non-electrical	59		
	18.1	Measurement of thickness of insulation	61		
	18.2	Measurement of thickness of non-metallic sheaths (including extruded separation sheaths, but excluding inner coverings)	61		
	18.3	Tests for determining the mechanical properties of insulation before and after ageing	61		
		Tests for determining the mechanical properties of non-metallic sheaths before and after ageing			
		Additional ageing test on pieces of completed cables			
	18.6	Loss of mass test on PVC sheaths of type ST ₂	65		
		Pressure test at high temperature on insulations and non-metallic sheaths	65		
		Test on PVC insulation and sheaths and halogen free sheaths at low temperatures			
		Test for resistance of PVC insulation and sheaths to cracking (heat shock test)			
		Ozone resistance test for EPR and HEPR insulations			
		Hot set test for EPR, HEPR and XLPE insulations and elastomeric sheaths			
		2 Oil immersion test for elastomeric sheaths			
		Water absorption test on insulation			
	18.14 Fire tests				
		Measurement of carbon black content of black PE oversheaths			
		Shrinkage test for XLPE insulation			
		7 Special bending test			
		B Determination of hardness of HEPR insulation			
	18.19	Determination of the elastic modulus of HEPR insulation	71		

18.20 Shrinkage test for PE oversheaths		
18.21 Additional mechanical tests on halogen free oversheaths		
18.22 Water absorption test for halogen free oversheaths	73	
19 Electrical tests after installation	73	
Appear A (permetive). Fictitious calculation method for determination of dimensions of		
Annex A (normative) Fictitious calculation method for determination of dimensions of protective coverings	95	
A.1 General		
A.2 Method		
Anney D. (normative). Dounding of numbers	107	
Annex B (normative) Rounding of numbers		
B.1 Rounding of numbers for the purpose of the fictitious calculation method		
B.2 Rounding of numbers for other purposes	107	
Annex C (normative) Determination of hardness of HEPR insulations	111	
C.1 Test piece	111	
C.2 Test procedure	111	
Figure C.1 – Test on surfaces of large radius of curvature	113	
Figure C.2 – Test on surfaces of small radius of curvature		
Table 1 – Recommended rated voltages U_0	21	
Table 2 – Insulating compounds		
Table 3 – Maximum conductor temperatures for different types of insulating compound		
Table 4 – Maximum conductor temperatures for different types of sheathing compound		
Table 5 – Nominal thickness of PVC/A insulation		
Table 6 – Nominal thickness of cross-linked polyethylene (XLPE) insulation		
Table 7 – Nominal thickness of ethylene propylene rubber (EPR) and hard ethylene		
propylene rubber (HEPR) insulation	29	
Table 8 – Thickness of extruded inner covering	31	
Table 9 – Nominal diameter of round armour wires	41	
Table 10 – Nominal thickness of armour tapes	41	
Table 11 – Routine test voltages	49	
Table 12 – Number of samples for sample tests	51	
Table 13 – Electrical type test requirements for insulating compounds	75	
Table 14 – Non-electrical type tests (see Tables 15 to 23)	77	
Table 15 – Test requirements for mechanical characteristics of insulating compounds (before and after ageing)	79	
Table 16 – Test requirements for particular characteristics for PVC insulating compound		
Table 17 – Test requirements for particular characteristics of various thermosetting insulating compounds		
Table 18 – Test requirements for mechanical characteristics of sheathing compounds		
(before and after ageing)	85	

60502-1 © IEC:2004

-9-

Table 19 – Test requirements for particular characteristics for PVC sheathing compounds	87
Table 20 – Test requirements for particular characteristics of thermoplastic PE sheathing compounds	89
Table 21 – Test requirements for particular characteristics of halogen free sheathing compound	91
Table 22 – Test requirements for particular characteristics of elastomeric sheathing compound	
Table 23 – Test methods and requirements for halogen free compounds	93
Table A.1 – Fictitious diameter of conductor	48
Table A.2 – Assembly coefficient <i>k</i> for laid-up cores	99
Table A.3 – Increase of diameter for concentric conductors and metallic screens	101
Table A.4 – Increase of diameter for additional bedding	105

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 kV ($U_{\rm m}$ = 1,2 kV) UP TO 30 kV ($U_{\rm m}$ = 36 kV) -

Part 1: Cables for rated voltages of 1 kV $(U_m = 1,2 \text{ kV})$ and 3 kV $(U_m = 3,6 \text{ kV})$

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60502-1 has been prepared by IEC technical committee 20: Electric cables.

This second edition cancels and replaces the first edition, published in 1997, its amendment 1 (1998) and constitutes a technical revision.

The main changes with respect to the first edition relate to insulation and oversheath thickness requirements, and inclusion of constructions and requirements for halogen free cables with reduced flame propagation and low levels of smoke emission.

60502-1 © IEC:2004

-13-

The text of this standard is based on the following documents:

FDIS	Report on voting
20/683/FDIS	20/691/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 60502 consists of the following parts, under the general title Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_m = 1.2 \text{ kV}$) up to 30 kV ($U_m = 36 \text{ kV}$):

Part 1: Cables for rated voltages of 1 kV ($U_m = 1.2 \text{ kV}$) and 3 kV ($U_m = 3.6 \text{ kV}$);

Part 2: Cables for rated voltages from 6 kV ($U_m = 7.2 \text{ kV}$) up to 30 kV ($U_m = 36 \text{ kV}$);

Part 3: Reserved;

Part 4: Test requirements on accessories for cables with rated voltages from 6 kV $(U_m = 7.2 \text{ kV})$ up to 30 kV $(U_m = 36 \text{ kV})$.

The committee has decided that the contents of this publication will remain unchanged until 2009. At this date, the publication will be

- · reconfirmed:
- · withdrawn;
- · replaced by a revised edition, or
- amended.

POWER CABLES WITH EXTRUDED INSULATION AND THEIR ACCESSORIES FOR RATED VOLTAGES FROM 1 kV ($U_{\rm m}$ = 1,2 kV) UP TO 30 kV ($U_{\rm m}$ = 36 kV) –

Part 1: Cables for rated voltages of 1 kV $(U_m = 1.2 \text{ kV})$ and 3 kV $(U_m = 3.6 \text{ kV})$

1 Scope

This part of IEC 60502 specifies the construction, dimensions and test requirements of power cables with extruded solid insulation for rated voltages of 1 kV ($U_{\rm m}$ = 1,2 kV) and 3 kV ($U_{\rm m}$ = 3,6 kV) for fixed installations such as distribution networks or industrial installations.

This standard includes cables which exhibit properties of reduced flame spread, low levels of smoke emission and halogen-free gas emission when exposed to fire.

Cables for special installation and service conditions are not included, for example cables for overhead networks, the mining industry, nuclear power plants (in and around the containment area), submarine use or shipboard application.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:1983, IEC standard voltages

IEC 60060-1:1989, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60183:1984, Guide to the selection of high-voltage cables

IEC 60228:1978, Conductors of insulated cables

IEC 60230:1966, Impulse tests on cables and their accessories

IEC 60332-1:1993, Tests on electric cables under fire conditions – Part 1: Test on a single vertical insulated wire or cable

IEC 60332-3-24:2000, Tests on electric cables under fire conditions – Part 3-24: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category C

IEC 60502-2:1997, Power cables with extruded insulation and their accessories for rated voltages from 1 kV (U_m = 1,2 kV) up to 30 kV (U_m = 36 kV) – Part 2: Cables for rated voltages from 6 kV (U_m = 7,2 kV) up to 30 kV (U_m = 36 kV)

IEC 60684-2:1987, Flexible insulating sleeving - Part 2: Methods of test

IEC 60724:2000, Short-circuit temperature limits of electric cables with rated voltages of 1 kV ($U_m = 1.2 \text{ kV}$) and 3 kV ($U_m = 3.6 \text{ kV}$)

IEC 60754-1:1994, Test on gases evolved during combustion of materials from cables – Part 1: Determination of the amount of halogen gas

IEC 60754-2:1991, Test on gases evolved during combustion of electric cables – Part 2: Determination of degree of acidity of gases evolved during the combustion of materials taken from electric cables by measuring pH and conductivity

IEC 60811-1-1:1993, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section 1: Measurement of thickness and overall dimensions – Tests for determining the mechanical properties

IEC 60811-1-2:1985, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section 2: Thermal ageing methods

IEC 60811-1-3:1993, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section 3: Methods for determining the density – Water absorption tests – Shrinkage test

IEC 60811-1-4:1985, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section 4: Tests at low temperature

IEC 60811-2-1:1998, Insulating and sheathing materials of electric and optical cables – Common test methods – Part 2-1: Methods specific to elastomeric compounds – Ozone resistance, hot set and mineral oil immersion tests

IEC 60811-3-1:1985, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section 1: Pressure test at high temperature – Tests for resistance to cracking

IEC 60811-3-2:1985, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section 2: Loss of mass test – Thermal stability test

IEC 60811-4-1:1985, Common test methods for insulating and sheathing materials of electric cables – Part 4: Methods specific to polyethylene and polypropylene compounds – Section 1: Resistance to environmental stress cracking – Wrapping test after thermal ageing in air – Measurement of the melt flow index – Carbon black and/or mineral content measurement in PE

IEC 61034-2: 1997, Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements

ISO 48:1994, Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)