

IEC 60684-3-285

Edition 1.0 2014-10

INTERNATIONAL STANDARD

Flexible insulating sleeving -

Part 3: Specifications for individual types of sleeving -

Sheet 285: Heat-shrinkable polyolefin sleeving, for medium voltage joint insulation

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



ICS 29.035.20 ISBN 978-2-8322-1889-1

Warning! Make sure that you obtained this publication from an authorized distributor.

- 2 - IEC 60684-3-285:2014 © IEC 2014

CONTENTS

FΟ	DREWORD	3
	TRODUCTION	
	Scope	
	Normative references	
3		
4	Conditions of test	
5	Requirements	7
	Sleeving conformance	7
Bibliography		10
Tal	ble 1 – Property requirements	8
Table 2 – Requirements for breakdown voltage		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING -

Part 3: Specifications for individual types of sleeving – Sheet 285: Heat-shrinkable polyolefin sleeving, for medium voltage joint insulation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60684-3-285 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

CDV	Report on voting
15/694/CDV	15/727/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This is a preview - click here to buy the full publication

- 4 - IEC 60684-3-285:2014 © IEC 2014

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60684 series, published under the general title *Flexible insulating sleeving*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

IEC 60684-3-285:2014 © IEC 2014

- 5 -

INTRODUCTION

This International Standard is one of a series which deals with flexible insulating sleeving for electrical purposes.

The series consists of three parts:

Part 1: Definitions and general requirements (IEC 60684-1)

Part 2: Methods of test (IEC 60684-2)

Part 3: Specifications for individual types of sleeving (IEC 60684-3)

This standard gives one of the sheets comprising Part 3, as follows:

Sheet 285: Heat-shrinkable polyolefin sleeving, for medium voltage joint insulation.

- 6 - IEC 60684-3-285:2014 © IEC 2014

FLEXIBLE INSULATING SLEEVING -

Part 3: Specifications for individual types of sleeving – Sheet 285: Heat-shrinkable polyolefin sleeving, for medium voltage joint insulation

1 Scope

This part of IEC 60684 gives the requirements for heat-shrinkable sleeving for medium voltage joint insulation, with a range of shrink ratios.

This sleeving has been found suitable up to temperatures of 100 °C.

These sleevings are normally supplied in colour, red or brown.

Since this type of sleevings covers a significantly large range of sizes and wall thicknesses, the actual size will be agreed between the purchaser and supplier.

Materials which conform to this standard meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this standard alone. This sleeving is designed to be used in medium voltage cable accessories and as such electrical performance will be proven as part of the assembly. Examples of this are described in HD 629 and IEC 60502.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60684-1:2003, Flexible insulating sleeving – Part 1: Definitions and general requirements

IEC 60684-2:2011, Flexible insulating sleeving – Part 2: Methods of test

IEC 60757:1983, Code for designation of colours