

This is a preview - click here to buy the full publication



IEC 60728-11

Edition 5.0 2023-02  
REDLINE VERSION

# INTERNATIONAL STANDARD



---

**Cable networks for television signals, sound signals and interactive services –  
Part 11: Safety**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.060.40

ISBN 978-2-8322-6530-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	2
1 Scope.....	10
2 Normative references .....	10
3 Terms, definitions, symbols and abbreviated terms.....	11
3.1 Terms and definitions.....	12
3.2 Symbols.....	20
3.3 Abbreviated terms.....	21
4 Fundamental requirements .....	22
4.1 General.....	22
4.2 Mechanical requirements .....	22
4.2.1 General .....	22
4.2.2 Equipment design and construction .....	22
4.2.3 Accessible parts .....	23
<del>4.4 Laser radiation.....</del>	<del>23</del>
4.3 Radiation .....	23
4.4 Electromagnetic radiation.....	23
4.5 Thermal protection.....	23
4.6 Safety in case of fire and fire reaction .....	23
5 Protection against environmental influences .....	23
6 Equipotential bonding and earthing.....	23
6.1 General requirements .....	23
6.2 Equipotential bonding mechanisms .....	24
6.3 Equipotential bonding in meshed systems.....	38
6.3.1 References to other standards.....	38
6.3.2 General on AC mains.....	38
6.3.3 AC power distribution and connection of the protective conductor.....	38
6.3.4 Dangers and malfunction .....	38
6.3.5 Measures.....	39
7 Mains-supplied equipment .....	39
8 Remote power feeding in cable networks.....	39
8.1 Remote power feeding .....	40
8.1.1 Maximum allowed voltages .....	40
8.1.2 General requirements for equipment.....	40
8.1.3 Current-carrying capacity and dielectric strength of the components.....	40
8.2 Remote powering from subscriber premises.....	41
9 Segregation distances and protection against indirect contact <del>and proximity</del> to electric power distribution systems .....	41
9.1 General.....	41
9.2 Overhead lines.....	42
9.2.1 Overhead lines up to 1 000 V.....	42
9.2.2 Overhead lines above 1 000 V.....	42
9.3 House installations up to 1 000 V.....	42
10 System outlets and transfer points.....	42
10.1 General.....	42
10.2 System outlet.....	43

10.2.1	Types of system outlets .....	43
10.2.2	Fully isolated system outlet.....	43
10.2.3	Semi-isolated system outlet.....	43
10.2.4	Non-isolated system outlet with protective element.....	43
10.2.5	Non-isolated system outlet without protective element.....	44
10.2.6	Fully-isolated system outlet provided by means of a FTTH system.....	44
10.3	Transfer point .....	46
11	Protection against atmospheric overvoltages and elimination of potential differences .....	47
11.1	General.....	47
11.2	Protection of the antenna system.....	48
11.2.1	Selection of appropriate methods for protection of antenna systems .....	48
11.2.2	Building equipped with a lightning protection system (LPS).....	49
11.2.3	Building not equipped with an LPS.....	60
11.3	Earthing and bonding of the antenna system.....	66
11.3.1	Internal protection system.....	66
11.3.2	Earthing conductors.....	66
11.3.3	Earth termination system .....	69
11.4	Overvoltage protection .....	72
12	Mechanical stability .....	73
12.1	General requirements .....	73
12.2	Bending moment.....	73
12.3	Wind-pressure values .....	75
12.4	Mast construction.....	75
12.5	Data to be published .....	76
Annex A	( <del>informative</del> normative) Earth loop impedance .....	77
A.1	General.....	77
A.2	Earthing for fault conditions .....	77
A.3	Earthing to protect against hazardous touch voltage .....	78
A.4	Temporary safety measures.....	79
Annex B	(informative) Use of shield wires to protect installations with coaxial cables.....	80
B.1	General.....	80
B.2	Soil quality determines shield-wiring necessity.....	80
B.3	Protective measures against direct lightning strikes on underground cables.....	80
Annex C	(informative) Differences in some countries .....	83
C.1	Subclause 6.1 .....	83
C.1.1	France .....	83
C.1.2	Japan .....	83
C.2	Subclause 6.2 .....	83
C.2.1	France .....	83
C.2.2	Norway .....	83
C.2.3	Japan and Poland.....	83
C.3	Subclause 6.3 – Norway .....	83
C.3.1	Justification .....	83
C.3.2	Equipotential bonding mechanism for cable networks .....	84
C.3.3	Use of galvanic isolation in a cable network with remote power feeding.....	90
C.3.4	Use of voltage dependent protective device in a cable network.....	91
C.4	Subclause 8.1.1 – Japan.....	92

C.5	Subclause 9.1 – France .....	93
C.6	Subclause 9.2 – Japan.....	93
C.7	Subclause 10.1 .....	93
C.7.1	Sweden .....	93
C.7.2	UK.....	93
C.8	Subclause 10.2 – Japan.....	93
C.9	Subclause 11.1 – Japan.....	93
C.10	Subclause 11.2.....	94
C.10.1	Germany.....	94
C.10.2	Japan .....	94
C.11	Subclause 11.3.2 – Japan.....	96
C.12	Subclause 11.3.3 – Japan.....	96
C.13	Subclause 12.2 – Japan.....	97
C.14	Subclause 12.3 – Finland.....	97
Bibliography.....		98

Figure 1	– Example of equipotential bonding and earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use .....	26
Figure 2	– Example of equipotential bonding of a building installation .....	27
Figure 3	– Example of equipotential bonding and indirect earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use .....	28
Figure 4	– Example of equipotential bonding and earthing of a building installation (underground connection) .....	30
Figure 5	– Example of equipotential bonding and earthing of a building installation (above ground connection) .....	32
Figure 6	– Example of equipotential bonding with a galvanic isolated cable entering a building (underground connection).....	34
Figure 7	– Example of maintaining equipotential bonding whilst a unit is removed .....	37
Figure 8	– MDU building installed with FTTH technology.....	46
Figure 9	– Areas of antenna-mounting in or on buildings, where earthing is not mandatory.....	48
Figure 10	– Flow chart for selection of the appropriate method for protecting the antenna system against atmospheric overvoltages.....	51
Figure 11	– Example of equipotential bonded headends and antennas in a protected volume of the building LPS .....	53
Figure 12	– Example of equipotential bonded headends and antennas in a protected volume of <del>the building LPS</del> an external horizontally isolated ATS .....	55
Figure 13	– Example of equipotential bonded headends and antennas in a protected volume of an external vertically isolated ATS .....	57
Figure 14	– Example of equipotential bonded antennas (not installed in a protected volume) and headend with direct connection to building LPS .....	59
Figure 15	– Example of equipotential bonded headend and earthed antennas (building without LPS) .....	63
Figure 16	– Example of bonding for antennas and headend (building without LPS and lightning risk lower than or equal to the tolerable risk) .....	65
Figure 17	– Example of protecting an antenna system (not installed in a protected volume) by additional bonding conductors ( $R > R_T$ ).....	69
Figure 18	– Examples of earthing mechanisms <del>(minimum dimensions)</del> .....	72
Figure 19	– Example of an overvoltage protective device for single dwelling unit .....	73

Figure 20 – Example of bending moment of an antenna mast .....	74
Figure A.1 – Systematic of earth loop resistance .....	78
Figure B.1 – Principle of single shield wire .....	82
Figure B.2 – Principle of two shield wires .....	82
Figure C.1 – IT power distribution system in Norway .....	84
Figure C.2 – Example of installations located farther than 20 m away from a transforming station .....	85
Figure C.3 – Example of installations located closer than 20 m from a transforming station .....	86
Figure C.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart .....	87
Figure C.5 – Example of cabinets for cable network with remotely fed equipment and mains placed less than 2 m apart .....	88
Figure C.6 – Example of cabinets for cable network with locally fed equipment and mains placed more than 2 m apart .....	89
Figure C.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2 m apart .....	90
Figure C.8 – Example of an installation placing the amplifier in front of the galvanic isolator .....	91
Figure C.9 – Example of protection using a voltage depending device on network installations on poles .....	92
Figure C.10 – Example of the installation of a safety terminal in Japan .....	94
Figure C.11 – Examples of installation of a lightning protection system in Japan .....	96
Table 1 – Maximum allowed operation voltages and maximum recommended currents for coaxial cables <del>in the EN 50117 series</del> .....	41
Table 2 – Solutions for protection of antenna systems against atmospheric overvoltage .....	49
Table B.1 – Conductivity of different types of soil .....	80
Table B.2 – Protection factors ( $K_p$ ) of protection measures against direct lightning strokes for buried cables .....	81

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –**

#### **Part 11: Safety**

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60728-11:2016. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of references to IEC 60065 and IEC 60950-1 with references to IEC 62368-1.
- b) Addition of subclauses 4.4 to 4.6.
- c) Revised definition of class I equipment, class II equipment, main earthing terminal, see 3.1.6, 3.1.8 and 3.1.31.
- d) Addition of definitions for harm, hazard, ordinary person, instructed person, skilled person, see 3.1.22, 3.1.23, 3.1.39, 3.1.40 and 3.1.41.
- e) Additional requirement to provide details on the equipment installed, see 4.1.
- f) Additional mechanical, design and construction requirements, see 4.2.2.
- g) Changes to the accessible part requirements, see 4.2.3.
- h) The current carrying capacity and dielectric strength of components is now obligatory, see 8.1.3.
- i) The assessment of the risk of lightning strike is now obligatory, see Figure 10.
- j) Extension of remote feeding voltage on subscriber feeder, see Table 1.

The text of this standard is based on the following documents:

Draft	Report on voting
100/3866/FDIS	100/3882/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



## INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution networks and systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

# CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

## Part 11: Safety

### 1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to:

- electrical installations of buildings and overhead lines,
- other telecommunication services distribution systems,
- water distribution systems,
- gas distribution systems,
- lightning systems.

This document is intended to provide requirements specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*~~

IEC 60364-1:2005, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC 60364-4-44:2007, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60364-4-44:2007/AMD1:2015

IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-52:2009, *Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems*

IEC 60364-5-54:2011, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

IEC 60364-5-54:2011/AMD1:2021

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

~~IEC 60728-2, Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment~~

~~IEC 60825-1, Safety of laser products – Part 1: Equipment classification and requirements~~

~~IEC 60825-2, Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)~~

~~IEC 60950-1:2005, Information technology equipment – Safety – Part 1: General requirements~~

IEC 60990:2016, Methods of measurement of touch current and protective conductor current

~~IEC 61140:2001, Protection against electric shock – Common aspects for installation and equipment~~

~~IEC 61140:2001/AMD1:2004~~

~~IEC 62305 (all parts), Protection against lightning~~

IEC 62305-2:2010, Protection against lightning – Part 2: Risk management

IEC 62305-3:2010, Protection against lightning – Part 3: Physical damage to structures and life hazard

~~IEC 62305-4:2010, Protection against lightning – Part 4: Electrical and electronic systems within structures~~

IEC 62368-1:2018, Audio/video, information and communication technology equipment – Part 1: Safety requirements

IEC 62561-1:2017, Lightning protection system components (LPSC) – Part 1: Requirements for connection components

IEC 62561-2, Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes

~~ISO 3864-1:2011, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs in workplaces and public areas~~

ISO 7010, Graphical symbols – Safety colours and safety signs – Registered safety signs

ISO/IEC 30129:2015, Information technology – Telecommunications bonding networks for buildings and other structures

ISO/IEC 30129:2015/AMD1:2019

~~EN 50117 (all parts), Coaxial cables~~

~~EN 50164-1, Lightning Protection Components (LPC) – Part 1: Requirements for connection components~~

~~EN 50164-2, Lightning Protection Components (LPC) – Part 2: Requirements for conductors and earth electrodes~~

~~EN 50174-2, Information technology – Cabling installation – Part 2: Installation planning and practices inside buildings~~

~~EN 50310, Application of equipotential bonding and earthing in buildings with information technology equipment~~

EN 50575:2014, Power, control and communication cables – Cables for general applications in construction works subject to reaction to fire requirements

This is a preview - click here to buy the full publication



IEC 60728-11

Edition 5.0 2023-02

# INTERNATIONAL STANDARD

---

**Cable networks for television signals, sound signals and interactive services –  
Part 11: Safety**



## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms, definitions, symbols and abbreviated terms.....	10
3.1 Terms and definitions.....	10
3.2 Symbols.....	18
3.3 Abbreviated terms.....	18
4 Fundamental requirements .....	19
4.1 General.....	19
4.2 Mechanical requirements .....	20
4.2.1 General .....	20
4.2.2 Equipment design and construction .....	20
4.2.3 Accessible parts .....	20
4.3 Radiation .....	20
4.4 Electromagnetic radiation.....	20
4.5 Thermal protection.....	20
4.6 Safety in case of fire and fire reaction.....	20
5 Protection against environmental influences .....	21
6 Equipotential bonding and earthing.....	21
6.1 General requirements .....	21
6.2 Equipotential bonding mechanisms .....	21
6.3 Equipotential bonding in meshed systems.....	32
6.3.1 References to other standards.....	32
6.3.2 General on AC mains.....	32
6.3.3 AC power distribution and connection of the protective conductor.....	32
6.3.4 Dangers and malfunction .....	32
6.3.5 Measures.....	33
7 Mains-supplied equipment.....	33
8 Remote power feeding in cable networks.....	34
8.1 Remote power feeding .....	34
8.1.1 Maximum allowed voltages .....	34
8.1.2 General requirements for equipment.....	34
8.1.3 Current-carrying capacity and dielectric strength of the components.....	34
8.2 Remote powering from subscriber premises.....	35
9 Segregation distances and protection against indirect contact to electric power distribution systems .....	35
9.1 General.....	35
9.2 Overhead lines.....	35
9.2.1 Overhead lines up to 1 000 V.....	35
9.2.2 Overhead lines above 1 000 V.....	35
9.3 House installations up to 1 000 V.....	35
10 System outlets and transfer points.....	36
10.1 General.....	36
10.2 System outlet.....	36
10.2.1 Types of system outlets .....	36

10.2.2	Fully isolated system outlet.....	37
10.2.3	Semi-isolated system outlet.....	37
10.2.4	Non-isolated system outlet with protective element.....	37
10.2.5	Non-isolated system outlet without protective element.....	37
10.2.6	Fully-isolated system outlet provided by means of a FTTH system.....	37
10.3	Transfer point .....	39
11	Protection against atmospheric overvoltages and elimination of potential differences .....	40
11.1	General.....	40
11.2	Protection of the antenna system .....	41
11.2.1	Selection of appropriate methods for protection of antenna systems .....	41
11.2.2	Building equipped with a lightning protection system (LPS).....	42
11.2.3	Building not equipped with an LPS.....	49
11.3	Earthing and bonding of the antenna system.....	52
11.3.1	Internal protection system.....	52
11.3.2	Earthing conductors.....	53
11.3.3	Earth termination system .....	55
11.4	Overvoltage protection .....	59
12	Mechanical stability .....	60
12.1	General requirements .....	60
12.2	Bending moment.....	60
12.3	Wind-pressure values .....	62
12.4	Mast construction.....	62
12.5	Data to be published .....	63
Annex A (normative)	Earth loop impedance .....	64
A.1	General.....	64
A.2	Earthing for fault conditions .....	64
A.3	Earthing to protect against hazardous touch voltage .....	65
A.4	Temporary safety measures.....	66
Annex B (informative)	Use of shield wires to protect installations with coaxial cables.....	67
B.1	General.....	67
B.2	Soil quality determines shield-wiring necessity.....	67
B.3	Protective measures against direct lightning strikes on underground cables.....	67
Annex C (informative)	Differences in some countries .....	70
C.1	Subclause 6.1 .....	70
C.1.1	France .....	70
C.1.2	Japan .....	70
C.2	Subclause 6.2.....	70
C.2.1	France .....	70
C.2.2	Norway .....	70
C.2.3	Japan and Poland.....	70
C.3	Subclause 6.3 – Norway .....	70
C.3.1	Justification .....	70
C.3.2	Equipotential bonding mechanism for cable networks .....	71
C.3.3	Use of galvanic isolation in a cable network with remote power feeding.....	76
C.3.4	Use of voltage dependent protective device in a cable network.....	77
C.4	Subclause 8.1.1 – Japan.....	78
C.5	Subclause 9.1 – France .....	79

C.6	Subclause 9.2 – Japan.....	79
C.7	Subclause 10.1.....	79
C.7.1	Sweden.....	79
C.7.2	UK.....	79
C.8	Subclause 10.2 – Japan.....	79
C.9	Subclause 11.1 – Japan.....	79
C.10	Subclause 11.2.....	80
C.10.1	Germany.....	80
C.10.2	Japan.....	80
C.11	Subclause 11.3.2 – Japan.....	81
C.12	Subclause 11.3.3 – Japan.....	81
C.13	Subclause 12.2 – Japan.....	82
C.14	Subclause 12.3 – Finland.....	82
	Bibliography.....	83
	Figure 1 – Example of equipotential bonding and earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use.....	23
	Figure 2 – Example of equipotential bonding of a building installation.....	24
	Figure 3 – Example of equipotential bonding and indirect earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use.....	25
	Figure 4 – Example of equipotential bonding and earthing of a building installation (underground connection).....	27
	Figure 5 – Example of equipotential bonding and earthing of a building installation (above ground connection).....	28
	Figure 6 – Example of equipotential bonding with a galvanic isolated cable entering a building (underground connection).....	29
	Figure 7 – Example of maintaining equipotential bonding whilst a unit is removed.....	31
	Figure 8 – MDU building installed with FTTH technology.....	39
	Figure 9 – Areas of antenna-mounting in or on buildings, where earthing is not mandatory.....	41
	Figure 10 – Flow chart for selection of the appropriate method for protecting the antenna system against atmospheric overvoltages.....	44
	Figure 11 – Example of equipotential bonded headends and antennas in a protected volume of the building LPS.....	45
	Figure 12 – Example of equipotential bonded headends and antennas in a protected volume of an external horizontally isolated ATS.....	46
	Figure 13 – Example of equipotential bonded headends and antennas in a protected volume of an external vertically isolated ATS.....	47
	Figure 14 – Example of equipotential bonded antennas (not installed in a protected volume) and headend with direct connection to building LPS.....	48
	Figure 15 – Example of equipotential bonded headend and earthed antennas (building without LPS).....	51
	Figure 16 – Example of bonding for antennas and headend (building without LPS and lightning risk lower than or equal to the tolerable risk).....	52
	Figure 17 – Example of protecting an antenna system (not installed in a protected volume) by additional bonding conductors ( $R > R_T$ ).....	55
	Figure 18 – Examples of earthing mechanisms.....	58
	Figure 19 – Example of an overvoltage protective device for single dwelling unit.....	59
	Figure 20 – Example of bending moment of an antenna mast.....	61



Figure A.1 – Systematic of earth loop resistance .....	65
Figure B.1 – Principle of single shield wire.....	68
Figure B.2 – Principle of two shield wires.....	69
Figure C.1 – IT power distribution system in Norway.....	71
Figure C.2 – Example of installations located farther than 20 m away from a transforming station .....	72
Figure C.3 – Example of installations located closer than 20 m from a transforming station .....	72
Figure C.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart.....	73
Figure C.5 – Example of cabinets for cable network with remotely fed equipment and mains placed less than 2 m apart.....	74
Figure C.6 – Example of cabinets for cable network with locally fed equipment and mains placed more than 2 m apart .....	75
Figure C.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2 m apart .....	76
Figure C.8 – Example of an installation placing the amplifier in front of the galvanic isolator .....	77
Figure C.9 – Example of protection using a voltage depending device on network installations on poles .....	78
Figure C.10 – Example of the installation of a safety terminal in Japan .....	80
Figure C.11 – Examples of installation of a lightning protection system in Japan .....	81
Table 1 – Maximum allowed operation voltages and maximum recommended currents for coaxial cables.....	34
Table 2 – Solutions for protection of antenna systems against atmospheric overvoltage .....	42
Table B.1 – Conductivity of different types of soil.....	67
Table B.2 – Protection factors ( $K_p$ ) of protection measures against direct lightning strokes for buried cables.....	68

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –**

#### **Part 11: Safety**

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of references to IEC 60065 and IEC 60950-1 with references to IEC 62368-1.
- b) Addition of subclauses 4.4 to 4.6.
- c) Revised definition of class I equipment, class II equipment, main earthing terminal, see 3.1.6, 3.1.8 and 3.1.31.
- d) Addition of definitions for harm, hazard, ordinary person, instructed person, skilled person, see 3.1.22, 3.1.23, 3.1.39, 3.1.40 and 3.1.41.

- e) Additional requirement to provide details on the equipment installed, see 4.1.
- f) Additional mechanical, design and construction requirements, see 4.2.2.
- g) Changes to the accessible part requirements, see 4.2.3.
- h) The current carrying capacity and dielectric strength of components is now obligatory, see 8.1.3.
- i) The assessment of the risk of lightning strike is now obligatory, see Figure 10.
- j) Extension of remote feeding voltage on subscriber feeder, see Table 1.

The text of this standard is based on the following documents:

Draft	Report on voting
100/3866/FDIS	100/3882/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution networks and systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

# CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

## Part 11: Safety

### 1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to:

- electrical installations of buildings and overhead lines,
- other telecommunication services distribution systems,
- water distribution systems,
- gas distribution systems,
- lightning systems.

This document is intended to provide requirements specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-1:2005, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC 60364-4-44:2007, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC 60364-4-44:2007/AMD1:2015

IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-52:2009, *Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems*

IEC 60364-5-54:2011, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

IEC 60364-5-54:2011/AMD1:2021

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 62305-2:2010, *Protection against lightning – Part 2: Risk management*

IEC 62305-3:2010, *Protection against lightning – Part 3: Physical damage to structures and life hazard*

IEC 62368-1:2018, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62561-1:2017, *Lightning protection system components (LPSC) – Part 1: Requirements for connection components*

IEC 62561-2, *Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO/IEC 30129:2015, *Information technology – Telecommunications bonding networks for buildings and other structures*

ISO/IEC 30129:2015/AMD1:2019

EN 50575:2014, *Power, control and communication cables – Cables for general applications in construction works subject to reaction to fire requirements*