

This is a preview - click here to buy the full publication



IEC 60728-12

Edition 2.0 2017-06

INTERNATIONAL STANDARD

**Cable networks for television signals, sound signals and interactive services –
Part 12: Electromagnetic compatibility of systems**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.060.40; 33.100.01

ISBN 978-2-8322-4364-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, symbols and abbreviated terms.....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	10
4 Methods of measurement	11
4.1 Basic principles.....	11
4.2 Radiation from cable networks	11
4.2.1 General	11
4.2.2 Field strength method	11
4.2.3 Subcarrier measurement procedure	13
4.2.4 GPS based leakage detection system.....	13
4.3 Immunity of cable networks.....	14
4.3.1 General	14
4.3.2 Measurement procedure for interference caused by high-power local outdoor transmitter	14
5 Performance requirements.....	14
5.1 General conditions	14
5.2 Radiation from cable networks and other sources	15
5.2.1 General	15
5.2.2 Measurement of the total radiation.....	15
5.2.3 Measurement of narrowband radiation	15
5.3 Immunity of cable networks.....	16
Annex A (informative) Information on legal requirements in some countries	17
A.1 Legislation in Germany	17
A.2 Requirements in Germany.....	17
A.3 Reference for legislation in Germany	19
Annex B (informative) Frequency ranges of typical safety of life services.....	20
Annex C (informative) Interdependence between the maximum allowable field strength and the minimum signal level at system outlet	21
Annex D (normative) Measurements at other distances than the standard distance of 3 m.....	23
D.1 Measurement at a reduced distance below 3 m.....	23
D.2 Measurement at measurement distances above 3 m	23
Annex E (informative) GPS based leakage detection system for cable networks	24
E.1 General.....	24
E.2 Automated data collection by driving through the HFC network	24
E.3 Tagging of the signal	24
E.4 Post-processing the collected data and visualization of leakages	24
E.5 On-site location of the leak	24
Bibliography.....	25
Table 1 – Limits of total radiation	15
Table 2 – Narrowband radiation limits	15

Table 3 – Maximum expected field strength	16
Table 4 – Required carrier-to-interference ratio.....	16
Table A.1 – Protection of particular frequency ranges according to § 3 of the Order	18
Table A.2 – Field strength limit values at a 3 m distance from line-bound telecommunications facilities and networks.....	19
Table B.1 – Frequency ranges of typical safety of life services	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 12: Electromagnetic compatibility of systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-12 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) IEC 60728-12 with its methods of measurement and EMC performance requirements is explicitly dedicated to “under operating conditions (in situ)” to ensure the ongoing EMC integrity of cable networks.
- b) The first intermediate frequency range (1st IF range) for satellite signal transmission was extended to cover now frequencies from 950 MHz up to 3500 MHz.

- c) The method of measurement and the requirements for in-band immunity were extended taking into account the new EMC environment due to the allocation of broadband wireless services in the frequency band 694 MHz to 862 MHz. As a consequence, the limits of in-band immunity were specified for analogue and additionally for digital signals in this frequency range.
- d) The substitution method of measurement (power method) was deleted.
- e) EMC measurements below 30 MHz were deleted.
- f) New Annex D “Measurements at other distances than the standard distance of 3 m”.
- g) New Annex E “GPS based leakage detection system for cable networks”.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
100/2895/FDIS	100/2926/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The reader's attention is drawn to the fact that Annex A lists all of the “in-some-country” clauses on differing practices of a less permanent nature relating to the subject of this standard.

A list of all parts in the IEC 60728 series, published under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Standards and deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals, and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes, for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special interfaces to the headend or other interface points to the network up to any terminal interface of the equipment on the customer's premises.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 12: Electromagnetic compatibility of systems

1 Scope

This part of IEC 60728 applies to the radiation characteristics and immunity to electromagnetic disturbance of cable networks for television signals, sound signals and interactive services and covers the frequency range 0,15 MHz to 3,5 GHz.

NOTE 1 Measurements below 30 MHz are not generally considered useful in the context of cable networks and are difficult to perform in practice.

This document specifies methods of measurement and EMC performance requirements under operating conditions (in situ) to ensure the ongoing EMC integrity of cable networks.

Cable networks beyond the system outlets (e.g. the receiver lead, in simplest terms) that begin at the system outlet and end at the input to the subscriber's terminal equipment are not covered by this document. Requirements for the electromagnetic compatibility of receiver leads are specified in IEC 60966-2-4, IEC 60966-2-5 and IEC 60966-2-6.

Cable networks and a wide range of radio services have to coexist. These include, for example, the emergency services, safety of life, broadcasting, aeronautical, radio navigation services and also land, mobile, amateur and cellular radio services. Frequency ranges of typical safety of life services are listed in Annex B. Additional protection for certain services may be required by national regulations. Annex A gives information on legal requirements in certain countries.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161:1990, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility* (available at: www.electropedia.org)

IEC 60096 (all parts), *Radio frequency cables*

IEC 60728 (all parts), *Cable networks for television signals, sound signals and interactive services*

CISPR 16-1-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-1-4, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements*