



# INTERNATIONAL STANDARD



---

**Cable networks for television signals, sound signals and interactive services –  
Part 13-1: Bandwidth expansion for broadcast signal over FTTH system**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.160.01; 33.180.01

ISBN 978-2-8322-4578-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions, symbols and abbreviated terms.....	8
3.1 Terms and definitions.....	8
3.2 Symbols.....	15
3.3 Abbreviated terms.....	16
4 Overview .....	18
5 Optical system reference model.....	18
6 Preparation of measurement.....	20
6.1 Environmental conditions .....	20
6.1.1 Standard measurement conditions .....	20
6.1.2 Standard operating condition .....	20
6.1.3 Standard signal and measuring equipment .....	20
6.2 Accuracy of measuring equipment .....	21
6.3 Source power.....	21
7 Methods of measurement .....	21
7.1 Measuring points .....	21
7.2 Measuring parameters .....	22
7.3 Optical power.....	23
7.4 Optical wavelength .....	23
7.5 Signal level and signal-to-noise ratio.....	23
7.5.1 General .....	23
7.5.2 Measurement setup .....	23
7.5.3 Measurement conditions .....	24
7.5.4 Measurement method for xPSK signals.....	24
7.5.5 Presentation of the results .....	24
7.6 <i>RIN</i> and signal-to-noise ratio .....	24
7.6.1 General .....	24
7.6.2 Measuring points and measurement setup.....	25
7.6.3 Measurement conditions .....	25
7.6.4 System <i>RIN</i> measurement method .....	26
7.6.5 <i>S/N</i> calculation based on <i>RIN</i> value .....	27
7.6.6 Calculation of component <i>RIN</i> .....	28
7.7 Optical modulation index.....	29
7.8 Signal-to-crosstalk ratio ( <i>SCR</i> ).....	29
8 Specification of optical system for broadcast signal transmission .....	29
8.1 Digital broadcast system over optical network.....	29
8.2 International TV systems.....	29
8.3 Relationship between <i>RIN</i> and <i>S/N</i> .....	30
8.4 Optical wavelength .....	32
8.5 Frequency of source signal .....	33
8.6 Optical system specification for satellite signal transmission.....	33
8.7 <i>S/N</i> ratio specification for in-house and in-building wirings .....	34
8.8 Crosstalk due to optical fibre non-linearity .....	35

8.9	Single frequency interference level due to fibre non-linearity .....	35
8.10	Environment condition .....	35
Annex A (informative)	Actual service systems and design considerations .....	36
A.1	General.....	36
A.2	Metropolitan type CATV .....	36
A.3	Municipal type CATV.....	37
A.4	Poor signal reception type CATV .....	38
A.5	System reference model .....	38
A.5.1	System parameters.....	38
A.5.2	Operating environment .....	39
A.6	Guidelines for actual operation .....	47
A.6.1	Optical transmitter .....	47
A.6.2	Optical amplifier .....	47
Annex B (informative)	Wavelength division multiplexing.....	48
B.1	Optical wavelength grid (optical frequency grid).....	48
B.2	Nominal central frequencies and wavelengths.....	48
B.3	Notes regarding wavelength division multiplexing .....	50
B.3.1	Crosstalk between two wavelengths .....	50
B.3.2	Receiving two wavelengths by single V-ONU .....	52
Annex C (informative)	Minimum wavelength separation .....	54
C.1	Optical beat interference.....	54
C.2	Range of wavelength variation .....	55
C.3	WDM system using optical filters and couplers.....	56
Annex D (informative)	Relation between $S/N$ degradation and rain attenuation.....	59
Bibliography	.....	61
Figure 1	– FTTH Cable TV system using one-wavelength .....	19
Figure 2	– FTTH Cable TV system using two wavelengths .....	19
Figure 3	– Performance specified points of the optical system .....	19
Figure 4	– Measuring points in a typical video distribution system .....	22
Figure 5	– Measurement of optical wavelength .....	23
Figure 6	– Measurement of signal level and signal-to-noise ratio .....	24
Figure 7	– Measuring points in a typical FTTH system .....	25
Figure 8	– $RIN$ measurement setup .....	25
Figure 9	– Performance allocation and measuring points .....	29
Figure 10	– Section of $S/N$ ratio specification (38 dB) for in-house wiring .....	34
Figure 11	– Section of $S/N$ ratio specification (24 dB) for in-building wiring (in case of coaxial cable distribution after V-ONU) .....	35
Figure A.1	– Example of a multi-channel service system of one million terminals .....	37
Figure A.2	– Example of a multi-channel service system with 2 000 terminals.....	37
Figure A.3	– Example of a multi-channel with CS supplementary service system for 2 000 terminals.....	37
Figure A.4	– Example of a re-transmission service system with 72 terminals .....	38
Figure A.5	– Example of a re-transmission service system with 144 terminals .....	38
Figure A.6	– System performance calculation for model A .....	41
Figure A.7	– System performance calculation for model B .....	42

Figure A.8 – System performance calculation for model C .....	43
Figure A.9 – System performance calculation for model D .....	44
Figure A.10 – System performance calculation for model E.....	45
Figure A.11 – System performance calculation for model F.....	46
Figure B.1 – Linear crosstalk between two wavelengths.....	51
Figure B.2 – Wavelength dependency of Raman crosstalk .....	51
Figure B.3 – Nonlinear crosstalk between two wavelengths .....	52
Figure B.4 – Frequency dependency of cross-phase modulation .....	52
Figure B.5 – $S/N$ degradation (two wavelengths into one V-ONU case).....	53
Figure C.1 – Experimental results of $RIN$ degradation due to optical beat .....	55
Figure C.2 – Wavelength variation of a DWDM transmitter against ambient temperature.....	56
Figure C.3 – Wavelength variation of a CWDM transmitter against ambient temperature.....	56
Figure C.4 – Example of wavelength division multiplexing using WDM filter .....	57
Figure C.5 – Example of CWDM filter design .....	57
Figure C.6 – Example of wavelength division multiplexing using optical coupler .....	58
Table 1 – Level of RF signals.....	13
Table 2 – Measuring instruments .....	21
Table 3 – Measuring points and measured parameters .....	22
Table 4 – Parameters used to calculate $S/N$ when signals of multiple wavelengths are received by a single V-ONU .....	28
Table 5 – Minimum RF signal-to-noise ratio requirements in operation.....	30
Table 6 – Types of broadcast services .....	31
Table 7 – Type of service and minimum operational $RIN$ values for satellite services .....	32
Table 8 – performance of optical wavelength and power .....	33
Table 9 – Optical system specification .....	33
Table 10 – Section of $S/N$ ratio specification for in-house/in-building wiring.....	34
Table 11 – Interference level due to fibre non-linearity (single frequency interference) .....	35
Table A.1 – Basic system parameters (Japan) .....	39
Table B.1 – Example nominal central frequencies of the DWDM grid .....	49
Table B.2 – Nominal central wavelength for spacing of 20 nm (ITU-T G.694.2) .....	50

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –**

#### **Part 13-1: Bandwidth expansion for broadcast signal over FTTH system**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-13-1 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- Transmission frequency was expanded in order to achieve satellite signal for 4 K video service. The transmission frequency over FTTH would be 3 300 MHz.
- High signal modulation case like 16 APSK and 32 APSK was added in order to correspond to transmission for 4 K video service.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
100/2927/FDIS	100/2959/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60728 series, published under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of September 2017 have been included in this copy.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Standards and deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special interfaces to the headend or other interface points to the network up to any terminal interface of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

## **CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –**

### **Part 13-1: Bandwidth expansion for broadcast signal over FTTH system**

#### **1 Scope**

The purpose of this part of IEC 60728 is the precise description of an FTTH (fibre to the home) system for expanding broadband broadcast signal transmission from CATV services only, towards CATV plus broadcast satellite (BS) plus communication satellite (CS) services, additionally to other various signals such as data services.

The scope is limited to the RF signal transmission over FTTH systems.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60728-1:2014, *Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths*

IEC 60728-6:2011, *Cable networks for television signals, sound signals and interactive services – Part 6: Optical equipment*

IEC 60728-13:2010, *Cable networks for television signals, sound signals and interactive services – Part 13: Optical systems for broadcast signal transmissions*

IEC 60728-113:—, *Cable networks for television signals, sound signals and interactive services – Part 113: Optical systems for broadcast signal transmissions loaded with digital channels only*<sup>1</sup>

IEC 61280-1-3:2010, *Fibre optic communication subsystem test procedures – Part 1-3: General communication subsystems – Central wavelength and spectral width measurement*

ITU-T Recommendation G.694.1, *Spectral grids for WDM applications: DWDM frequency grid*

ITU-T Recommendation G.694.2, *Spectral grids for WDM applications: CWDM wavelength grid*

---

<sup>1</sup> Under preparation. Stage at the time of publication: IEC ACDV 60728-113: 2017.