

This is a preview - click here to buy the full publication



IEC 61000-4-36

Edition 1.0 2014-11

# INTERNATIONAL STANDARD



BASIC EMC PUBLICATION

---

**Electromagnetic compatibility (EMC) –  
Part 4-36: Testing and measurement techniques – IEMI immunity test methods  
for equipment and systems**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**XC**

---

ICS 33.100.20

ISBN 978-2-8322-1904-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms, definitions and abbreviations .....	9
3.1 Terms and defintions .....	9
3.2 Abbreviations.....	12
4 General .....	13
5 IEMI environments and interaction.....	13
5.1 General.....	13
5.2 IEMI environments .....	14
5.2.1 Technical capability groups .....	14
5.2.2 IEMI deployment scenarios.....	14
5.2.3 Radiated IEMI environment summary .....	15
5.2.4 Published conducted IEMI environments.....	15
5.3 Interaction with fixed installations .....	16
5.3.1 General .....	16
5.3.2 Protection level.....	17
6 Test methods.....	17
6.1 Derivation of applicable test methods.....	17
6.2 Derivation of transfer functions .....	18
6.3 Radiated tests using IEMI simulator .....	19
6.4 Radiated tests using a reverberation chamber .....	19
6.5 Complex waveform injection (CWI) .....	19
6.6 Damped sinusoidal injection (DSI) .....	19
6.7 Electrostatic discharge (ESD) .....	19
6.8 Electrically fast transient (EFT) .....	19
6.9 Antenna port injection .....	20
7 Test parameters .....	20
7.1 Derivation of immunity test parameters .....	20
7.2 Radiated test parameters.....	21
7.2.1 Generic hyperband test parameters (skilled capability group) .....	21
7.2.2 Generic mesoband test parameters (skilled capability group).....	21
7.2.3 Generic hypoband/narrowband test parameters (skilled capability group).....	23
7.3 Generic conducted IEMI test parameters.....	24
7.3.1 General .....	24
7.3.2 Characteristics and performance of the fast damped oscillatory wave generator.....	25
7.4 Tailored test level derivation .....	26
7.5 Relevance of EMC immunity data .....	26
8 Bibliography .....	27
Annex A (informative) Failure mechanisms and performance criteria .....	29
A.1 General.....	29
A.2 Failure mechanisms.....	29
A.2.1 General .....	29

A.2.2	Noise .....	30
A.2.3	Parameter offset and drifts .....	30
A.2.4	System upset or breakdown.....	31
A.2.5	Component destruction.....	31
A.3	Effect of pulse width.....	32
A.4	Performance criteria .....	32
A.5	References .....	33
Annex B (informative)	Developments in IEMI source environments .....	35
B.1	General.....	35
B.2	IEMI environment.....	36
B.3	IEMI sources.....	37
B.4	Published radiated IEMI environments .....	41
B.4.1	IEC 61000-2-13 .....	41
B.4.2	Mil-Std-464C .....	41
B.4.3	The International Telecommunication Union (ITU) .....	42
B.4.4	Practical determination of a tailored test level – An example.....	42
B.5	Summary .....	43
B.6	References .....	44
Annex C (informative)	Interaction with buildings.....	46
C.1	Building attenuation .....	46
C.2	Coupling to cables .....	47
C.3	Low voltage cable attenuation.....	48
C.4	References .....	49
Annex D (informative)	Relation between plane wave immunity testing and immunity testing in a reverberation chamber.....	51
D.1	General.....	51
D.2	Relation between measurements of shielding effectiveness in the two environments .....	52
D.3	Relation between immunity testing in the two environments .....	55
D.4	Additional aspects.....	57
D.5	References .....	57
Annex E (informative)	Complex waveform injection – Test method.....	60
E.1	General.....	60
E.2	Prediction .....	60
E.2.1	General .....	60
E.2.2	Example .....	64
E.3	Construction .....	66
E.4	Injection.....	70
E.5	Summary .....	72
E.6	References .....	72
Annex F (informative)	Significance of test methodology margins .....	74
F.1	General.....	74
F.2	Examples.....	74
F.2.1	General .....	74
F.2.2	Negative contributions .....	75
F.2.3	Positive contributions.....	77
F.2.4	Summary .....	79
F.3	References .....	79
Annex G (informative)	Intentional EMI – The issue of jammers .....	80

G.1	General.....	80
G.2	Effects .....	80
G.3	Published accounts of jamming.....	81
G.4	Risk assessment.....	81
G.5	Mitigation .....	81
G.6	References .....	82
Figure 1	– Example of radiated and conducted IEMI interaction with a building.....	16
Figure 2	– Assessment options .....	18
Figure 3	– Examples of ports .....	20
Figure 4	– Typical hyperband waveform.....	21
Figure 5	– Typical mesoband waveform .....	23
Figure 6	– Typical hypoband/narrowband waveform.....	24
Figure 7	– Waveform of the damped oscillatory wave (open circuit voltage) .....	25
Figure A.1	– IEMI induced offset of sensor output – Corruption of information .....	30
Figure A.2	– Collision of an induced disturbance with data bits [1] .....	31
Figure A.3	– Examples of destruction on a chip [2] .....	31
Figure A.4	– Generic failure trend as a function of pulse width.....	32
Figure B.1	– A comparison of HPEM and IEMI spectra [6].....	35
Figure B.2	– Representation of typical IEMI radiation and coupling onto systems [3].....	37
Figure B.3	– Parameter space in power/frequency occupied by sophisticated IEMI (i.e. DEW) sources [1].....	38
Figure B.4	– Peak power and energy from continuous and pulsed (durations shown) microwave sources, narrowband and wideband .....	38
Figure B.5	– Peak powers of various types of pulsed HPM sources [1].....	39
Figure B.6	– Peak vs. average power for microwave sources with duty factors indicated.....	39
Figure B.7	– Phase coherence leading to a compact HPM source with $N^2$ scaling of output power.....	40
Figure B.8	– Briefcase mesoband UWB source sold by Diehl-Rheinmetall [3] .....	40
Figure B.9	– A do-it-yourself electromagnetic weapon made from an oven magnetron [13] .....	41
Figure B.10	– Plot of entire narrowband system weight as a function of output microwave power for land-mobile and land-transportable systems .....	43
Figure C.1	– Typical unprotected low-rise building plane wave E-field attenuation collected from references.....	46
Figure C.2	– Cable coupling – Resonance region.....	48
Figure C.3	– Mains cable attenuation profile .....	49
Figure E.1	– LLSC reference field measurement set-up .....	61
Figure E.2	– LLSC induced current measurement set-up .....	62
Figure E.3	– Typical LLSC magnitude-only transfer function .....	62
Figure E.4	– Prediction of induced current using minimum phase constraints.....	63
Figure E.5	– IEC 61000-2-9 early-time (E1) HEMP environment .....	64
Figure E.6	– Overlay of transfer function and threat (frequency domain) .....	65
Figure E.7	– Predicted current .....	65
Figure E.8	– Example of de-convolution result .....	67

Figure E.9 – Damped sinusoidal waveforms – Ten-component fit.....	67
Figure E.10 – Approximated and predicted transient .....	68
Figure E.11 – Approximated and predicted transient (0 ns to 100 ns).....	68
Figure E.12 – Approximation and prediction transient – Frequency domain comparison .....	69
Figure E.13 – Variation in error for increasing number of damped sinusoids .....	70
Figure E.14 – Complex injection set-up.....	71
Figure E.15 – Amplifier requirements for various current levels.....	71
Figure E.16 – Comparison of predicted (green) and injected (red) current.....	72
Figure F.1 – Variation in induced currents as a result of configuration .....	75
Figure F.2 – Comparison of HPD and VPD induced currents.....	76
Figure F.3 – System variability.....	76
Figure F.4 – Comparison of single- and multi-port injection.....	77
Figure F.5 – Example transfer functions and worst-case envelope .....	78
Figure F.6 – Comparison of individual and worst-case transfer function predictions .....	78
Figure F.7 – Comparison between predicted and measured induced currents .....	79
Table 1 – Possible IEMI Deployment Scenarios .....	15
Table 2 – Summary of radiated IEMI source output ( $rE_{far}$ ) by capability group.....	15
Table 3 – Example protection levels.....	17
Table 4 – Generic hyperband test parameters (skilled capability group) .....	21
Table 5 – Generic mesoband test parameters (skilled capability group) .....	22
Table 6 – Generic hypoband/narrowband test parameters (skilled capability group).....	23
Table 7 – Conducted IEMI test levels .....	24
Table 8 – Open circuit specifications.....	25
Table 9 – Short Circuit Specifications .....	26
Table A.1 – Recommended performance criteria.....	33
Table B.1 – IEMI environments from IEC 61000-2-13.....	41
Table B.2 – Hypoband/narrowband HPM environment.....	42
Table B.3 – Hyperband/wideband HPM environment.....	42
Table C.1 – Shielding effectiveness measurements for various power system buildings and rooms.....	47
Table E.1 – Time waveform norms .....	66

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### ELECTROMAGNETIC COMPATIBILITY (EMC) –

### Part 4-36: Testing and measurement techniques – IEMI immunity test methods for equipment and systems

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-36 has been prepared by subcommittee 77C: High-power transient phenomena, of IEC technical committee 77: Electromagnetic compatibility.

It forms part 4-36 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

The text of this standard is based on the following documents:

CDV	Report on voting
77C/231/CDV	77C/236/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

### **Part 1: General**

General considerations (introduction, fundamental principles)

Definitions, terminology

### **Part 2: Environment**

Description of the environment

Classification of the environment

Compatibility levels

### **Part 3: Limits**

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques

Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines

Mitigation methods and devices

### **Part 6: Generic standards**

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).



## **ELECTROMAGNETIC COMPATIBILITY (EMC) –**

### **Part 4-36: Testing and measurement techniques – IEMI immunity test methods for equipment and systems**

#### **1 Scope**

This part of IEC 61000 provides methods to determine test levels for the assessment of the immunity of equipment and systems to intentional electromagnetic interference (IEMI) sources. It introduces the general IEMI problem, IEMI source parameters, derivation of test limits and summarises practical test methods.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-12, *Electromagnetic compatibility (EMC) – Part 4-12: Testing and measurement techniques – Ring wave immunity test*

IEC 61000-4-18, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory wave immunity test*