

INTERNATIONAL STANDARD

IEC 61076-4-108

QC 480301XX0009

First edition
2002-02

Connectors for electronic equipment –

Part 4-108:

**Printed board connectors with assessed quality –
Detail specification for cable-to-board connectors,
with a modular pitch of 25 mm and integrated
shielding function, applicable for transverse
packing density of 15 mm, having a basic grid
of 2,5 mm in accordance with IEC 60917-1**

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XB

For price, see current catalogue

CONTENTS

FOREWORD.....	5
1 General data.....	8
1.1 Recommended method of mounting.....	8
1.1.1 Maximum number of contacts.....	9
1.2 Ratings and characteristics.....	11
1.3 Normative references.....	11
1.4 Marking.....	12
1.5 IEC type designation.....	13
1.6 Ordering information.....	13
2 Technical information.....	14
2.1 Definitions.....	14
2.1.1 Mechanical features.....	14
2.1.2 Contacts and terminations.....	14
2.1.3 Engagement sequence.....	14
2.1.4 Mechanical coding, locking.....	15
2.2 Surveys of styles and variants.....	15
2.2.1 Styles of connectors.....	15
2.2.2 Survey of termination variants.....	20
2.3 Information on application.....	21
2.3.1 Connector pairs.....	21
2.3.2 Fixed board connectors.....	22
2.3.3 Free cable connectors.....	23
2.3.4 Accessories.....	23
2.3.5 Shielding and grounding.....	24
2.3.6 Basic styles of the connections.....	25
2.4 Survey of contact arrangements.....	25
3 Dimensional information.....	26
3.1 General.....	26
3.2 Isometric view and common features.....	27
3.2.1 Common features.....	28
3.2.2 Reference system.....	28
3.2.3 Height dimensions.....	29
3.2.4 Width dimensions.....	30
3.2.5 Depth dimensions.....	31
3.3 Mating information.....	31
3.3.1 Engaging direction.....	31
3.3.2 Perpendicular to engaging direction.....	31
3.3.3 Inclination.....	31
3.4 Fixed board connectors.....	32
3.4.1 Dimensions of board connectors.....	32
3.4.2 Dimensions of male contacts.....	39

3.5	Free cable connectors	41
3.5.1	Dimensions of cable connectors	41
3.5.2	Dimensions of female contacts	45
3.6	Accessories	46
3.6.1	Coding devices	46
3.6.2	Shielding / ground contact	47
3.7	Mounting information for fixed board connectors	48
3.7.1	Hole pattern on backplane	48
3.7.2	Hole pattern on printed board (front)	49
3.8	Mounting information for free cable connectors	49
3.9	Gauges	50
3.9.1	Sizing and retention force gauges	50
3.9.2	Test gauge for shield / ground contact	50
4	Characteristics	51
4.1	Climatic categories	51
4.2	Electrical	51
4.2.1	Creepage and clearance distances	51
4.2.2	Voltage proof	51
4.2.3	Current carrying capacity	52
4.2.4	Initial contact resistance	52
4.2.5	Initial insulation resistance	52
4.3	Mechanical	53
4.3.1	Mechanical operation	53
4.3.2	Engaging and separating forces	53
4.3.3	Contact retention in insert	53
4.3.4	Static load, transverse	53
4.3.5	Withdrawal force with gauge	53
4.3.6	Vibration (sinusoidal)	54
4.3.7	Shock	54
4.3.8	Polarizing method	54
4.3.9	Mechanical coding	54
4.3.10	Latching force in male connector body	55
4.3.11	Cable clamp resistance to cable rotation	55
4.3.12	Cable connector drop test	55
4.4	Electromagnetic compatibility (EMC)	55
4.4.1	Shielding effectiveness	55
5	Test schedule	56
5.1	General	56
5.1.1	Arrangement for contact resistance measurement	57
5.1.2	Arrangement for dynamic stress tests	57
5.1.3	Arrangement for testing static load, transverse	58
5.1.4	Arrangement for testing insulation resistance, voltage proof and polarization voltage	59
5.1.5	Arrangement for flammability test	59
5.2	Test schedule tables	60
5.2.1	Group P – Preliminary	60
5.2.2	Group AP – Dynamic / Climatic	61
5.2.3	Group BP – Mechanical endurance	64

5.2.4	Group CP – Moisture	65
5.2.5	Group DP – Electrical load	65
5.2.6	Group EP – Mechanical resistivity	66
5.2.7	Group FP – Chemical resistivity	67
5.2.8	Group GP – Connections	67
5.2.9	Group HP – Electromagnetic compatibility	67
6	Quality assessment procedures	67
6.1	Qualification approval testing	67
6.1.1	Method 1	67
6.1.2	Method 2	67
6.2	Quality conformance inspection	68
6.2.1	Lot-by-lot tests	68
6.2.2	Periodic tests	69
6.3	Delayed delivery, re-inspection	69

Annex A (informative) Shielding effectiveness

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT –

**Part 4-108: Printed board connectors with assessed quality –
Detail specification for cable-to-board connectors, with a modular pitch
of 25 mm and integrated shielding function, applicable for transverse
packing density of 15 mm, having a basic grid of 2,5 mm
in accordance with IEC 60917-1**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-4-108 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/1122/FDIS	48B/1170/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated when a new edition is prepared.

The QC number that appears on the front cover of this publication is the specification number in the IEC Quality Assessment System for Electronic Components (IECQ).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annex A is for information only.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.