

# INTERNATIONAL STANDARD

# IEC 61108-4

First edition  
2004-07

---

---

## **Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS) –**

### **Part 4: Shipborne DGPS and DGLONASS maritime radio beacon receiver equipment – Performance requirements, methods of testing and required test results**

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**W**

*For price, see current catalogue*

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 4  |
| 1 Scope.....   | 6  |
| 2 Normative references .....   | 6  |
| 3 Terms, definitions and abbreviations .....   | 7  |
| 3.1 Definitions .....  | 7  |
| 3.2 Abbreviations .....  | 7  |
| 4 Performance requirements .....   | 7  |
| 4.1 Introduction .....   | 7  |
| 4.2 Composition .....  | 8  |
| 4.3 Functional requirements .....  | 8  |
| 4.4 Protection.....  | 9  |
| 4.5 Integrity.....   | 9  |
| 4.6 Interfaces .....   | 10 |
| 4.7 IEC 61162-1, IEC 61162-2 implementation .....  | 10 |
| 4.8 IEC 61162-3 implementation .....   | 10 |
| 4.9 Display and control.....   | 10 |
| 4.10 Installation .....  | 10 |
| 5 Technical characteristics .....  | 11 |
| 5.1 Carrier frequency .....  | 11 |
| 5.2 Frequency tolerance.....   | 11 |
| 5.3 Message types .....  | 11 |
| 5.4 Data transmission rate .....   | 11 |
| 5.5 Dynamic range .....  | 11 |
| 5.6 Maximum bit error ratio .....  | 11 |
| 5.7 Receiver selectivity and stability.....  | 11 |
| 5.8 Automatic frequency selection.....   | 12 |
| 5.9 Protection ratios .....  | 12 |
| 6 Methods of testing and required test results .....   | 13 |
| 6.1 General conditions of measurement and test signals .....   | 13 |
| 6.2 Operational tests.....   | 14 |
| 6.3 Protection of external connections.....  | 18 |
| 6.4 Integrity.....   | 18 |
| 6.5 Technical tests .....  | 18 |
| 6.6 Additional functionality tests .....   | 20 |
| Annex A (normative) Simulation of noise situations for the test of shipborne DGPS<br>maritime radio beacon receiver equipment..... | 21 |
| A.1 Parameters describing noise .....  | 21 |
| A.2 Noise models .....   | 22 |
| A.3 Test procedures .....  | 26 |
| Annex B (informative) Methodology for measuring WER .....  | 27 |
| B.1 Recording the RTCM data stream.....  | 27 |
| B.2 Analysing the RTCM data stream .....   | 27 |
| B.3 Caution .....  | 27 |

|  |    |
|--|----|
| Annex C (normative) Tests that are specific to integrated equipment that does not provide an output port for testing ..... | 30 |
| C.1 General requirements .....   | 30 |
| C.2 Test of WER display .....  | 30 |
| C.3 Comments to Clause 6, methods of testing .....   | 30 |
| <br>   |    |
| Annex D (informative) Installation guidelines to counteract the effect of interference .....                               | 31 |
| D.1 Introduction .....   | 31 |
| D.2 Antennas .....   | 31 |
| D.3 General installation requirements .....  | 32 |
| D.4 Noise/interference sources .....   | 34 |
| D.5 Testing .....  | 34 |
| D.6 Troubleshooting .....  | 35 |
| <br>   |    |
| Annex E (informative) Implementation using a concurrent process .....  | 36 |
| <br>   |    |
| Annex F (informative) Data interface guidance .....  | 38 |
| <br>   |    |
| Bibliography .....   | 39 |
| <br>   |    |
| Figure A.1 – Generating atmospherics according to Feldman .....  | 24 |
| Figure A.2 – Test set-up using a PC to program a waveform synthesizer .....  | 26 |
| Figure B.1 – Word error rate algorithm (first part) .....  | 28 |
| Figure B.2 – Word error rate algorithm (second part) .....   | 29 |
| Figure E.1 – Station status update .....   | 36 |
| Figure E.2 – Navigation process .....  | 37 |
| <br>   |    |
| Table 1 – Message types (M823/1.2) .....   | 11 |
| Table 2 – Protection ratios .....  | 12 |
| Table A.1 – Parameters for different interference situations .....   | 23 |
| Table A.2 – Characteristic parameters of the simulated situations .....  | 25 |
| Table D.1 – Troubleshooting conditions .....   | 35 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION  
EQUIPMENT AND SYSTEMS –  
GLOBAL NAVIGATION SATELLITE SYSTEMS (GNSS) –**

**Part 4: Shipborne DGPS and DGLONASS maritime  
radio beacon receiver equipment –  
Performance requirements, methods of testing  
and required test results**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61108-4 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this standard is based on the following documents:

|             |                  |
|-------------|------------------|
| FDIS        | Report on voting |
| 80/394/FDIS | 80/398/RVD       |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IEC 61108 consists of the following parts, under the general title *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS)*:

- Part 1: Global positioning system (GPS) – Receiver equipment – Performance standards, methods of testing and required test results
- Part 2: Global navigation satellite system (GLONASS) – Receiver equipment – Performance standards, methods of testing and required test results
- Part 3: (To be used at a later date)

A bilingual version of this publication may be issued at a later date.

# MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – GLOBAL NAVIGATION SATELLITE SYSTEMS (GNSS) –

## Part 4: Shipborne DGPS and DGLONASS maritime radio beacon receiver equipment – Performance requirements, methods of testing and required test results

### 1 Scope

This part of IEC 61108 specifies the minimum operational and performance requirements, methods of testing and required test results conforming to performance standards not inferior to those adopted by the IMO in resolution MSC.114(73). In addition, it takes account of IMO resolution A.694(17) and is associated with IEC 60945. When a requirement of this standard is different from IEC 60945, the requirement in this standard shall take precedence.

This standard may be satisfied by equipment integral with GNSS equipment.

This standard is applicable to HSC.

All text of this standard, whose wording is identical to that in IMO resolution MSC.114(73) and ITU-R M.823 is printed in *italics* and the resolution (abbreviated to – 114 and M.823 respectively ) and paragraph numbers are indicated in brackets i.e. (114/3.3 or M.823/3.3 ).

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61162-2, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high speed transmission*

IMO Resolution MSC.114(73), *Revised recommendation on performance standards for shipborne DGPS and DGLONASS maritime radio beacon receiver equipment*

IMO Resolution A.694(17), *General requirements for shipborne radio equipment forming part of the Global Maritime Distress and Safety System (GMDSS) and for electronic navigational aids*

ITU-R M.823-2, *Technical characteristics of differential transmissions for Global Navigation Satellite Systems (GNSS) from maritime radio beacons in the frequency band 283,5 – 315 kHz in Region 1 and 285 – 325 kHz in Regions 2 and 3*