

This is a preview - click here to buy the full publication



IEC 61158-5-21

Edition 1.0 2010-08

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-21: Application layer service definition – Type 21 elements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XB**

ICS 25.04.40; 35.100.70; 35.110

ISBN 978-2-88912-114-4

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
1.1 Overview.....	7
1.2 Specifications.....	8
1.3 Conformance.....	8
2 Normative references.....	8
3 Terms, definitions, symbols, abbreviations, and conventions.....	9
3.1 Terms and definitions from other ISO/IEC standards.....	9
3.2 Fieldbus data link layer terms.....	9
3.3 Fieldbus application layer specific definitions.....	10
3.4 Abbreviations and symbols.....	16
3.5 Conventions.....	16
4 Concepts.....	19
4.1 Common concepts.....	19
4.2 Type specific concepts.....	36
5 Data type ASE.....	39
5.1 General.....	39
5.2 Formal definition of data type objects.....	42
5.3 FAL defined data types.....	43
5.4 Data type ASE service specification.....	47
6 Communication model specification.....	47
6.1 ASEs.....	47
6.2 ARs.....	68
6.3 Summary of FAL classes.....	71
6.4 Permitted FAL services by AREP role.....	71
Bibliography.....	73
Figure 1 – Relationship to the OSI Basic Reference Model.....	20
Figure 2 – Architectural positioning of the fieldbus application layer.....	20
Figure 3 – Client/server interactions.....	23
Figure 4 – Pull model interactions.....	24
Figure 5 – Push model interactions.....	24
Figure 6 – APOs services conveyed by the FAL.....	26
Figure 7 – Application entity structure.....	28
Figure 8 – FAL management of objects.....	29
Figure 9 – ASE service conveyance.....	30
Figure 10 – Defined and established AREPs.....	32
Figure 11 – FAL architectural components.....	34
Figure 12 – Interaction between FAL and DLL.....	37
Figure 13 – Publisher-subscriber communication model.....	37
Figure 14 – Client-server communication model.....	38
Figure 15 – Object model.....	38
Figure 16 – ASEs of a Type 21 application.....	39

Figure 17 – Data type class hierarchy example	40
Figure 18 – The AR ASE conveys APDUs between APs.....	61
Table 1 – Types of timeliness	25
Table 2 – Overall structure of the OD.....	38
Table 3 – Identify service.....	50
Table 4 – Status service	52
Table 5 – Access rights for object	54
Table 6 – Read service	55
Table 7 – Write service	57
Table 8 – TB-transfer.....	60
Table 9 – COS-transfer.....	60
Table 10 – Conveyance of service primitives by AREP role.....	62
Table 11 – Valid combinations of AREP roles involved in an AR	62
Table 12 – AR-unconfirmed send	66
Table 13 – AR-confirmed send.....	67
Table 14 – FAL class summary	71
Table 15 – Services by AREP role	72

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-21: Application layer service definition – Type 21 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-5-21:2010 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This standard cancels and replaces IEC/PAS 62573 published in 2008. This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/606/FDIS	65C/620/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-21: Application layer service definition – Type 21 elements

1 Scope

1.1 Overview

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be considered a window between corresponding application programs.

This standard provides the common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment as well as material specific to the Type 21 protocol. The term “time-critical” is used to represent the presence of a time-window within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant, and possibly human life.

This standard defines, in an abstract way, the externally visible service provided by the FAL in terms of:

- a) an abstract model for defining application resources (objects) capable of being manipulated by users *via* the FAL service;
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form that they take;
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to:

- a) the FAL-user at the boundary between the user and the application layer of the fieldbus Reference Model;
- b) systems management at the boundary between the application layer and systems management of the fieldbus Reference Model.

This standard describes the structure and services of the IEC FAL, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application entities (AEs) contained in the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for management of the instances of FAL classes.

Although these services specify how requests and responses are issued and delivered from the perspective of applications, they do not include a specification of what the requesting and responding applications are to do with them. That is, these services only define what requests and responses applications can send or receive, not the functions of the applications themselves. This permits greater flexibility to the FAL-users in standardizing such object

behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously existing industrial communications protocols. This latter objective gives rise to the diversity of services standardized as the various types of IEC 61158, and the corresponding protocols standardized in subparts of IEC 61158-6.

This standard may be used as the basis for formal application programming interfaces. Nevertheless, it is not a formal programming interface, and any such interface must address implementation issues not covered by this standard, including:

- a) sizes and octet ordering of various multi-octet service parameters;
- b) correlation of paired primitives for request and confirmation, or indication and response.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities in industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through the implementation of conforming application layer protocols that fulfill any given type of application layer services as defined in this standard.

2 Normative references

The following documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60559, *Binary floating-point arithmetic for microprocessor systems*

IEC 61158-2:2010¹, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 3-21: Data-link layer service definition – Type 21 elements*

IEC 61158-4-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 4-21: Data-link layer protocol specification – Type 21 elements*

IEC 61158-6-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 6-21: Application layer protocol specification – Type 21 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

¹ To be published.

ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application layer structure*

ISO/IEC 10731:1994, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*