

This is a preview - click here to buy the full publication



IEC TR 61282-15

Edition 1.0 2017-05

TECHNICAL REPORT

**Fibre optic communication system design guides –
Part 15: Cable plant and link – Testing multi-fibre optic cable plant terminated
with MPO connectors**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.01

ISBN 978-2-8322-4238-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	8
4 MPO connectors	9
4.1 General.....	9
4.2 Keying and fibre positions	9
4.3 Polarity	10
5 Test methods and measurements	12
5.1 General.....	12
5.2 Attenuation	12
5.3 Polarity	12
5.4 Length	12
5.5 Optical return loss and reflectance.....	12
6 Variations of test methods	13
6.1 General.....	13
6.2 Optical light source	13
6.2.1 General	13
6.2.2 Source with MPO interface	13
6.2.3 Source with non-MPO interface and fan-out cable	14
6.2.4 Source with non-MPO interface and optical switch.....	14
6.3 Optical power meter.....	14
6.3.1 General	14
6.3.2 Meter with MPO interface having multiple detectors.....	14
6.3.3 Meter with MPO interface having large area detector.....	15
6.3.4 Meter with non-MPO interface and fan-out cable.....	15
6.3.5 Meter with non-MPO interface and optical switch	15
6.4 OTDR	15
6.4.1 General	15
6.4.2 OTDR with MPO interface.....	15
6.4.3 OTDR with non-MPO interface and fan-out cable.....	16
6.4.4 OTDR with non-MPO interface and optical switch	16
6.5 Other adaptations and accessories	16
6.5.1 Adapters.....	16
6.5.2 Test cords	16
6.5.3 Optical switch	17
6.5.4 Polarity and pinned/unpinned changers	17
6.6 Visual inspection.....	17
7 Test configurations	17
7.1 General.....	17
7.2 LSPM with MPO interface	18
7.3 LSPM with non-MPO interface and fan-outs	19
Bibliography.....	21

Figure 1 – MPO connector	9
Figure 2 – Polarity for three standard configurations	11
Figure 3 – Polarity for a breakout cord	11
Figure 4 – Reference connections for cabling with unpinned MPO plugs	18
Figure 5 – Connections for measurements on type A cabling with unpinned MPO connectors	18
Figure 6 – Reference connections for tester with non-MPO plugs	19
Figure 7 – Connections for tester with non-MPO plugs	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC COMMUNICATION SYSTEM DESIGN GUIDES –

Part 15: Cable plant and link – Testing multi-fibre optic cable plant terminated with MPO connectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61282-15, which is a Technical Report, has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

The text of this Technical Report is based on the following documents:

Enquiry draft	Report on voting
86C/1427/DTR	86C/1443/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61282 series, published under the general title *Fibre optic communication system design guides*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Cabling testing standards such as IEC 61280-4-1 for multimode attenuation measurements and IEC 61280-4-2 for single-mode attenuation and optical return loss measurement describe testing simplex or duplex fibre cabling terminated with single-fibre ferrule connectors (e.g. LC). This document has been written to describe measurement methods for attenuation and polarity and can be used in the absence of any multi-fibre testing standard.

This document addresses the testing of installed multimode and single-mode cabling terminated with multi-fibre connectors of IEC 61754-7 (all parts) related to multi-fibre push on (MPO) and describes the challenges when testing array connectivity, which parameters are important to measure, and why the test methods of IEC 61280-4-2 and IEC 61280-4-1 cannot be used.

Installed optical fibre cabling terminated with MPO interfaces can be tested in different ways, for example, with equipment having an MPO connector test port. Testing using other types of equipment is possible, for example using an optical time domain reflectometer (OTDR).

This document focuses on MPO connectors containing 12 fibres in a single row; however, many of the principles can also be applied to testing of cabling terminated with different types of MPO connectors with appropriate changes to test cords and/or test equipment interfaces.

FIBRE OPTIC COMMUNICATION SYSTEM DESIGN GUIDES –

Part 15: Cable plant and link – Testing multi-fibre optic cable plant terminated with MPO connectors

1 Scope

This part of IEC 61282 provides guidance for the testing of multi-fibre cable, multimode or single-mode, terminated with plugs described in IEC 61754-7 (all parts) (multiple-fibre push on – MPO). Guidance is provided on the measurement of attenuation, polarity, length and optical return loss. The cabling can be installed in a variety of environments, including residential, commercial, industrial, and data centre premises, and possibly in outside plant environments.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61280-4-1, *Fibre-optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*

IEC 61280-4-2, *Fibre-optic communication subsystem test procedures – Part 4-2: Installed cable plant – Single-mode attenuation and optical return loss measurement*