

This is a preview - click here to buy the full publication



IEC 61747-30-4

Edition 1.0 2016-08

INTERNATIONAL STANDARD



**Liquid crystal display devices –
Part 30-4: Measuring methods for liquid crystal display modules –
Dynamic backlight units**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-3608-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions	6
3.2 Abbreviations	6
4 Standard measuring equipment.....	7
5 Measuring conditions	7
5.1 Standard measuring environmental conditions	7
5.2 Power supply	7
5.3 Warm-up time	7
5.4 Standard measuring dark-room conditions	8
5.5 Standard set-up conditions	8
5.6 Signal patterns.....	8
5.6.1 Full screen pattern	8
5.6.2 Checkerboard patterns	9
5.6.3 Increasing window patterns	9
5.6.4 Line patterns.....	10
5.6.5 Moving image	10
5.6.6 Video signal.....	11
6 Measuring methods	11
6.1 Optical performance	11
6.1.1 Luminance and uniformity	11
6.1.2 Chromaticity and uniformity	12
6.1.3 Window size dependence of luminance and chromaticity.....	14
6.1.4 Contrast ratio	15
6.1.5 Flicker	16
6.1.6 Judder	19
6.2 Power consumption	21
6.2.1 Static power consumption	21
6.2.2 Dynamic power consumption	22
Annex A (informative) Example of flicker measurement.....	23
Bibliography	26
Figure 1 – DUT set-up conditions	8
Figure 2 – Full screen pattern	9
Figure 3 – Checkerboard patterns	9
Figure 4 – Increasing window patterns	10
Figure 5 – Line patterns	10
Figure 6 – Moving image.....	11
Figure 7 – Example of input signal level dependence on chromaticity.....	13
Figure 8 – Window size dependence on luminance and chromaticity	15
Figure 9 – Apparatus arrangement.....	17
Figure 10 – Temporal contrast sensitivity function	18
Figure 11 – Example of the luminance waveform by weighting TCSF	19

Figure 12 – Dynamic curve of the judder	21
Figure A.1 – Luminance as a function of time $L(t)$	23
Figure A.2 – Power spectrum with Fourier Transform.....	23
Figure A.3 – Perceptive power spectrum of example flicker.....	24
Figure A.4 – Luminance of example screen flicker by weighting TCSF	24
Table 1 – APL of increasing window patterns.....	10
Table 2 – Temporal contrast sensitivity function	18
Table A.1 – Luminance values of $L'(t)$	25

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIQUID CRYSTAL DISPLAY DEVICES –

Part 30-4: Measuring methods for liquid crystal display modules – Dynamic backlight units

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61747-30-4 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/753/FDIS	110/769/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61747 series, published under the general title *Liquid crystal display devices*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LIQUID CRYSTAL DISPLAY DEVICES –

Part 30-4: Measuring methods for liquid crystal display modules – Dynamic backlight units

1 Scope

This part of IEC 61747 specifies the standard measurement conditions and measuring methods for determining the optical performance and power consumption of active matrix liquid crystal display modules with dynamic backlight units.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61747-1-2, *Liquid crystal display devices – Part 1-2: Generic – Terminology and letter symbols*

IEC 61747-30-1:2012, *Liquid crystal display devices – Part 30-1: Measuring methods for liquid crystal display modules – Transmissive type*

IEC 62087, *Methods of measurement for the power consumption of audio, video and related equipment*

ISO 11664-1, *Colorimetry – Part 1: CIE standard colorimetric observers*