

This is a preview - click here to buy the full publication



IEC 61784-3-1

Edition 2.0 2010-06

# INTERNATIONAL STANDARD



---

**Industrial communication networks – Profiles –  
Part 3-1: Functional safety fieldbuses – Additional specifications for CPF 1**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XB**

---

ICS 25.040.40; 35.100.05

ISBN 978-2-88910-973-9

## CONTENTS

FOREWORD.....	7
0 Introduction .....	9
0.1 General.....	9
0.2 Patent declaration .....	11
1 Scope.....	12
2 Normative references .....	12
3 Terms, definitions, symbols, abbreviated terms and conventions .....	13
3.1 Terms and definitions .....	13
3.1.1 Common terms and definitions .....	14
3.1.2 CPF 1: Additional terms and definitions .....	18
3.2 Symbols and abbreviated terms.....	19
3.2.1 Common symbols and abbreviated terms .....	19
3.2.2 CPF 1: Additional symbols and abbreviated terms .....	19
3.3 Conventions .....	20
3.3.1 State diagrams .....	20
3.3.2 Use of colors in figures.....	21
4 Overview of FSCP 1/1 (FOUNDATION Fieldbus™ SIS).....	21
4.1 General.....	21
4.2 Key concepts of FSCP 1/1.....	22
4.2.1 Black channel.....	22
4.2.2 Connection key.....	22
4.2.3 Cross-check .....	23
4.2.4 FSCP 1/1.....	23
4.2.5 Programmable electronic system .....	23
4.2.6 Queuing delays .....	23
4.2.7 Redundancy .....	23
4.2.8 SIL environment .....	23
4.3 Key components of FSCP 1/1.....	23
4.3.1 Overview .....	23
4.3.2 Black channel.....	24
4.4 Relationship to the ISO OSI basic reference model .....	25
5 General .....	25
5.1 External documents providing specifications for the profile.....	25
5.2 Safety functional requirements .....	25
5.2.1 Requirements for functional safety.....	25
5.2.2 Functional constraints.....	26
5.2.3 Device manufacturer requirements .....	26
5.3 Safety measures .....	26
5.3.1 Sequence number .....	26
5.3.2 Time stamp .....	26
5.3.3 Time expectation .....	26
5.3.4 Connection authentication .....	26
5.3.5 Data integrity assurance.....	26
5.3.6 Redundancy with cross checking.....	27
5.3.7 Different data integrity assurance systems .....	27
5.3.8 Relationships between errors and safety measures .....	27

5.4	Safety communication layer structure .....	27
5.4.1	Network topology and device connectivity .....	27
5.4.2	Device architecture .....	28
5.5	Relationships with FAL (and DLL, PhL) .....	29
5.5.1	General .....	29
5.5.2	Data types .....	29
6	Safety communication layer services .....	30
6.1	Application Process (AP) .....	30
6.1.1	Overview .....	30
6.1.2	Network visible objects .....	30
6.1.3	Application layer interface .....	30
6.1.4	Object dictionary .....	30
6.1.5	Application program directory .....	30
6.2	Function block application processes .....	31
6.2.1	General .....	31
6.2.2	Function block model .....	31
6.2.3	Application process .....	33
6.3	Device to device communications .....	36
6.3.1	General .....	36
6.3.2	Client/server .....	36
6.3.3	Publisher/subscriber .....	37
6.3.4	Report distribution .....	37
6.3.5	FBAP operation in a linking device .....	37
6.3.6	System management kernel protocol (SMKP) communications .....	37
6.4	Profiles .....	37
6.4.1	General .....	37
6.4.2	FSCP 1/1 profile .....	37
6.5	Device descriptions .....	38
6.6	Common file formats .....	38
6.7	Configuration information .....	39
6.7.1	Overview .....	39
6.7.2	Level 1 configuration: manufacturer device definition .....	39
6.7.3	Level 2 configuration: network definition .....	39
6.7.4	Level 3 configuration: distributed application definition .....	39
6.7.5	Level 4 configuration: device configuration .....	39
7	Safety communication layer protocol .....	39
7.1	Safety PDU format .....	39
7.1.1	General .....	39
7.1.2	Safety communication layer CRC .....	39
7.1.3	Black channel time synchronization monitoring .....	40
7.1.4	Sequence number .....	40
7.1.5	Virtual header .....	41
7.1.6	Connection key .....	41
7.1.7	Redundancy and cross-check .....	41
7.2	Protocol extensions for use in safety-related systems .....	42
7.2.1	Overview .....	42
7.2.2	Publisher-subscriber interactions .....	42
7.2.3	Client-server interactions .....	47
7.2.4	Time synchronization .....	53

7.2.5	Device start-up .....	54
7.3	Communications entity .....	54
7.3.1	General .....	54
7.3.2	Network management .....	54
7.3.3	FMS .....	54
7.3.4	H1 stack .....	54
8	Safety communication layer management .....	55
8.1	Overview .....	55
8.2	SMK communications .....	55
8.3	FMS services .....	55
8.4	SMK services .....	55
8.4.1	General .....	55
8.4.2	Address assignment .....	55
8.4.3	Time synchronization .....	55
8.5	Safety communication layer configuration and start-up .....	55
8.5.1	H1 configuration and start-up .....	55
8.5.2	FSCP 1/1 FBAP .....	56
8.5.3	Testing .....	56
9	System requirements .....	56
9.1	Indicators and switches .....	56
9.2	Installation guidelines .....	56
9.3	Safety function response time .....	56
9.3.1	Overview .....	56
9.3.2	Safety Sensor .....	56
9.3.3	Input Function Block .....	57
9.3.4	Safe Transmission .....	57
9.3.5	Logic Solver .....	57
9.3.6	Discrete Output Function Block .....	57
9.3.7	Safety Actuator .....	57
9.4	Duration of demands .....	57
9.5	Constraints for calculation of system characteristics .....	57
9.5.1	System characteristics .....	57
9.5.2	Message rate .....	57
9.5.3	SIL level .....	58
9.5.4	Mixing FSCP 1/1 devices and CP 1/1 devices .....	58
9.5.5	Devices on a segment .....	58
9.5.6	Residual error rate calculations .....	58
9.6	Maintenance .....	59
9.7	Safety manual .....	59
10	Assessment .....	59
Annex A (informative) Additional information for functional safety communication profiles of CPF 1 .....		60
A.1	Hash function calculation .....	60
A.2	Fault conditions arising from locations beyond the output function block .....	62
Annex B (informative) Information for assessment of the functional safety communication profiles of CPF 1 .....		64
Bibliography .....		65

Table 1 – Example state transition table .....	21
Table 2 – Safety measures and possible communication errors .....	27
Table 3 – Data types used within FSCP 1/1 .....	30
Table 4 – Fault state behaviour.....	33
Table 5 – Publisher states .....	43
Table 6 – Publisher state table - Received transitions .....	44
Table 7 – Publisher state table - Internal transitions.....	44
Table 8 – Subscriber states .....	45
Table 9 – Subscriber state table - Received transitions.....	46
Table 10 – Subscriber state table - Internal transitions.....	47
Table 11 – Server states during read operations .....	48
Table 12 – Received transitions for a FSCP 1/1 Server during read operations .....	49
Table 13 – States of a FSCP 1/1 server during write operations.....	51
Table 14 – Received transitions for a FSCP 1/1 Server during write operations .....	51
Table 15 – Values used for calculation of residual error rate .....	58
Table 16 – Values of $R_{SL}$ ( $Pe$ ) for different values of $n$ .....	58
Table A.1 – Fault conditions arising from locations beyond the output function block .....	63
Figure 1 – Relationships of IEC 61784-3 with other standards (machinery) .....	9
Figure 2 – Relationships of IEC 61784-3 with other standards (process).....	10
Figure 3 – Example state diagram.....	20
Figure 4 – Use of colors in figures .....	21
Figure 5 – Scope of FSCP 1/1 .....	22
Figure 6 – FSCP 1/1 architecture (H1) .....	24
Figure 7 – Black channel .....	24
Figure 8 – FSCP 1/1 in system architecture .....	28
Figure 9 – FSCP 1/1 H1 device.....	28
Figure 10 – FSCP 1/1 protocol layers .....	29
Figure 11 – Relationship between FSCP 1/1 and the other layers of IEC 61158 Type 1 .....	29
Figure 12 – Key write-lock .....	32
Figure 13 – Password write-lock .....	32
Figure 14 – Example of FSCP 1/1 communication.....	36
Figure 15 – Example of device description.....	38
Figure 16 – Safety PDU showing virtual content.....	43
Figure 17 – Safety PDU showing duplication of data and addition of CRC.....	43
Figure 18 – State transition diagram for a FSCP 1/1 Publisher.....	43
Figure 19 – Safety PDU showing duplication of data and addition of CRC.....	45
Figure 20 – Safety PDU showing virtual content.....	45
Figure 21 – State transition diagram for a FSCP 1/1 subscriber .....	46
Figure 22 – Safety PDU showing virtual content.....	48
Figure 23 – Safety PDU showing virtual content with sub index .....	48
Figure 24 – Safety PDU showing duplication of data, addition of sequence number and CRC .....	48

Figure 25 – State transition diagram for a FSCP 1/1 Server during read operations .....	49
Figure 26 – Safety PDU showing duplication of data and addition of sequence number and CRC.....	50
Figure 27 – Example of FSCP 1/1 write .....	50
Figure 28 – Example of FSCP 1/1 write with sub index .....	50
Figure 29 – State transition diagram for a FSCP 1/1 Server during write operations.....	51
Figure 30 – Safety PDU showing duplication of data and CRC .....	52
Figure 31 – Example of safety function response time components.....	56
Figure 32 – Example FSCP 1/1 network topology.....	57

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

#### Part 3-1: Functional safety fieldbuses – Additional specifications for CPF 1

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61784-3-1 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision. The main changes with respect to the previous edition are listed below:

- updates in relation with changes in IEC 61784-3;
- adjustment of Figure 5;
- change of sequence number from two octets to four octets in 7.2.2 to match the final protocol from the consortium.
- addition of details for time synchronization in 7.2.4;
- addition of information for safety response time in 9.3;
- addition of information in constraints for calculation of system characteristics in 9.5.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/591A/FDIS	65C/603/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-3 series, published under the general title *Industrial communication networks – Profiles – Functional safety fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**




## 0 Introduction

### 0.1 General

The IEC 61158 fieldbus standard together with its companion standards IEC 61784-1 and IEC 61784-2 defines a set of communication protocols that enable distributed control of automation applications. Fieldbus technology is now considered well accepted and well proven. Thus many fieldbus enhancements are emerging, addressing not yet standardized areas such as real time, safety-related and security-related applications.

This standard explains the relevant principles for functional safety communications with reference to IEC 61508 series and specifies several safety communication layers (profiles and corresponding protocols) based on the communication profiles and protocol layers of IEC 61784-1, IEC 61784-2 and the IEC 61158 series. It does not cover electrical safety and intrinsic safety aspects.


Figure 1 shows the relationships between this standard and relevant safety and fieldbus standards in a machinery environment.



NOTE Subclauses 6.7.6.4 (high complexity) and 6.7.8.1.6 (low complexity) of IEC 62061 specify the relationship between PL (Category) and SIL.

**Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)**

Figure 2 shows the relationships between this standard and relevant safety and fieldbus standards in a process environment.



**Key**

- (yellow) safety-related standards
- (blue) fieldbus-related standards
- (dashed yellow) this standard

<sup>a</sup> For specified electromagnetic environments; otherwise IEC 61326-3-1.

<sup>b</sup> EN ratified.

**Figure 2 – Relationships of IEC 61784-3 with other standards (process)**

Safety communication layers which are implemented as parts of safety-related systems according to IEC 61508 series provide the necessary confidence in the transportation of messages (information) between two or more participants on a fieldbus in a safety-related system, or sufficient confidence of safe behaviour in the event of fieldbus errors or failures.

Safety communication layers specified in this standard do this in such a way that a fieldbus can be used for applications requiring functional safety up to the Safety Integrity Level (SIL) specified by its corresponding functional safety communication profile.

The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile within this system – implementation of a functional safety communication profile in a standard device is not sufficient to qualify it as a safety device.

This standard describes:

- basic principles for implementing the requirements of IEC 61508 series for safety-related data communications, including possible transmission faults, remedial measures and considerations affecting data integrity;
- individual description of functional safety profiles for several communication profile families in IEC 61784-1 and IEC 61784-2;
- safety layer extensions to the communication service and protocols sections of the IEC 61158 series.

## 0.2 Patent declaration

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning the functional safety communication profiles for family 1 as follows, where the [xx] notation indicates the holder of the patent right:

US 6,999,824	[FF]	System and method for implementing safety instrumented systems in a fieldbus architecture
--------------	------	---

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patents rights have assured the IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC.

Information may be obtained from:

[FF]	Fieldbus Foundation
	9005 Mountain Ridge Drive
	Bowie Bldg. - Suite 190
	Austin, TX 78759-5316
	USA
	Tel: +1 512 794 8890

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

### Part 3-1: Functional safety fieldbuses – Additional specifications for CPF 1

#### 1 Scope

This part of the IEC 61784-3 series specifies a safety communication layer (services and protocol) based on CPF 1 of IEC 61784-1 and IEC 61158 Types 1 and 9. It identifies the principles for functional safety communications defined in IEC 61784-3 that are relevant for this safety communication layer.

NOTE 1 It does not cover electrical safety and intrinsic safety aspects. Electrical safety relates to hazards such as electrical shock. Intrinsic safety relates to hazards associated with potentially explosive atmospheres.

This part<sup>1</sup> defines mechanisms for the transmission of safety-relevant messages among participants within a distributed network using fieldbus technology in accordance with the requirements of IEC 61508 series<sup>2</sup> for functional safety. These mechanisms may be used in various industrial applications such as process control, manufacturing automation and machinery.

This part provides guidelines for both developers and assessors of compliant devices and systems.

NOTE 2 The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile within this system – implementation of a functional safety communication profile according to this part in a standard device is not sufficient to qualify it as a safety device.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-2, *Programmable controllers – Part 2: Equipment requirements and tests*

IEC 61158-2, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-1, *Industrial communication networks – Fieldbus specifications – Part 3-1: Data-link layer service definition – Type 1 elements*

IEC 61158-4-1, *Industrial communication networks – Fieldbus specifications – Part 4-1: Data-link layer protocol specification – Type 1 elements*

IEC 61158-5-5, *Industrial communication networks – Fieldbus specifications – Part 5-5: Application layer service definition – Type 5 elements*

<sup>1</sup> In the following pages of this standard, “this part” will be used for “this part of the IEC 61784-3 series”.

<sup>2</sup> In the following pages of this standard, “IEC 61508” will be used for “IEC 61508 series”.

IEC 61158-5-9, *Industrial communication networks – Fieldbus specifications – Part 5-9: Application layer service definition – Type 9 elements*

IEC 61158-6-5, *Industrial communication networks – Fieldbus specifications – Part 6-5: Application layer protocol specification – Type 5 elements*

IEC 61158-6-9, *Industrial communication networks – Fieldbus specifications – Part 6-9: Application layer protocol specification – Type 9 elements*

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61508-1:2010<sup>3</sup>, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61508-2:2010<sup>3</sup>, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems*

IEC 61508-3:2010<sup>3</sup>, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 3: Software requirements*

IEC 61508-4:2010<sup>3</sup>, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 4: Definitions and abbreviations*

IEC 61511 (all parts), *Functional safety – Safety instrumented systems for the process industry sector*

IEC 61784-1, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 61784-3:2010<sup>4</sup>, *Industrial communication networks – Profiles – Part 3: Functional safety fieldbuses – General rules and profile definitions*

IEC 61918, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 62280-1, *Railway applications – Communication, signalling and processing systems – Part 1: Safety-related communication in closed transmission systems*

ISO/IEC 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

---

<sup>3</sup> To be published.

<sup>4</sup> To be published.