

INTERNATIONAL STANDARD

IEC 61909

First edition
2000-06

Audio recording – Minidisc system

*Enregistrement audio –
Système de minidisque*

© IEC 2000 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland
Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XH**

For price, see current catalogue

CONTENTS

	Page
FOREWORD	7
Clause	
1 General.....	8
1.1 Scope	8
1.2 Normative references	8
1.3 Basic parameters	9
1.4 Definitions.....	10
2 Disc specification	16
2.1 Validity.....	16
2.2 Conditions for measurement of the mechanical dimensions	16
2.3 Other test conditions	16
2.4 Optical pick-up unit for disc measurements	16
2.5 Read out system	17
2.6 Outer diameter.....	17
2.7 Centre hole	18
2.8 Thickness	18
2.9 Clamping block	19
2.10 Deflection	19
2.11 Protective coating	20
2.12 Optical requirements	21
2.13 Information area.....	22
2.14 Track pitch.....	22
2.15 Rotation	22
2.16 Vertical deviations of the information layer.....	23
2.17 Radial deviations of the track	23
2.18 Write conditions (valid only for recordable groove).....	24
2.19 Read conditions	25
2.20 HF signals.....	26
2.21 Radial tracking signals (including lead-in and lead-out areas)	27
2.22 Tangential tracking signals (valid only for recordable groove and lead-out groove) .	27
2.23 Address encoding (valid only for recordable groove and lead-out groove)	28
2.24 Operating conditions	28
2.25 Storage conditions	28
3 Optical stylus	35
4 Cartridge.....	36
4.1 Size	36
4.2 Mass.....	36
4.3 Centre hole on the bottom	36
4.4 Windows	37
4.5 Shutter.....	37
4.6 Horizontal centring of the disc on the player/recorder.....	37
4.7 Horizontal pre-position of the disc in the cartridge.....	38
4.8 Vertical positioning of the disc on the player/recorder	38
4.9 Vertical clearance between the disc and the cartridge.....	38

4.10	Depth of the sensing holes	39
4.11	Depth of sensing ditch.....	39
4.12	Holding force	39
4.13	Operating conditions	39
4.14	Storage conditions	39
4.15	Protection of the information area on the disc.....	39
5	Address	49
5.1	Cluster concept.....	49
5.2	Pits	49
5.3	Groove.....	50
5.4	Disc layout.....	50
5.5	Border of a cluster	51
5.6	Conversion table from address to time	51
6	Pregroove modulation (valid only for recordable MD)	52
6.1	Validity.....	52
6.2	General parameters	52
6.3	FM modulation	52
6.4	Sector format	52
6.5	Data format.....	53
6.6	Error detection	53
6.7	Bit rate.....	54
6.8	ADIP encoder.....	54
7	EFM modulation	55
7.1	General.....	55
7.2	Subcode	55
8	ACIRC error correction system	57
8.1	General.....	57
8.2	ACIRC encoder.....	57
8.3	ACIRC decoder.....	57
9	Sector data structure.....	62
9.1	General.....	62
9.2	Scrambling.....	62
9.3	Sector sync.....	62
9.4	Sector header	62
9.5	Data field	63
10	Audio data.....	68
10.1	Audio sector data format	68
10.2	Audio data decoding.....	80
10.3	Additional information.....	100
11	Data organization	118
11.1	General.....	118
11.2	Synchronization rules	119
11.3	Linking rules (valid only for recordable grooves)	119
11.4	Lead-in area.....	120
11.5	Premastered area	128
11.6	UTOC area	129
11.7	Recordable user area.....	138
11.8	Lead-out area	141

11.9	Modified ISO 8859-1 code for the minidisc system.....	157
11.10	Music shifted JIS code for the minidisc system	157
11.11	Application rule for Japanese Katakana format	164
12	Serial copy management system	167
12.1	General.....	167
12.2	Recording rule on the MD.....	168
12.3	Playback rule to the digital audio interface.....	169
13	Shock proof memory system	170
13.1	Linear velocity.....	170
13.2	Shock proof feature.....	170
14	Application rules.....	171
14.1	Playback rules	171
14.2	Recording rules.....	172
14.3	Premastered MD	172
Annex A (informative) Recommendations and clarifications for the MD system.....		174
A.1	Principles of operation.....	173
A.2	Measurement of the disc reflectivity.....	174
A.3	Measurement of the optical disc unbalance	175
A.4	Measurement of the groove wobble amplitude	176
A.5	Beat of wobble and groove geometry	179
A.6	Environment operating and storage conditions.....	182
A.7	Measurement of the optimum recording power P_O	183
A.8	Measurement of jitter and signal frequency time errors	184
A.9	Local defects.....	187
A.10	Burst errors	187
A.11	Push-pull tracking signal.....	187
A.12	Noise in push-pull tracking signal.....	187
A.13	Diagauges for centre hole on the disc	188
A.14	Compliance test of the MD cartridge	190
A.15	Aarea for braille.....	192
A.16	Long shutter	193
A.17	Extended volume and bend of cartridge	193
A.18	Definition of air cleanliness	194
A.19	Test of impact durability (recordable disc only).....	195
A.20	Measurement of the friction force.....	196
A.21	Label area	197
A.22	Wobble signal leakage into I_{sum}	198
Figure 1 – Layout of the MD.....		15
Figure 2 – MiniDisc possible profile		29
Figure 3 – HF signal		30
Figure 4 – Spectral components of the time error versus the maximum allowed time error due to mastering or recording		31
Figure 5 – Typical shape of the error signal for tracking versus radial position.....		31

Figure 6 – Open-loop transfer function of the radial servo for an MD-recorder	32
Figure 7 – Open-loop transfer function of the radial servo for tracking measurement	32
Figure 8 – Operating conditions	33
Figure 9 – Roughness and irregularity (recordable disc only)	34
Figure 10 – Optical stylus	35
Figure 11 – MD cartridge specifications for the premastered version	40-43
Figure 12 – MD cartridge specifications for the recordable version	44-47
Figure 13 – Maximum existing area of the disc.....	48
Figure 14 – ADIP encoder block diagram	54
Figure 15 – MD encoding/decoding system (main channel)	56
Figure 16 – ACIRC encoder (add-on de-interleave + encoder).....	58
Figure 17 – Integrated ACIRC encoder.....	59
Figure 18 – ACIRC decoder (CIRC decoder + add-on interleave).....	60
Figure 19 – Integrated ACIRC decoder.....	61
Figure 20 – Relation between 16 bit samples and data bytes.....	64
Figure 21 – Layout of a data block	65
Figure 22 – Scrambler structure.....	65
Figure 23 – Layout of the sync field.....	66
Figure 24 – Layout of the header field.....	66
Figure 25 – Sector construction of MD	67
Figure 28 – Sector structure of MD (general).....	144
Figure 29 – Sector structure of MD (programme area).....	145
Figure 30 – Sector structure of MD (TOC sector = 0 (mandatory))	146
Figure 31 – Sector structure of MD (TOC sector = 1 (option))	147
Figure 32 – Sector structure of MD (TOC sector = 2 (option))	148
Figure 33 – Sector structure of MD (TOC sector = 3 (option))	149
Figure 34 – Sector structure of MD (TOC sector = 4 (option))	150
Figure 35 – Sector structure of MD (UTOOC sector = 0 (mandatory)).....	151
Figure 36 – Sector structure of MD (UTOOC sector = 1 (option))	152
Figure 37 – Sector structure of MD (UTOOC sector = 2 (option))	153
Figure 38 – Sector structure of MD (UTOOC sector = 4 (option))	154
Figure 39 – Mapping of JIS code to shifted JIS.....	160
Figure 40 – Example of transformation rule.....	165
Figure A.1 – Schematic set-up for reflectivity measurements.....	174
Figure A.2 – Unbalance versus read out time in a recordable MD system	175
Figure A.3 – Radial error signal	178
Figure A.4 –Groove wobble.....	178
Figure A.5 – Grooves “in phase”	183
Figure A.6 – Grooves “out of phase”	180
Figure A.7 – Groove geometry	180
Figure A.8 – ATER and BLER windows for a wide and deep groove.....	181
Figure A.9 – ATER and BLER windows for a narrow and shallow groove	181
Figure A.10 – Cyclic climatic test	183

Figure A.11 – Recording power (mW) versus block error rate	184
Figure A.12 – Examples of time errors	186
Figure A.13 – Diagauge	188
Figure A.14 – Disc base.....	189
Figure A.15 – Measurement method	189
Figure A.16 – Test gauge	190
Figure A.17 – Test method (4-forces).....	191
Figure A.18 – Test method (3-forces).....	191
Figure A.19 – The area for braille.....	192
Figure A.20 – Extended volume and bend of cartridge.....	193
Figure A.21 – Number of particles.....	194
Figure A.22 – Test of impact durability	195
Figure A.23 – Arrangement of head and disc for the measurement of friction force.....	196
Figure A.24 – Label area	197
Figure A.25 – Wobble signal leakage	198
Table 1 – ASCII – Code table.....	155
Table 2 – 6 bit format	156
Table 3 – Modified ISO 8859-1 code table for the minidisc system	158
Table 4 – JIS code table for minidisc system (see JISX0208 except for MD external characters in table 5).....	159
Table 5 – Contents of MD external characters.....	161
Table 6 – Caption of illustrated characters	162-164
Table 7 – The translation between the Roman alphabet and Japanese katakana	167
Table 8 – Recording rule.....	168

INTERNATIONAL ELECTROTECHNICAL COMMISSION

AUDIO RECORDING – MINIDISC SYSTEM

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61909 has been prepared by subcommittee 100B: Audio, video and multimedia information storage systems, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
100B/259/FDIS	100B/268/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annex A is for information only.

The committee has decided that the contents of this publication will remain unchanged until 2010-06. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual or French version of this standard may be issued at a later date.

AUDIO RECORDING – MINIDISC SYSTEM

1 General

1.1 Scope

This International Standard applies to the MiniDisc (MD). It defines the mechanical and electrical characteristics necessary to ensure the interchangeability of both premastered optical discs and recordable magneto-optical discs of 64 mm diameter for the compressed digital audio recording system.

1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60908:1999, *Compact disc digital audio system*

IEC 60958:1989, *Digital audio interface*

ISO 683-13:1986, *Heat-treatable steels, alloy steels and free-cutting steels – Part 13: Wrought stainless steels*

ISO 3901:1986, *Documentation – International Standard Recording Code (ISRC)*

ISO 8859-1:1998, *Information technology – 8 bit single byte coded graphic character sets – Part 1: Latin alphabet No. 1*

JISX0208:1990, *Code of the Japanese graphic character set for information interchange*