



# CONSOLIDATED VERSION



---

**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying  
IEC 60958 –  
Part 2: Burst-info**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.160.30

ISBN 978-2-8322-5518-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## REDLINE VERSION



---

**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying  
IEC 60958 –  
Part 2: Burst-info**



## CONTENTS

FOREWORD .....	3
INTRODUCTION to Amendment 1 .....	5
INTRODUCTION to Amendment 2 .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions and abbreviations .....	7
3.1 Terms and definitions .....	7
3.2 Abbreviations .....	8
4 Burst-info .....	8
4.1 General .....	8
4.2 Data-type and subdata-type .....	9
4.3 Audio data-bursts .....	12
4.3.1 General .....	12
4.3.2 AC-3 .....	12
4.3.3 MPEG-1 layer-1 .....	12
4.3.4 MPEG-1 layer-2 or layer-3 or MPEG-2 without extension .....	12
4.3.5 MPEG-2 with extension .....	13
4.3.6 MPEG-2 AAC .....	13
4.3.7 MPEG-2 layer-1 low sampling frequency .....	13
4.3.8 MPEG-2 layer-2 low sampling frequency .....	13
4.3.9 MPEG-2 layer-3 low sampling frequency .....	13
4.3.10 DTS type I .....	13
4.3.11 DTS type II .....	13
4.3.12 DTS type III .....	13
4.3.13 DTS type IV .....	13
4.3.14 ATRAC .....	14
4.3.15 ATRAC 2/3 .....	14
4.3.16 ATRAC-X .....	14
4.3.17 MPEG-2 AAC low sampling frequency .....	14
4.3.18 MPEG-4 AAC .....	14
4.3.19 Windows Media Audio professional .....	14
4.3.20 Enhanced AC-3 .....	14
4.3.21 MAT .....	14
4.3.22 MPEG-4 ALS .....	15
4.3.23 MPEG-4 AAC LC in LATM/LOAS .....	15
4.3.24 MPEG-4 HE AAC in LATM/LOAS .....	15
4.3.25 DRA .....	15
4.3.26 ATRAC-X low latency .....	15
4.3.27 MPEG-H 3D Audio .....	15
4.3.28 AC-4, AC-4 HBR4, AC-4 HBR16 and AC-4 LD .....	16
4.3.29 MPEG-4 ALS in LATM/LOAS .....	16
Bibliography .....	17
Table 1 – Fields of burst-info .....	9
Table 2 – Data-types .....	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL AUDIO –  
INTERFACE FOR NON-LINEAR PCM ENCODED  
AUDIO BITSTREAMS APPLYING IEC 60958 –**

**Part 2: Burst-info**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 61937-2 bears the edition number 2.2. It consists of the second edition (2007-05) [documents 100/1115/CDV and 100/1221/RVC], its amendment 1 (2011-10) [documents 100/1811/CDV and 100/1884/RVC] and its amendment 2 (2018-03) [documents 100/2944/CDV and 100/3032/RVC]. The technical content is identical to the base edition and its amendments.**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 61937-2 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

- a) New audio data-types of enhanced AC-3 data, MPEG-2 AAC low sampling frequency, MPEG-4 AAC, DTS type IV, ATRAC-X, WMA professional and MAT are added.
- b) Data-type field in Pc is expanded from bit 0-4 to 0-6.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61937 series, under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION to Amendment 1

The revision of IEC 61937-2 (2007) has become necessary to define additional data types, in order to be consistent with the data-type field description in IEC 61937-1 and to clarify the rule and definition of this data-type. Amendment 1 contains the following significant technical changes with respect to the base publication (IEC 61937-2, second edition).

- New audio data-types of MPEG-4 ALS, MPEG-4 AAC LC in LATM/LOAS, MPEG-4 HE AAC in LATM/LOAS and DRA are added.
- The description of data-type and subdata-type fields in Pc is clarified.
- A rule has been defined for new data-types.

## INTRODUCTION to Amendment 2

The revision of IEC 61937-2:2007 has become necessary to define additional data types. Amendment 2 contains the following significant technical changes with respect to the base publication (IEC 61937-2:2007 and IEC 61937-2:2007/AMD1:2011):

- a) new audio data-types of ATRAC-X low latency, MPEG-H 3D Audio, MPEG-H 3D Audio HBR, AC-4, AC-4 HBR4, AC-4 HBR16, AC-4 LD and MPEG-4 ALS in LATM/LOAS are added;
- b) units of Pd column is added to Table 2;
- c) update SMPTE reference.

In the next full revision of IEC 61937-2, it is planned to relinquish the use of "Conventional data-type" and "Subdata-type", replacing them with "data-type bits 0 to 4" and "data-type bits 5 to 6", respectively.

# DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

## Part 2: Burst-info

### 1 Scope

This part of IEC 61937 specifies the digital audio interface to convey non-linear PCM encoded audio bitstreams applying IEC 60958-1 and IEC 60958-3. This standard specifies burst-info which defines content information about the data contained in the burst payload.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

IEC 61937-1:2007, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-3, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 format*

IEC 61937-4, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 4: Non-linear PCM bitstreams according to the MPEG audio format*

IEC 61937-5, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s)*

IEC 61937-6, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC audio formats*

IEC 61937-7, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 7: Non-linear PCM bitstreams according to the ATRAC, ATRAC2/3 and ATRAC-X formats*

IEC 61937-8:2006, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 8: Non-linear PCM bitstreams according to the Windows Media Audio (WMA) Professional format*

IEC 61937-9, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 9: Non-linear PCM bitstreams according to the MAT format<sup>4</sup>*

<sup>4</sup>~~To be published.~~

IEC 61937-2:2007+AMD1:2011  
+AMD2:2018 CSV © IEC 2018

– 7 –

IEC 61937-10, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 10: Non-linear PCM bitstreams according to the MPEG-4 audio lossless coding (ALS) format*

IEC 61937-11, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 11: MPEG-4 AAC and its extensions in LATM/LOAS*

IEC 61937-12, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 12: Non-linear PCM bitstreams according to the DRA formats*

IEC 61937-13, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 13: MPEG-H 3D Audio*

IEC 61937-14, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 14: Non-linear PCM bitstreams according to the AC-4 format*

ISO/IEC 11172-3, *Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mb/s – Part 3: Audio*

ISO/IEC 13818-3, *Information technology – Generic coding of moving pictures and associated audio information – Part 3: Audio*

ISO/IEC 13818-7, *Information technology – Generic coding of moving pictures and associated audio information – Advanced Audio Coding (AAC)*

ISO/IEC 14496-3, *Information technology – Coding of audio-visual objects – Part 3: Audio*

ITU-R Recommendation BS.1196, *Audio coding for digital terrestrial television broadcasting*

## FINAL VERSION

---

**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying  
IEC 60958 –  
Part 2: Burst-info**



## CONTENTS

FOREWORD .....	3
INTRODUCTION to Amendment 1 .....	5
INTRODUCTION to Amendment 2 .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions and abbreviations .....	7
3.1 Terms and definitions .....	7
3.2 Abbreviations .....	8
4 Burst-info .....	8
4.1 General .....	8
4.2 Data-type and subdata-type .....	9
4.3 Audio data-bursts .....	11
4.3.1 General .....	11
4.3.2 AC-3 .....	11
4.3.3 MPEG-1 layer-1 .....	12
4.3.4 MPEG-1 layer-2 or layer-3 or MPEG-2 without extension .....	12
4.3.5 MPEG-2 with extension .....	12
4.3.6 MPEG-2 AAC .....	12
4.3.7 MPEG-2 layer-1 low sampling frequency .....	12
4.3.8 MPEG-2 layer-2 low sampling frequency .....	12
4.3.9 MPEG-2 layer-3 low sampling frequency .....	12
4.3.10 DTS type I .....	12
4.3.11 DTS type II .....	13
4.3.12 DTS type III .....	13
4.3.13 DTS type IV .....	13
4.3.14 ATRAC .....	13
4.3.15 ATRAC 2/3 .....	13
4.3.16 ATRAC-X .....	13
4.3.17 MPEG-2 AAC low sampling frequency .....	13
4.3.18 MPEG-4 AAC .....	13
4.3.19 Windows Media Audio professional .....	13
4.3.20 Enhanced AC-3 .....	14
4.3.21 MAT .....	14
4.3.22 MPEG-4 ALS .....	14
4.3.23 MPEG-4 AAC LC in LATM/LOAS .....	14
4.3.24 MPEG-4 HE AAC in LATM/LOAS .....	14
4.3.25 DRA .....	14
4.3.26 ATRAC-X low latency .....	15
4.3.27 MPEG-H 3D Audio .....	15
4.3.28 AC-4, AC-4 HBR4, AC-4 HBR16 and AC-4 LD .....	15
4.3.29 MPEG-4 ALS in LATM/LOAS .....	15
Bibliography .....	16
Table 1 – Fields of burst-info .....	9
Table 2 – Data-types .....	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL AUDIO –  
INTERFACE FOR NON-LINEAR PCM ENCODED  
AUDIO BITSTREAMS APPLYING IEC 60958 –**

**Part 2: Burst-info**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 61937-2 bears the edition number 2.2. It consists of the second edition (2007-05) [documents 100/1115/CDV and 100/1221/RVC], its amendment 1 (2011-10) [documents 100/1811/CDV and 100/1884/RVC] and its amendment 2 (2018-03) [documents 100/2944/CDV and 100/3032/RVC]. The technical content is identical to the base edition and its amendments.**

**This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.**

International Standard IEC 61937-2 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

- a) New audio data-types of enhanced AC-3 data, MPEG-2 AAC low sampling frequency, MPEG-4 AAC, DTS type IV, ATRAC-X, WMA professional and MAT are added.
- b) Data-type field in Pc is expanded from bit 0-4 to 0-6.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61937 series, under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION to Amendment 1

The revision of IEC 61937-2 (2007) has become necessary to define additional data types, in order to be consistent with the data-type field description in IEC 61937-1 and to clarify the rule and definition of this data-type. Amendment 1 contains the following significant technical changes with respect to the base publication (IEC 61937-2, second edition).

- New audio data-types of MPEG-4 ALS, MPEG-4 AAC LC in LATM/LOAS, MPEG-4 HE AAC in LATM/LOAS and DRA are added.
- The description of data-type and subdata-type fields in Pc is clarified.
- A rule has been defined for new data-types.

## INTRODUCTION to Amendment 2

The revision of IEC 61937-2:2007 has become necessary to define additional data types. Amendment 2 contains the following significant technical changes with respect to the base publication (IEC 61937-2:2007 and IEC 61937-2:2007/AMD1:2011):

- a) new audio data-types of ATRAC-X low latency, MPEG-H 3D Audio, MPEG-H 3D Audio HBR, AC-4, AC-4 HBR4, AC-4 HBR16, AC-4 LD and MPEG-4 ALS in LATM/LOAS are added;
- b) units of Pd column is added to Table 2;
- c) update SMPTE reference.

In the next full revision of IEC 61937-2, it is planned to relinquish the use of "Conventional data-type" and "Subdata-type", replacing them with "data-type bits 0 to 4" and "data-type bits 5 to 6", respectively.

# DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

## Part 2: Burst-info

### 1 Scope

This part of IEC 61937 specifies the digital audio interface to convey non-linear PCM encoded audio bitstreams applying IEC 60958-1 and IEC 60958-3. This standard specifies burst-info which defines content information about the data contained in the burst payload.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

IEC 61937-1:2007, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-3, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 format*

IEC 61937-4, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 4: Non-linear PCM bitstreams according to the MPEG audio format*

IEC 61937-5, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s)*

IEC 61937-6, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC audio formats*

IEC 61937-7, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 7: Non-linear PCM bitstreams according to the ATRAC, ATRAC2/3 and ATRAC-X formats*

IEC 61937-8:2006, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 8: Non-linear PCM bitstreams according to the Windows Media Audio (WMA) Professional format*

IEC 61937-9, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 9: Non-linear PCM bitstreams according to the MAT format*

IEC 61937-2:2007+AMD1:2011 – 7 –  
+AMD2:2018 CSV © IEC 2018

IEC 61937-10, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 10: Non-linear PCM bitstreams according to the MPEG-4 audio lossless coding (ALS) format*

IEC 61937-11, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 11: MPEG-4 AAC and its extensions in LATM/LOAS*

IEC 61937-12, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 12: Non-linear PCM bitstreams according to the DRA formats*

IEC 61937-13, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 13: MPEG-H 3D Audio*

IEC 61937-14, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 14: Non-linear PCM bitstreams according to the AC-4 format*

ISO/IEC 11172-3, *Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mb/s – Part 3: Audio*

ISO/IEC 13818-3, *Information technology – Generic coding of moving pictures and associated audio information – Part 3: Audio*

ISO/IEC 13818-7, *Information technology – Generic coding of moving pictures and associated audio information – Advanced Audio Coding (AAC)*

ISO/IEC 14496-3, *Information technology – Coding of audio-visual objects – Part 3: Audio*

ITU-R Recommendation BS.1196, *Audio coding for digital terrestrial television broadcasting*