

## REDLINE VERSION



---

**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 –  
Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.160.30

ISBN 978-2-8322-4677-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	3
1 Scope .....	5
2 Normative references .....	5
3 Terms, definitions and abbreviated terms .....	5
3.7 Abbreviated terms .....	6
4 Mapping of the audio bitstream on to IEC 61937-1 .....	6
4.1 General .....	6
4.2 AC-3 and enhanced AC-3 burst-info .....	6
5 Format of AC-3 and enhanced AC-3 data-bursts .....	7
5.1 General .....	7
5.2 Pause data-burst .....	7
5.3 Audio data-bursts .....	8
5.3.1 AC-3 data .....	8
5.3.2 Latency of AC-3 decoding .....	9
5.3.3 Enhanced AC-3 data .....	10
5.3.4 Latency of the enhanced AC-3 decoder .....	12
Bibliography .....	14
Figure 1 – AC-3 data-burst, with reference point R .....	8
Figure 2 – Latency of AC-3 decoding .....	9
Figure 3 – Enhanced AC-3 data-burst .....	11
Figure 4 – Latency of enhanced AC-3 decoding .....	12
Table 1 – Fields of burst-info .....	7
Table 2 – Repetition period of the pause data-bursts .....	7
Table 3 – Data-type-dependent information when data-type bits 0-4 = 1 .....	8
Table 4 – Data-type-dependent information when data-type bits 0-4 = 21 and data-type bits 5-6 = 0 .....	11
<del>Table 5 – Frame repetition period and maximum data rate for enhanced AC-3 bitstreams .....</del>	<del>12</del>
Table 5 – Maximum enhanced AC-3 burst-payload size and bitstream data rate per sampling frequency and IEC 60958 frame rate .....	12

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

#### Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

#### DISCLAIMER

**This Redline version is not an official IEC Standard and is intended only to provide the user with an indication of what changes have been made to the previous version. Only the current version of the standard is to be considered the official document.**

**This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

International Standard IEC 61937-3 has been prepared by subcommittee technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition of IEC 61937-3 cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of support for enhanced AC-3 bitstreams with a sampling frequency of 32 kHz;
- b) updates to normative and informative references;
- c) clarification of pause data-burst usage for enhanced AC-3 bitstreams.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2720/CDV	100/2934/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61973 series, published under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**

## DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

### Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats

#### 1 Scope

This part of IEC 61937 describes the method used to convey non-linear PCM bitstreams encoded according to the AC-3 and enhanced AC-3 formats.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60958 (all parts), Digital audio interface~~

IEC 61937-1:2007, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 1: General*

IEC 61937-1:2007/AMD1:2011, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 1: General*

IEC 61937-2:~~2007~~, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 2: Burst-info*

~~ATSC Standard A/52B, Digital Audio Compression (AC-3, E-AC-3), Rev. B~~

ETSI TS 102 366, *Digital Audio Compression (AC-3, Enhanced AC-3) Standard*

# INTERNATIONAL STANDARD

---

**Digital audio – Interface for non-linear PCM encoded audio bitstreams applying  
IEC 60958 –  
Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced  
AC-3 formats**



## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references .....	5
3 Terms, definitions and abbreviated terms .....	5
3.7 Abbreviated terms.....	6
4 Mapping of the audio bitstream on to IEC 61937-1 .....	6
4.1 General.....	6
4.2 AC-3 and enhanced AC-3 burst-info.....	6
5 Format of AC-3 and enhanced AC-3 data-bursts.....	7
5.1 General.....	7
5.2 Pause data-burst .....	7
5.3 Audio data-bursts.....	7
5.3.1 AC-3 data .....	7
5.3.2 Latency of AC-3 decoding.....	8
5.3.3 Enhanced AC-3 data.....	9
5.3.4 Latency of the enhanced AC-3 decoder .....	11
Bibliography.....	13
Figure 1 – AC-3 data-burst, with reference point R.....	7
Figure 2 – Latency of AC-3 decoding .....	8
Figure 3 – Enhanced AC-3 data-burst .....	10
Figure 4 – Latency of enhanced AC-3 decoding .....	11
Table 1 – Fields of burst-info .....	6
Table 2 – Repetition period of the pause data-bursts .....	7
Table 3 – Data-type-dependent information when data-type bits 0-4 = 1 .....	8
Table 4 – Data-type-dependent information when data-type bits 0-4 = 21 and data-type bits 5-6 = 0.....	10
Table 5 – Maximum enhanced AC-3 burst-payload size and bitstream data rate per sampling frequency and IEC 60958 frame rate.....	11

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

#### Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61937-3 has been prepared by subcommittee technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition of IEC 61937-3 cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of support for enhanced AC-3 bitstreams with a sampling frequency of 32 kHz;
- b) updates to normative and informative references;
- c) clarification of pause data-burst usage for enhanced AC-3 bitstreams.



The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2720/CDV	100/2934/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61973 series, published under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

# DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

## Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats

### 1 Scope

This part of IEC 61937 describes the method used to convey non-linear PCM bitstreams encoded according to the AC-3 and enhanced AC-3 formats.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61937-1:2007, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 1: General*

IEC 61937-1:2007/AMD1:2011, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 1: General*

IEC 61937-2, *Digital audio interface for non-linear PCM encoded audio bit streams applying IEC 60958 – Part 2: Burst-info*

ETSI TS 102 366, *Digital Audio Compression (AC-3, Enhanced AC-3) Standard*