

This is a preview - click here to buy the full publication



IEC 61996-1

Edition 2.0 2013-05

# INTERNATIONAL STANDARD

---

**Maritime navigation and radiocommunication equipment and systems –  
Shipborne voyage data recorder (VDR) –  
Part 1: Performance requirements, methods of testing and required test results**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XC**

---

ICS 47.020.70

ISBN 978-2-83220-799-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references.....	8
3 Terms, definitions and abbreviations.....	9
3.1 Terms and definitions.....	9
3.2 Abbreviations.....	12
4 Performance requirements.....	12
4.1 General.....	12
4.2 Purpose.....	12
4.3 Operational requirements.....	12
4.3.1 Design and construction.....	12
4.3.2 Maintenance of sequential records.....	13
4.3.3 Co-relation in date and time.....	13
4.3.4 Final recording medium.....	13
4.3.5 Interfaces.....	14
4.3.6 Performance test.....	15
4.4 Data selection and security.....	15
4.4.1 Selection of data items.....	15
4.4.2 Configuration data.....	15
4.4.3 Resistance to tampering.....	16
4.4.4 Recording integrity.....	16
4.5 Operation.....	17
4.5.1 Recording and saving of data.....	17
4.5.2 Power source.....	17
4.5.3 Dedicated reserve power source.....	17
4.5.4 Recording period and duration.....	17
4.6 Data items to be recorded.....	17
4.6.1 Date and time.....	17
4.6.2 Ship's position.....	18
4.6.3 Speed.....	18
4.6.4 Heading.....	18
4.6.5 Bridge audio.....	18
4.6.6 Communications audio.....	18
4.6.7 Radar data – post-display selection.....	18
4.6.8 ECDIS.....	19
4.6.9 Echo sounder.....	19
4.6.10 Main alarms.....	19
4.6.11 Rudder order and response.....	19
4.6.12 Engine and thruster order and response.....	19
4.6.13 Hull openings (doors) status.....	19
4.6.14 Watertight and fire door status.....	20
4.6.15 Accelerations and hull stresses.....	20
4.6.16 Wind speed and direction.....	20
4.6.17 AIS.....	20
4.6.18 Rolling motion.....	20
4.6.19 Configuration data.....	20
4.6.20 Electronic logbook.....	20

5	Technical characteristics.....	21
5.1	Co-relation in date and time .....	21
5.2	Particular design requirements for the final recording medium .....	21
5.2.1	Fixed protective capsule .....	21
5.2.2	Float-free capsule .....	21
5.2.3	Long-term recording medium .....	21
5.3	Location beacons.....	22
5.3.1	Fixed protective capsule .....	22
5.3.2	Float-free capsule .....	22
5.4	Survivability of recorded data .....	22
5.4.1	Long-term retention .....	22
5.4.2	Physical protection.....	22
5.5	Information to be included in the manufacturer's documentation .....	23
5.5.1	Installation guidelines.....	23
5.5.2	Operation and maintenance manual .....	24
5.5.3	Information for use by an investigation authority .....	24
5.6	Bridge audio specifications .....	24
5.6.1	Input interface.....	24
5.6.2	Reference signal.....	24
5.6.3	Audio frequency response.....	25
5.6.4	Quality index.....	25
5.6.5	Signal noise level – Signal to noise and distortion.....	25
5.6.6	Ability to handle complex signals.....	25
5.6.7	Suppression of low frequency out band noise .....	26
5.6.8	Microphones .....	26
5.7	Communications audio.....	26
5.7.1	Input interfaces .....	26
5.7.2	Reference signal.....	26
5.7.3	Audio frequency response.....	26
5.7.4	Quality index.....	26
5.7.5	Audio noise level – Signal to no signal.....	27
5.7.6	Signal noise level – Signal to noise and distortion (SINAD) .....	27
5.8	Screen image capture .....	27
5.8.1	Input interface.....	27
5.8.2	Image outputs.....	28
5.9	Radar data – Post-display selection .....	28
5.10	ECDIS data .....	28
5.11	Configuration data .....	29
5.11.1	Distribution of data in final recording media .....	29
5.11.2	Protection .....	29
5.11.3	Synchronisation of sensor and configuration data .....	29
5.12	Operational performance test.....	29
5.13	Bridge alert management system .....	29
6	Methods of testing and required test results .....	29
6.1	General .....	29
6.1.1	Test setup .....	29
6.1.2	Download and playback equipment .....	30
6.1.3	Sequence of tests .....	31
6.1.4	Requirements to be checked by inspection only.....	31

6.1.5	Environmental test conditions for normal operation.....	31
6.1.6	Recording duration.....	32
6.1.7	Reserve power source .....	32
6.1.8	Recharging of reserve source of power .....	33
6.1.9	Brief interruption of electrical power .....	33
6.1.10	Recording integrity.....	33
6.1.11	Maintenance of sequential records .....	34
6.1.12	Co-relation in date and time .....	34
6.1.13	Design and construction of the fixed protective capsule.....	34
6.1.14	Design and construction of the float-free capsule .....	36
6.1.15	Operational performance test.....	37
6.1.16	Power source.....	38
6.2	Data items to be recorded.....	38
6.2.1	Date/time – Ship’s position – Speed – Heading.....	38
6.2.2	Bridge audio .....	38
6.2.3	Communications audio.....	44
6.2.4	Radar data, post-display selection and ECDIS.....	47
6.2.5	Other items.....	55
6.2.6	Electronic logbook .....	56
6.3	Interfaces .....	56
Annex A (normative)	IEC 61162 sentence formats .....	57
Annex B (informative)	Mandatory alarms .....	58
Annex C (normative)	Download and playback equipment for investigating authorities .....	61
Annex D (informative)	Requirement/test – Cross-references .....	65
Annex E (normative)	LAN image protocol .....	67
Annex F (informative)	Network for image transmission .....	71
Annex G (normative)	ECDIS display source information.....	74
Bibliography	.....	79
Figure 1	– Insertion of Morse letter “V” in homing transmission .....	22
Figure 2	– Test set-up block diagram.....	49
Figure 3	– Comparison of images .....	53
Figure F.1	– Network with a switch .....	71
Figure F.2	– Network with direct connections.....	72
Figure F.3	– Network for a ship with an extensive bridge.....	73
Table 1	– Bridge audio, signal to no signal measurements .....	41
Table 2	– Bridge audio, signal to noise and distortion (SINAD) measurements .....	42
Table 3	– Complex signals .....	43
Table 4	– Communications audio, signal to no-signal measurements .....	46
Table 5	– Communications audio, signal to noise and distortion (SINAD) measurements .....	47
Table 6	– Intersection colours of test images 1 and 2 .....	51
Table A.1	– References in this standard .....	57
Table B.1	– Mandatory alarms on the bridge.....	58
Table D.1	– Subject list and subclauses (1 of 2) .....	65
Table E.1	– Default values for transmitting equipment .....	70

Table E.2 – Default values for receiving equipment.....	70
Table G.1 – Required chart information .....	75
Table G.2 – Additional chart information .....	75

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – SHIPBORNE VOYAGE DATA RECORDER (VDR) –

#### Part 1: Performance requirements, methods of testing and required test results

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61996-1 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This second edition cancels and replaces the first edition published in 2007 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) The description of the protective capsule in 4.3.4 has been changed in line with the requirements of the new IMO performance standards given in Resolution MSC.333(90) which now require a final recording medium comprising three parts; fixed, float-free and long-term.
- b) A new requirement for a performance test has been added in 4.3.6.

- c) Further data items to be recorded have been added to 4.6 for ECDIS, AIS, rolling motion and electronic logbooks.
- d) Clause 5 contains new technical requirements for configuration data, operational performance test and bridge alert management system. In addition, further technical requirements have been added to 5.6 for bridge audio and to 5.8 for radar and ECDIS images.
- e) References to “alarm” requirements in the previous edition have been substituted by references to “cautions” in line with current IMO recommendations. The test methods in Clause 6 have been updated to reflect the new requirements.
- f) New Annexes E, F and G concerning protocols for interfacing images using a Local Area Network have been added.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/690/FDIS	80/699/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61996 series, under the general title *Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR)*, can be found on the IEC website.

NOTE All text of this standard, whose wording is identical to that of IMO Resolution MSC.333(90), is printed in *italics*, and the Resolution and associated performance standard paragraph numbers are indicated in brackets.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of February 2014 have been included in this copy.

# MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – SHIPBORNE VOYAGE DATA RECORDER (VDR) –

## Part 1: Performance requirements, methods of testing and required test results

### 1 Scope

This part of IEC 61996 specifies the minimum performance requirements, technical characteristics, methods of testing and required test results, for shipborne voyage data recorder (VDR) installations as required by Chapter V of the International Convention for Safety of Life at Sea (SOLAS), as amended. It takes account of IMO resolution A.694(17) and is associated with IEC 60945. When a requirement in this standard is different from IEC 60945, the requirement in this standard takes precedence.

This standard incorporates the applicable parts of the performance standards included in IMO Resolution MSC.333(90).

NOTE All text of this standard, whose wording is identical to that of IMO Resolution MSC.333(90), is printed in *italics*, and the Resolution and associated performance standard paragraph numbers are indicated in brackets.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60268-16, *Sound system equipment – Part 16: Objective rating of speech intelligibility by speech transmission index*

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61097-2, *Global maritime distress and safety system (GMDSS) – Part 2: COSPAS-SARSAT EPIRB – Satellite emergency position indicating radio beacon operating on 406 MHz – Operational and performance requirements, methods of testing and required test results*

IEC 61097-7:1996, *Global maritime distress and safety system (GMDSS) – Part 7: Shipborne VHF radiotelephone transmitter and receiver – Operational and performance requirements, methods of testing and required test results*

IEC 61162 (all parts), *Maritime navigation and radiocommunication equipment and systems – Digital interfaces*

IEC 61162-450:2011, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection*



IEC 61174, *Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results*

IEC 61260:1995, *Electroacoustics – Octave-band and fractional-octave-band filters*  
Amendment 1:2001

IEC 61672-1:2002, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 62388:2007, *Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results*

IMO A.658(16), *Use and fitting of retro-reflective materials on life-saving appliances*

IMO A.662(16), *Performance standards for float-free release and activation arrangements for emergency radio equipment*

IMO A.694(17), *General requirements for shipborne radio equipment forming part of the Global maritime distress and safety system (GMDSS) and for electronic navigational aids*

IMO A.810(19), *Performance standards for float-free satellite emergency position-indicating radio beacons (EPIRBs) operating on 406 MHz*

IMO A.1021(26), *Code on alerts and indicators*

IMO MSC.333(90):2012, *Performance standards for shipborne Voyage Data Recorders (VDRs)*

EUROCAE ED-112:2003, *Minimum operational performance specification (MOPS) for crash protected airborne recorder systems*

VESA:2007, *Video electronics standards association – VESA and industry standards and guidelines for computer display monitor timing (DMT), Version 1.0, Revision 0.11*

SAE AS8045A:2011, *Engineering Society for advancing mobility land sea air and space – Minimum performance standard for underwater locating devices – Acoustic, self-powered*