

IEC TS 62056-1-1

Edition 1.0 2016-05

TECHNICAL SPECIFICATION

Electricity metering data exchange – The DLMS/COSEM suite – Part 1-1: Template for DLMS/COSEM communication profile standards

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220; 35.110; 91.140.50

ISBN 978-2-8322-3327-6

Warning! Make sure that you obtained this publication from an authorized distributor.

– 2 – IEC TS 62056-1-1:2016 © IEC 2016

CONTENTS

| INTRODUCTION 5 1 Scope 6 2 Normative references 6 2 Normative references 6 3 Terms, definitions and abbreviations 7 3.1 Terms and definitions 7 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication profile 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.4 service mapping and adaptation layers 11 5.5 Registration and connection management 111 5.4 service mapping and adaptation layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.4 Security mechanisms | FOREWORD | 3 |
|---|--|------|
| 2 Normative references. 6 3 Terms, definitions and abbreviations 7 3.1 Terms and definitions 7 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication layers for this profile. 9 5.1 Information related to the use of the standard specifying the lower layers. 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.4 Xxx layer 11 5.4 Service mapping and adaptation layers 11 5.4 Service mapping and adaptation layers 11 5.4 Service mapping and adaptation layer services 12 7.1 Overview 12 12 7.2 Application for the application layer services 12 7.3 XDLMS services 12 7.4 Security mechanisms 13 7.5 Transferring long application messages 13 <td>INTRODUCTION</td> <td>5</td> | INTRODUCTION | 5 |
| 3 Terms, definitions and abbreviations 7 3.1 Terms and definitions 7 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication layers for this profile 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.4 Service mapping and adaptation layers 11 5.4 Service mapping and adaptation layer services 12 7.1 Overview 12 7.2 Application and connection management 11 6 Identification and addressing schemes 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 XDLMS services 12 7.4 Security mechanisms 13 | 1 Scope | 6 |
| 3.1 Terms and definitions 7 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication layers for this profile 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.3.4 Xxx layer 11 5.3.5 Registration and connection management 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerati | 2 Normative references | 6 |
| 3.1 Terms and definitions 7 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication layers for this profile 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.3.4 Xxx layer 11 5.3.5 Registration and connection management 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerati | 3 Terms, definitions and abbreviations | 7 |
| 3.2 Abbreviations 8 4 Targeted communication environments 8 5 Use of the communication layers for this profile. 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 5.4 Service mapping and adaptation layer services 12 7.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13< | | |
| 5 Use of the communication layers for this profile 9 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 10 5.3.4 Xxx layer 11 5.4 Service mapping and adaptation layers 11 5.4 Service mapping and adaptation layers 11 6 Identification and connection management 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations for the use of this profile 13 8 Communication configuration and management 13 9 The COS | | |
| 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 10 5.3.4 Xx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional | 4 Targeted communication environments | 8 |
| 5.1 Information related to the use of the standard specifying the lower layers 9 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 10 5.3.4 Xx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional | 5 Use of the communication layers for this profile | 9 |
| 5.2 Structure of the communication profiles 9 5.3 Lower protocol layers and their use 10 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 10 5.3.4 xxx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14< | | |
| 5.3.1 Overview 10 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.3.4 xxx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 11 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 <t< td=""><td></td><td></td></t<> | | |
| 5.3.2 Physical Layer 10 5.3.3 MAC layer 11 5.3.4 xxx layer 11 5.3.4 xxx layer 11 5.3.4 xxx layer 11 5.3.4 xxx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 < | 5.3 Lower protocol layers and their use | .10 |
| 5.3.3 MAC layer 11 5.3.4 xxx layer 11 5.3.4 xxx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – | 5.3.1 Overview | .10 |
| 5.3.4 xxx layer 11 5.4 Service mapping and adaptation layers 11 5.5 Registration and connection management 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 16 Figure 1 – Entities and interfaces of a smart metering system using the t | 5.3.2 Physical Layer | .10 |
| 5.4 Service mapping and adaptation layers. 11 5.5 Registration and connection management. 11 6 Identification and addressing schemes. 11 7 Specific considerations for the application layer services. 12 7.1 Overview. 12 7.2 Application Association establishment and release: ACSE services. 12 7.3 xDLMS services. 12 7.4 Security mechanisms 12 7.5 Transferring long application messages. 13 7.6 Media access, bandwidth and timing considerations. 13 8 Communication configuration and management. 13 9 The COSEM application process. 13 10 Additional considerations for the use of this profile. 13 Annex A (informative) Examples. 14 A.1 Example 1: xxx. 14 A.2 Example 2: xxx. 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0. 9 | , , | |
| 5.5 Registration and connection management. 11 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview. 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 <td>,</td> <td></td> | , | |
| 6 Identification and addressing schemes 11 7 Specific considerations for the application layer services 12 7.1 Overview. 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 8 Communication configuration and management. 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples. 14 A.2 Example 1: xxx. 14 A.2 Example 2: xxx. 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 7 Specific considerations for the application layer services 12 7.1 Overview 12 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | • • | |
| 7.1 Overview | | |
| 7.2 Application Association establishment and release: ACSE services 12 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 11 Example 1: xxx 14 A.1 Examples 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 7.3 xDLMS services 12 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 7.4 Security mechanisms 12 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 7.5 Transferring long application messages 13 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 7.6 Media access, bandwidth and timing considerations 13 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | • | |
| 7.7 Other considerations 13 8 Communication configuration and management 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 8 Communication configuration and management. 13 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples. 14 A.1 Example 1: xxx. 14 A.2 Example 2: xxx. 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | • | |
| 9 The COSEM application process 13 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| 10 Additional considerations for the use of this profile 13 Annex A (informative) Examples 14 A.1 Example 1: xxx 14 A.2 Example 2: xxx 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| Annex A (informative) Examples. 14 A.1 Example 1: xxx. 14 A.2 Example 2: xxx. 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| A.1 Example 1: xxx. 14 A.2 Example 2: xxx. 14 Annex B (normative) New COSEM interface classes and OBIS codes 15 Index 16 Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0 9 | | |
| A.2 Example 2: xxx | | |
| Annex B (normative) New COSEM interface classes and OBIS codes | • | |
| Index | | |
| Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-09 | | |
| IEC 62056-1-0 | | . 10 |
| IEC 62056-1-0 | Figure 4. Exhibits and interference of a superior to the superior to the terminal superior for | |
| | | .9 |
| | | |
| | | |
| Table 1 – Client and server SAPs12 | Table 1 – Client and server SAPs | .12 |

- 3 -

IEC TS 62056-1-1:2016 © IEC 2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 1-1: Template for DLMS/COSEM communication profile standards

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62056-1-1, which is a technical specification, has been prepared by IEC technical committee 13: Electrical energy measurement and control.

- 4 -

IEC TS 62056-1-1:2016 © IEC 2016

The text of this technical specification is based on the following documents:

| Enquiry draft | Report on voting |
|---------------|------------------|
| 13/1643A/DTS | 13/1656/RVC |

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IEC TS 62056-1-1:2016 © IEC 2016

- 5 -

INTRODUCTION

This Technical Specification defines a communication profile template, to be used for establishing IEC 62056 communication profile standards which follow the IEC 62056-1-0 standardization framework.

NOTE It is foreseen that this TS will be integrated into IEC 62056-1-0 as an informative Annex at the next revision of that standard.

In particular, this template is suited for establishing communication profile standards that specify how DLMS/COSEM is used on a specific communication technology where it is assumed that the specific communication technology is already defined by a specific communication standard. The purpose of this template is:

- to improve the readability of the standards;
- to improve the efficiency to develop communication profile standards.

In the Introduction of an IEC 62056 communication profile standard, remove the text above (starting with "This Technical Specification defines ..." and ending with "...to improve the efficiency to develop communication profile standards") and add the following text:

As defined in IEC 62056-1-0, the IEC 62056 DLMS/COSEM suite provides specific communication profile standards for communication media relevant for smart metering.

Such communication profile standards specify how the COSEM data model and the DLMS/COSEM application layer can be used on the lower, communication media specific protocol layers.

Communication profile standards refer to communication standards that are part of the IEC 62056 DLMS/COSEM suite or to any other open communication standard.

This International Standard specifies DLMS/COSEM communication profiles for *<add a brief description of the communication technology and the smart metering interfaces covered>.*

It follows the rules defined in IEC 62056-5-3:2016, Annex A.

Add one paragraph to justify the relevance of the standard by summarising the main use cases of this profile.

- 6 -

IEC TS 62056-1-1:2016 © IEC 2016

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 1-1: Template for DLMS/COSEM communication profile standards

The title of an IEC 62056 communication profile standard shall be:

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part x-x: XXXX communication profile for YYYY networks

Where:

- XXXX identifies the communication technology as it appears in the lower layer standard(s) referenced);
- YYYY identifies the smart metering network section(s) (WAN, NN, LN) the communication technology is used for.

1 Scope

This part of IEC 62056 defines a template for IEC 62056 communication profile standards.

It provides the "Table of contents" of such standards and provides guidance to develop the content of the relevant clauses and subclauses.

NOTE The parts of the standard providing guidance are written in italic font.

In the Scope of an IEC 62056 communication profile standard, remove the text above and add the following:

This International Standard specifies DLMS/COSEM communication profiles for *<add a brief description of the communication technology and the smart metering interfaces covered>.*

The scope of this communication profile standard is restricted to aspects concerning the use of communication protocols in conjunction with the COSEM data model and the DLMS/COSEM application layer. Data structures specific to a communication protocol are out of the Scope of the communication profile standard.

They should be specified in the specific protocol standards.

Any project specific definitions of data structures and data contents may be provided in project specific companion specifications.

Add any other relevant information identifying what is and what is not in the Scope of the communication profile standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62056-1-1:2016 © IEC 2016 - 7 -

List here the standards which are normatively referenced in this document.

IEC 62056-1-0, *Electricity metering data exchange – The DLMS/COSEM suite – Part 1-0: Smart metering standardisation framework*

IEC 62056-4-7, *Electricity metering – Data exchange for meter reading, tariff and load control: DLMS/COSEM transport layers for IP networks*

IEC 62056-5-3:2016, *Electricity metering data exchange – The DLMS/COSEM suite – Part 5-3: DLMS/COSEM application layer*

IEC 62056-6-1, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-1: Object Identification System (OBIS)*

IEC 62056-6-2, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-2:* COSEM interface classes

IEC 62056-9-7, *Electricity metering data exchange – The DLMS/COSEM SUITE – Part 9-7: Communication profile for TCP-UDP/IP networks*