

This is a preview - click here to buy the full publication



IEC 62153-4-3

Edition 2.0 2013-10

INTERNATIONAL STANDARD



**Metallic communication cable test methods –
Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance –
Triaxial method**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 33.100; 33.100.05

ISBN 978-2-8322-1179-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 Principle	11
5 Test methods.....	11
5.1 General	11
5.2 Test equipment	11
5.3 Calibration procedure	12
5.4 Sample preparation	12
5.5 Test set-up	13
5.6 Test configurations	14
5.6.1 General	14
5.6.2 Vector network analyser with S-parameter test set	14
5.6.3 (Vector) network analyser with power splitter	15
5.6.4 Separate signal generator and receiver	15
5.7 Expression of test results	16
5.7.1 Expression	16
5.7.2 Test report.....	16
6 Test method A: Matched inner circuit with damping resistor in outer circuit.....	16
6.1 General	16
6.2 Damping resistor R_2	16
6.3 Cut-off frequency.....	17
6.4 Block diagram of the set-up	17
6.5 Measuring procedure.....	17
6.6 Evaluation of test results	18
7 Test method B: Inner circuit with load resistor and outer circuit without damping resistor	18
7.1 General	18
7.2 Cut-off frequency.....	18
7.3 Block diagram of the set-up	18
7.4 Measuring procedure.....	19
7.5 Evaluation of test results	20
8 Test method C: (Mismatched)-Short-Short without damping resistor	20
8.1 General	20
8.2 Cut-off frequency.....	20
8.3 Block diagram of the set-up	21
8.4 Measuring procedure.....	21
8.5 Evaluation of test results	21
Annex A (normative) Determination of the impedance of the inner circuit	23
Annex B (normative) Impedance matching adapter	24
Annex C (normative) Sample preparation for “milked on braid” method	28
Annex D (informative) Triaxial test set-up depicted as a T-circuit	35
Annex E (informative) Cut-off frequency of the triaxial set-up for the measurement of the transfer impedance	36

Annex F (informative) Impact of ground loops on low frequency measurements	42
Bibliography.....	45
Figure 1 – Definition of Z_T	9
Figure 2 – Definition of Z_F	10
Figure 3 – Preparation of test sample for coaxial cables	13
Figure 4 – Preparation of test sample for symmetrical cables.....	13
Figure 5 – Connection to the tube	14
Figure 6 – Test set-up using a vector network analyser with the S-parameter test set.....	14
Figure 7 – 50 Ω power splitter, 2- and 3-resistor types	15
Figure 8 – Test set-up using a network analyser (NA) and a power splitter	15
Figure 9 – Test set-up using a signal generator and a receiver	15
Figure 10 – Test set-up using a signal generator and a receiver with feeding resistor	16
Figure 11 – Test set-up (principle)	17
Figure 12 – Test set-up (principle)	19
Figure 13 – Test set-up (principle)	21
Figure B.1 – Impedance matching for $Z_2 < Z_1$	24
Figure B.2 – Impedance matching for $Z_2 > Z_1$	25
Figure B.3 – Coaxial impedance matching adapters (50 Ω to 75 Ω).....	26
Figure B.4 – Attenuation of 50 Ω to 75 Ω impedance matching adapter.....	27
Figure C.1 – Coaxial cables: preparation of cable end “A” (1 of 2)	29
Figure C.2 – Coaxial cables: preparation of cable end “B”.....	31
Figure C.3 – Symmetrical cables: preparation of cable end “A” (1 of 2)	32
Figure C.4 – Symmetrical cables: preparation of cable end “B”	33
Figure C.5 – Typical resonance of end “A”	34
Figure C.6 – Typical resonance of end “B”	34
Figure D.1 – Triaxial set-up depicted as a T-circuit	35
Figure E.1 – Equivalent circuit of the triaxial set-up	36
Figure E.2 – Frequency response of the triaxial set-up for different load conditions	38
Figure E.3 – Measurement of S_{11} of the outer circuit (tube) having a length of 50 cm	40
Figure F.1 – Triaxial test set-up	42
Figure F.2 – Equivalent circuits of the triaxial set-up.....	43
Figure F.3 – Example showing the impact of the measurement error.....	44

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METALLIC COMMUNICATION CABLE TEST METHODS –

Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62153-4-3 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) now three different test configurations are described;
- b) formulas to calculate the maximum frequency up to which the different test configurations can be used are included (Annex E: Cut-off frequency of the triaxial set-up for the measurement of the transfer impedance);
- c) the effect of ground loops is described (Annex F: impact of ground loops on low frequency measurements).

The text of this standard is based on the following documents:

FDIS	Report on voting
46/471/FDIS	46/482/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62153 series, published under the general title *Metallic communication cable test methods*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62153 consists of the following parts, under the general title *Metallic communication cable test methods*:

- Part 1-1: *Metallic communication cables test methods – Part 1-1: Electrical – Measurement of the pulse/step return loss in the frequency domain using the Inverse Discrete Fourier Transformation (IDFT)*
- Part 1-2: *Metallic communication cables test methods – Part 1-2: Electrical – Reflection measurement correction¹*
- Part 4-0: *Metallic communication cable test methods – Part 4-0: Electromagnetic compatibility (EMC) – Relationship between surface transfer impedance and screening attenuation, recommended limits*
- Part 4-1: *Metallic communication cable test methods – Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic (EMC) screening measurements*
- Part 4-2: *Metallic communication cable test methods – Part 4-2: Electromagnetic compatibility (EMC) – Screening and coupling attenuation – Injection clamp method*
- Part 4-3: *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*
- Part 4-4: *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Shielded screening attenuation, test method for measuring of the screening attenuation as up to and above 3 GHz*
- Part 4-5: *Metallic communication cables test methods – Part 4-5: Electromagnetic compatibility (EMC) – Coupling or screening attenuation – Absorbing clamp method*
- Part 4-6: *Metallic communication cable test methods – Part 4-6: Electromagnetic compatibility (EMC) – Surface transfer impedance – Line injection method*
- Part 4-7: *Metallic communication cable test methods – Part 4-7: Electromagnetic compatibility (EMC) – Test method for measuring the transfer impedance and the screening – or the coupling attenuation – Tube in tube method*
- Part 4-8: *Metallic communication cable test methods – Part 4-8: Electromagnetic compatibility (EMC) – Capacitive coupling admittance*
- Part 4-9: *Metallic communication cable test methods – Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method*
- Part 4-10: *Metallic communication cable test methods – Part 4-10: Electromagnetic compatibility (EMC) – Shielded screening attenuation test method for measuring the screening effectiveness of feed-throughs and electromagnetic gaskets double coaxial method*
- Part 4-11: *Metallic communication cable test methods – Part 4-11: Electromagnetic compatibility (EMC) – Coupling attenuation or screening attenuation of patch cords, coaxial cable assemblies, pre-connectorized cables – Absorbing clamp method*

¹ Under consideration.

- Part 4-12: *Metallic communication cable test methods – Part 4-12: Electromagnetic compatibility (EMC) – Coupling attenuation or screening attenuation of connecting hardware – Absorbing clamp method*
- Part 4-13: *Metallic communication cable test methods – Part 4-13: Electromagnetic compatibility (EMC) – Coupling attenuation of links and channels (laboratory conditions) – Absorbing clamp method*
- Part 4-14: *Metallic communication cable test methods – Part 4-14: Electromagnetic compatibility (EMC) – Coupling attenuation of cable assemblies (Field conditions) absorbing clamp method*

METALLIC COMMUNICATION CABLE TEST METHODS –

Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method

1 Scope

This part of IEC 62153 determines the screening effectiveness of a cable shield by applying a well-defined current and voltage to the screen of the cable and measuring the induced voltage in order to determine the surface transfer impedance. This test measures only the magnetic component of the transfer impedance.

NOTE The measurement of the electrostatic component (the capacitance coupling impedance) is described in IEC 62153-4-8 [1]².

The triaxial method of measurement is in general suitable in the frequency range up to 30 MHz for a 1 m sample length and up to 100 MHz for a 0,3 m sample length, which corresponds to an electrical length less than about 1/6 of the wavelength in the sample.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TR 62153-4-1:2010, *Metallic communication cable test methods – Part 4-1: Electromagnetic compatibility (EMC) – Introduction to electromagnetic (EMC) screening measurements*

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at <<http://www.electropedia.org>>)

² Numbers in square brackets refer to the bibliography.