



TECHNICAL SPECIFICATION



**Fuel cell technologies –
Part 7-1: Test methods – Single cell performance tests for polymer electrolyte
fuel cells (PEFC)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.070

ISBN 978-2-8322-3768-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	10
4 General safety considerations	14
5 Cell components.....	14
5.1 General.....	14
5.2 Membrane electrode assembly (MEA).....	14
5.3 Gasket.....	14
5.4 Flow plate	14
5.5 Current collector	15
5.6 Clamping plate (or pressure plate).....	15
5.7 Clamping hardware.....	15
5.8 Temperature-control device	15
6 Cell assembly.....	16
6.1 Assembly procedure	16
6.2 Cell orientation and gas connections.....	16
6.3 Leak check	16
7 Test station setup.....	16
7.1 Minimum equipment requirement	16
7.2 Schematic diagram	17
7.3 Maximum variation in test station controls (inputs to test)	18
8 Measuring instruments	18
8.1 Instrument uncertainty	18
8.2 Measuring instruments and measuring methods.....	18
8.2.1 General	18
8.2.2 Voltage.....	18
8.2.3 Current.....	18
8.2.4 Internal resistance (IR)	19
8.2.5 Fuel and oxidant flow rates.....	19
8.2.6 Fuel and oxidant temperature	19
8.2.7 Cell temperature	19
8.2.8 Fuel and oxidant pressures.....	19
8.2.9 Fuel and oxidant humidity.....	20
8.2.10 Ambient conditions	20
8.3 Measurement units	20
9 Gas composition.....	21
9.1 Fuel composition.....	21
9.1.1 Hydrogen.....	21
9.1.2 Reformed gases	21
9.2 Oxidant composition	21
10 Test preparation	21
10.1 Standard test conditions	21
10.2 Ambient conditions.....	22
10.3 Data sampling rate.....	22

10.4	Repeatability and reproducibility	22
10.5	Number of test samples	22
10.6	Leak check of gas circuit with inert or test gas	23
10.7	Initial conditioning and stable state check	23
10.8	Shutdown	23
10.9	Reconditioning	23
11	Basic performance test methods	23
11.1	General	23
11.2	Polarization curve tests	24
11.2.1	General	24
11.2.2	Polarization curves at constant gas stoichiometries	24
11.2.3	Polarization curves at constant flow rate	25
11.3	Steady-state test	25
11.3.1	General	25
11.3.2	Test methods	25
11.4	Long-term operation test	26
11.4.1	General	26
11.4.2	Test method	26
11.5	Voltammetry	26
11.5.1	General	26
11.5.2	Hydrogen crossover test	27
11.5.3	Electrochemical surface area (ECA) measurement	28
11.6	Internal resistance (IR) measurement	30
11.6.1	General	30
11.6.2	Test methods	31
11.7	Electrochemical impedance spectroscopy (EIS)	32
11.7.1	General	32
11.7.2	Test conditions	32
11.7.3	Test method	32
11.7.4	Analysis of EIS data	33
11.7.5	IR measurement by EIS	33
12	Applied performance test methods	33
13	Test report	35
13.1	General	35
13.2	Report items	35
13.3	Test data description	35
13.4	Description of measurement conditions	36
13.5	Test cell parameter description	36
Annex A (informative)	Flow plate	37
Annex B (informative)	Cell component alignment	39
Annex C (informative)	Leak test	40
C.1	Purpose	40
C.2	Test procedures	40
Annex D (informative)	Initial conditioning	42
Annex E (informative)	Shutdown	43
Annex F (informative)	Reconditioning protocols	44
Annex G (informative)	Polarization curve test supplement	45
Annex H (normative)	Applied performance tests	47

H.1	Gain tests	47
H.1.1	Hydrogen gain test	47
H.1.2	Oxygen gain test.....	47
H.2	Gas stoichiometry tests.....	48
H.2.1	Fuel stoichiometry test.....	48
H.2.2	Oxidant stoichiometry test	48
H.3	Temperature effect test.....	49
H.3.1	General	49
H.3.2	Test method	49
H.4	Pressure effect test.....	49
H.4.1	General	49
H.4.2	Test method	49
H.5	Humidity effect tests	49
H.5.1	Fuel humidity effect test.....	49
H.5.2	Oxidant humidity effect test.....	50
H.6	Limiting current test	50
H.6.1	General	50
H.6.2	Test method	50
H.7	Overload test	51
H.7.1	General	51
H.7.2	Test method	51
H.8	Subzero storage test.....	51
H.8.1	General	51
H.8.2	Test method	51
H.9	Subzero start test	52
H.9.1	General	52
H.9.2	Test method	52
H.10	Membrane swelling test (humidity cycle test)	52
H.10.1	General	52
H.10.2	Test conditions	53
H.10.3	Test method	53
H.11	Open circuit voltage (OCV) test.....	53
H.11.1	General	53
H.11.2	Test conditions	53
H.11.3	Test method	54
H.12	Oxygen reduction reaction (ORR) activity test.....	54
H.12.1	General	54
H.12.2	Test conditions	54
H.12.3	Test method	54
H.13	Fuel composition test.....	56
H.13.1	General	56
H.13.2	Test method	56
H.14	Cycling tests	56
H.14.1	Start/stop cycling test	56
H.14.2	Load cycling test.....	57
H.14.3	Potential cycle test (start/stop durability)	57
H.14.4	Potential cycle test (load cycle durability)	58
H.15	Impurity influence tests	59
H.15.1	Influence at rated current density.....	59

H.15.2	Influence on polarization curves	60
H.15.3	Long-term impurity influence test	61
Annex I (informative)	Test report for polarization curve tests	62
I.1	General	62
I.2	General information	62
I.2.1	General information on the test report	62
I.2.2	General information concerning the test	62
I.3	Introductory remarks	62
I.4	Objective and scope of the test	62
I.5	Description of cell components	63
I.6	Background	63
I.7	Description of the test setup	64
I.8	Description of operating conditions, inputs and outputs	64
I.9	Test procedure and results	66
I.9.1	Description of startup and conditioning	66
I.9.2	Description of shutdown (when relevant)	66
I.9.3	Description of measurement and results	66
I.9.4	Deviation from test procedures	67
I.10	Data post-processing	67
I.11	Conclusion and acceptance criteria	67
Annex J (informative)	Polarization curves in helox	68
Annex K (informative)	Test report for subzero start test	69
Annex L (informative)	Start/stop cycling test supplement	70
Annex M (informative)	Load cycling test supplement	71
Bibliography	73
Figure 1	– Test station schematic diagram for single cell testing	17
Figure 2	– Typical testing flowchart	22
Figure 3	– Hydrogen crossover test	28
Figure 4	– Determination of adsorption/desorption charge (q_h)	29
Figure 5	– Determination of CO desorption charge (q_{CO})	30
Figure 6	– Measurement of ΔV_{CI}	31
Figure 7	– Typical diagram of a complex impedance plot	33
Figure A.1	– Design for flow plate (single-serpentine flow channel)	38
Figure A.2	– Design for flow plate (triple-serpentine flow channel)	38
Figure B.1	– Single cell assembly using typical components	39
Figure H.1	– ORR activity test procedure	55
Figure H.2	– Example of Tafel plot	56
Figure H.3	– Potential cycle test (start/stop durability) procedure	58
Figure H.4	– Potential cycle test (load cycle durability) procedure	59
Figure J.1	– Illustration of losses identified by comparison of polarization curves in oxygen, helox and air	68
Figure M.1	– Dynamic load cycling profile	71
Figure M.2	– Second dynamic load cycling profile	71
Figure M.3	– Dynamic load cycling based on road vehicle driving	72

Table 1 – Parameters and units	21
Table 2 – Applied performance tests	34
Table G.1 – Current density increments if maximum current density is known	45
Table G.2 – Current density increments if maximum current density is unknown	46
Table I.1 – Test input parameters	65
Table I.2 – Test output parameters	66
Table I.3 – Cell performance during startup and conditioning	66
Table I.4 – Cell performance during test	67
Table K.1 – Energy consumption, gas consumption and heat balance data during subzero startup	69
Table K.2 – Cell characteristics comparison before and after subzero testing	69

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

Part 7-1: Test methods – Single cell performance tests for polymer electrolyte fuel cells (PEFC)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62282-7-1, which is a Technical Specification, has been prepared by IEC technical committee 105: Fuel cell technologies.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of new tests, mainly regarding transportation applications; and,
- b) restructuring of the format: basic and applied performance test methods.

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
105/568/DTS	105/621/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62282 series, published under the general title: *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62282 describes standard single-cell test methods for polymer electrolyte fuel cells (PEFCs). This document provides consistent and repeatable methods to test the performance of single cells. This document should be used by component manufacturers or stack manufacturers who assemble components in order to evaluate the performance of cell components, including membrane-electrode assemblies (MEAs) and flow plates. This document is also available for fuel suppliers to determine the maximum allowable impurities in fuels.

Users of this document can selectively execute test items suitable for their purposes from those described in this document. This document is not intended to exclude any other methods.

FUEL CELL TECHNOLOGIES –

Part 7-1: Test methods – Single cell performance tests for polymer electrolyte fuel cells (PEFC)

1 Scope

This document covers cell assemblies, test station setup, measuring instruments and measuring methods, performance test methods, and test reports for PEFC single cells.

This document is used for evaluating:

- a) the performance of membrane electrode assemblies (MEAs) for PEFCs in a single cell configuration;
- b) materials or structures of PEFCs in a single cell configuration; or,
- c) the influence of impurities in fuel and/or in air on the fuel cell performance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14687-2, *Hydrogen fuel – Product specification – Part 2: Proton exchange membrane (PEM) fuel cell applications for road vehicles*