

This is a preview - click here to buy the full publication



IEC 62379-7

Edition 1.0 2015-06

INTERNATIONAL STANDARD



Common control interface for networked digital audio and video products – Part 7: Measurements

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160; 35.100

ISBN 978-2-8322-2753-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	10
2 Normative references.....	10
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions	10
3.2 Abbreviations	10
4 Audio format definitions	11
5 Video format definitions	11
6 MIB definitions for measurement information blocks	11
6.1 General.....	11
6.2 Type definitions.....	12
6.2.1 General	12
6.2.2 Textual conventions	12
6.2.3 Sequences.....	13
6.3 Network measurement information blocks	14
6.3.1 Network measurement information block structure	14
6.3.2 nMtBlockTable	15
6.3.3 nMtBlockEntry.....	15
6.3.4 nMtBlockId.....	15
6.3.5 nMtIfIndex.....	15
6.3.6 nMtTxRxPoint	15
6.3.7 nMtNetworkType	16
6.3.8 nMtTransportType	16
6.3.9 nMtTxRxAddr	16
6.3.10 nMtPortNumber.....	16
6.3.11 nMtIGMPVersion	16
6.3.12 nMtSIPServerAddr	16
6.4 Audio measurement information blocks.....	17
6.4.1 Audio measurement information block structure	17
6.4.2 aMtBlockTable	17
6.4.3 aMtBlockEntry.....	17
6.4.4 aMtBlockId.....	18
6.4.5 aMtAudioComponentNumber	18
6.4.6 aMtNetworkBlockId	18
6.4.7 aMtAudioStatus.....	18
6.4.8 aMtAudioSignalFormat	18
6.4.9 aMtAudioPIId	18
6.4.10 aMtIfIndex.....	18
6.4.11 aMtFECType.....	19
6.4.12 aMtFECLengthDimension	19
6.5 Video measurement information blocks	19
6.5.1 Video measurement information block structure	19
6.5.2 vMtBlockTable	20

6.5.3	vMtBlockEntry	20
6.5.4	vMtBlockId	20
6.5.5	vMtAudioBlockId	20
6.5.6	vMtNetworkBlockId	20
6.5.7	vMtVideoStatus	20
6.5.8	vMtVideoSourceFormat	20
6.5.9	vMtVideoCodingType	21
6.5.10	vMtVideoBitRateType	21
6.5.11	vMtVideoBitRate	21
6.5.12	vMtVideoAspectRatio	21
6.5.13	vMtFECType	21
6.5.14	vMtFECLengthDimension	21
6.5.15	vMtTrickModeSupport	21
6.6	Receiver point measurement information block	21
6.6.1	Receiver measurement information block structure	21
6.6.2	rxPointTable	22
6.6.3	rxPointEntry	23
6.6.4	rxPointBlockId	23
6.6.5	rxPointNetworkBlockId	23
6.6.6	rxPointBufferSize	23
6.6.7	rxPointBufferOcpncyTime	23
6.6.8	rxPointBufferOcpncyPcnt	23
6.6.9	rxPointMDI	23
6.6.10	rxPointTSDF	23
6.7	Temperature measurement information block	23
6.7.1	Temperature measurement information block structure	23
6.7.2	temperatureTable	24
6.7.3	temperatureEntry	24
6.7.4	temperatureBlockId	24
6.7.5	temperatureLocnNumber	25
6.7.6	temperatureLocation	25
6.7.7	temperatureTrend	25
6.7.8	temperatureStatus	25
6.7.9	temperatureLowWarning	25
6.7.10	temperatureHighWarning	25
6.7.11	temperatureLowCritical	25
6.7.12	temperatureHighCritical	25
Annex A (informative)	Machine-readable measurement block definitions	26
Annex B (informative)	Machine-readable textual conventions definitions	44
Annex C (informative)	Worked example	48
C.1	Overview	48
C.2	Example 1	48
C.2.1	General	48
C.2.2	Block table	48
C.2.3	Mixer block	50
C.2.4	Multiple functionality device	51
C.2.5	Summary of tables	54
Bibliography	55

Figure 1 – Relationships between ECN groups ACIP, VCIP and IPM	8
Figure 2 – Network measurement information block	14
Figure 3 – Audio measurement information block	17
Figure 4 – Video measurement information block	19
Figure 5 – Receiver measurement information block	22
Figure 6 – Temperature measurement information block	24
Figure C.1 – Example of a modified audio device	48
Figure C.2 – Annotated connector diagram	49
Figure C.3 – Mixer section	50
Figure C.4 – Single device with multiple functionality	52
Figure C.5 – Measurement blockIds and their associated media components	52
Figure C.6 – Single device with multiple functionality	53
Table 1 – Managed objects for network measurement information blocks	15
Table 2 – Managed objects for audio measurement information blocks	17
Table 3 – Managed objects for video measurement information blocks	20
Table 4 – Managed objects for receiver measurement information blocks	22
Table 5 – Managed objects conveying temperature information about the unit	24
Table C.1 – Main block Id table	49
Table C.2 – Mixer related block Id table	50
Table C.3 – Mixer block tables	51
Table C.4 – Addition of measurement block Ids	52
Table C.5 – Video measurement table	53
Table C.6 – Network measurement table	53
Table C.7 – Audio measurement table	53
Table C.8 – Table summary	54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMON CONTROL INTERFACE FOR NETWORKED DIGITAL AUDIO AND VIDEO PRODUCTS –

Part 7: Measurements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62379-7 has been prepared by technical area 4: Digital system interfaces and protocols of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/2168/CDV	100/2338/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62379 series, published under the general title *Common control interface for networked digital audio and video products*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62379 specifies the common control interface, a protocol for managing equipment which conveys audio and/or video across digital networks.

An introduction to the common control interface is given in IEC 62739-1.

This part of IEC 62379 specifies those aspects that are specific for using the block structure as defined in IEC 62379-1, for standardising the collection method of audio and video parameters for use by the European Broadcasting Union Expert Communities Networks – Internet Protocol (IP) Measurements (EBU ECN-IPM) Group.

The collection of network related parameters may be outside the scope of this standard. These are expected to be collected from the standard Internet Engineering Task Force (IETF) Management Information Base (MIBs) that are generally present in most (if not all) networked equipment. Some specific network parameters are included that are not obtainable from existing standard IETF MIBs.

Structure of the family of standards

IEC 62379 specifies the common control interface, a protocol for managing networked audiovisual equipment. It is intended to include the following Parts:

Part 1: General

Part 2: Audio

Part 3: Video

Part 4: Data

Part 5: Transmission over networks

Part 6: Packet transfer service

Part 7: Measurement

Part 1 specifies aspects which are common to all equipment.

Parts 2 to 4 specify control of internal functions specific to equipment carrying particular types of live media. Part 4 does not refer to packet data such as the control messages themselves.

Part 5 specifies control of transmission of these media over each individual network technology. It includes network specific management interfaces along with network specific control elements that integrate into the control framework.

Part 6 specifies carriage of control and status messages and non-audiovisual data over transports that do not support audio and video, such as RS232 serial links, with (as with Part 5) a separate subpart for each technology.

Part 7 specifies those aspects that are specific to the measurement requirements of the EBU ECN-IPM Group.

An introduction to the common control interface is given in IEC 62739-1.

Description, aims and requirements of the EBU ECN-IPM Group

In recent years, EBU members have been increasingly adopting IP networks for the contribution of audio and video in real-time. It is well known that although IP networks are of lower cost and provide more flexibility compared with circuit switched networks, they suffer

from longer delays and have much larger jitter, while broadcasters' tolerance to these variables is much less than that of normal business IT traffic.

To respond to Members' use of IP, EBU set up two groups, *Expert Communities Networks Audio contribution over IP (ECN-ACIP)* and *Expert Communities Networks – Video contribution over IP (ECN-VCIP)*, with the tasks of drawing up recommended codes of practice¹.




Figure 1 – Relationships between ECN groups ACIP, VCIP and IPM

It was also recognised that there would be a strong demand for tools that would enable broadcasters to measure and manage their IP networks properly to suit the many time-critical broadcast applications they would be subjected to. To this end, the ECN-IPM (IP measurement) group was set up. The relationships between these three groups are shown in Figure 1.

The goals of ECN-IPM Group were to

- define a quality of service classification to achieve requested A/V transmission quality for broadcast applications,
- standardise network information exchange between EBU members and Telecom suppliers,
- propose a method of collecting end-to-end performance information for management purposes.

In achieving these goals the ECN-IPM Group has specified a set of parameters that are important for broadcasters when using IP networks for audio and video transmission and has developed a software mechanism to probe a network for device and topology discovery, physical path tracing for both end-to-end communication and multicast streams, with the potential for multilayer monitoring for streams on a multi-vendor network with fully media-specific parameters.

The specified parameters cover both the network layer and application layer (for video and audio). SNMP is employed to collect information on the status of networked devices, such as the transmission rate, error rate, the codec used and multicast streams status.

¹ ECN-ACIP and ECN-VCIP were formerly known as N/ACIP and N/VCIP respectively.

To ensure that all the parameters can be recovered from a variety of different manufacturers' IP equipment, the group has designed a Management Information Base (MIB). Although many MIB files have been published over the years, especially on the network side, very little standardisation work has been done on Audio/Video (A/V) codec MIB files. The EBU ECN-IPM Group has therefore proposed a new standard, based upon the IEC 62379 series to address this issue.

Two EBU technical publications have been produced by the ECN-IPM Group.

The parameters and new MIB information may be found in EBU-Tech 3345, End-to-End IP Network Measurement for Broadcast Applications – Parameters & Management Information Base (MIB), Geneva, July 2011.

A description of the software mechanism, EisStream², may be found in EBU-Tech 3346, End-to-End IP Network Measurement for Broadcast Applications – EisStream Software package description, Geneva, July 2011. The software is written in Java and it provides physical path tracing for IP traffic using SNMP.

This part of IEC 62379 and other related parts of IEC 62379, constitute the standards upon which Section 3 of EBU-Tech 3345 is based.

If there is any inconsistency between this standard and Section 3 of EBU-Tech 3345, then IEC 62379-7 and other related parts of IEC 62379, take precedence.

2 EBU Integrated Monitoring Solution for Media Streams on IP Networks, <http://eisstream.sourceforge.net/>

COMMON CONTROL INTERFACE FOR NETWORKED DIGITAL AUDIO AND VIDEO PRODUCTS –

Part 7: Measurements

1 Scope

This part of IEC 62379 specifies aspects of the common control interface of IEC 62379-1 that are specific to the measurement of the service experienced by audio and video streams and in particular to the requirements of EBU ECN-IPM Measurements Group.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62379-1, *Common control interface for networked digital audio and video products – Part 1: General*

IEC 62379-2:2008, *Common control interface for networked digital audio and video products – Part 2: Audio*

IEC 62379-3, *Common control interface for networked audio and video products – Part 3: Video*