

This is a preview - click here to buy the full publication



IEC TR 62453-52-90

Edition 1.0 2017-06

# TECHNICAL REPORT



---

**Field device tool (FDT) interface specification –  
Part 52-90: Communication implementation for common language  
infrastructure – IEC 61784 CPF 9**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.110.05; 35.110

ISBN 978-2-8322-4333-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions, symbols, abbreviated terms and conventions .....	8
3.1 Terms and definitions.....	8
3.2 Symbols and abbreviated terms .....	9
3.3 Conventions.....	9
3.3.1 Datatype names and references to datatypes .....	9
3.3.2 Vocabulary for requirements .....	9
3.3.3 Use of UML .....	9
4 Bus category .....	9
5 Access to instance and device data .....	9
5.1 General.....	9
5.2 IO signals provided by DTM.....	9
5.3 Data interfaces .....	10
5.3.1 General .....	10
5.3.2 Mapping HART datatypes to FDT datatypes .....	10
5.3.3 SemanticInfo .....	11
5.3.4 Data exposure using IDeviceData and IInstanceData interfaces .....	12
6 Protocol specific behaviour.....	18
6.1 Support of burst mode .....	18
6.2 Device addressing .....	19
6.3 Support of scanning.....	19
6.4 Support of extended command numbers .....	19
6.5 Support for handling of communication failures and time-outs.....	19
6.6 Support for handling of Delayed Responses.....	20
6.7 Support for topologies with mixed HART protocols.....	20
6.8 Support for nested communication with multiple gateways .....	20
6.9 Support for topologies with WirelessHART .....	20
6.10 Transparent gateways.....	20
6.10.1 General .....	20
6.10.2 Scenario 1 – Manual topology creation .....	20
6.10.3 Scenario 2 – Topology scan and add .....	21
7 Protocol specific usage of general datatypes .....	21
8 Protocol specific common datatypes.....	21
8.1 HartDeviceAddress datatype.....	21
8.2 HartDeviceIpAddress datatype.....	22
8.3 HartDeviceWirelessAddress datatype .....	23
9 Network management datatypes .....	24
10 Communication datatypes.....	24
10.1 General.....	24
10.2 HartConnectRequest datatype .....	24
10.3 HartConnectResponse datatype.....	25
10.4 HartLongAddress datatype.....	26
10.5 HartDisconnectRequest datatype .....	26

10.6	HartDisconnectResponse datatype .....	27
10.7	HartTransactionRequest datatype .....	27
10.8	HartTransactionResponse datatype .....	28
10.9	HartStatus datatype .....	29
10.10	HartAbortMessage datatype .....	29
10.11	HartSubscribeRequest datatype .....	30
10.12	HartSubscribeResponse datatype .....	30
10.13	HartUnsubscribeRequest datatype .....	30
10.14	HartUnsubscribeResponse datatype .....	31
11	Datatypes for process data information .....	31
11.1	General .....	31
11.2	HartIOSignalInfo datatype .....	32
12	Device identification datatypes .....	33
12.1	General .....	33
12.2	HartDeviceScanInfo datatype .....	33
12.3	HartDeviceIdentInfo datatype .....	37
12.4	Mapping of information source .....	38
	Bibliography .....	41
	Figure 1 – Part 52-90 of the IEC 62453 series .....	7
	Figure 2 – Structural information for device variables .....	16
	Figure 3 – Structural information for dynamic variables .....	17
	Figure 4 – Structural information for extended device status .....	18
	Figure 5 – Device-initiated data transfer with burst mode .....	19
	Figure 6 – HartDeviceAddress datatype .....	21
	Figure 7 – HartDeviceIpAddress datatype .....	22
	Figure 8 – HartDeviceWirelessAddress datatype .....	23
	Figure 9 – HartNetworkData datatype .....	24
	Figure 10 – HartConnectRequest datatype .....	25
	Figure 11 – HartConnectResponse datatype .....	26
	Figure 12 – HartDisconnectRequest datatype .....	27
	Figure 13 – HartDisconnectResponse datatype .....	27
	Figure 14 – HartTransactionRequest datatype .....	28
	Figure 15 – HartTransactionResponse datatype .....	28
	Figure 16 – HartAbortMessage datatype .....	29
	Figure 17 – HartSubscribeRequest datatype .....	30
	Figure 18 – HartSubscribeResponse datatype .....	30
	Figure 19 – HartUnsubscribeRequest datatype .....	31
	Figure 20 – HartUnsubscribeResponse datatype .....	31
	Figure 21 – HartIOSignalInfo datatype .....	32
	Figure 22 – HartDeviceScanInfo datatype .....	33
	Figure 23 – HartDeviceIdentInfo datatype .....	37
	Table 1 – Output signal info within IOSignalInfo / HartIOSignalInfo .....	10
	Table 2 – Mapping of basic datatypes .....	11

Table 3 – SemanticInfo attributes description.....	12
Table 4 – Basic Variables exported in IDeviceData and IInstanceData interfaces.....	13
Table 5 – Basic Variables exported only in IDeviceData interface .....	15
Table 6 – Protocol specific usage of general datatypes.....	21
Table 7 – HartDeviceAddress datatype .....	22
Table 8 – HartDeviceIpAddress datatype .....	23
Table 9 – HartDeviceWirelessAddress datatype .....	24
Table 10 – HartNetworkData datatype.....	24
Table 11 – HartConnectRequest datatype .....	25
Table 12 – HartConnectResponse datatype .....	26
Table 13 – HartLongAddress datatype .....	26
Table 14 – HartDisconnectRequest datatype .....	27
Table 15 – HartDisconnectResponse datatype .....	27
Table 16 – HartTransactionRequest datatype .....	28
Table 17 – HartTransactionResponse datatype .....	29
Table 18 – HartStatus datatype.....	29
Table 19 – HartAbortMessage datatype .....	29
Table 20 – HartSubscribeRequest datatype .....	30
Table 21 – HartSubscribeResponse datatype.....	30
Table 22 – HartUnsubscribeRequest datatype .....	31
Table 23 – HartUnsubscribeResponse datatype .....	31
Table 24 – Usage of IOSignalInfo datatype .....	32
Table 25 – HartIOSignalInfo datatype .....	32
Table 26 – HartDeviceScanInfo datatype .....	33
Table 27 – Protocol specific mapping of scan information .....	35
Table 28 – HartDeviceIdentInfo datatype .....	37
Table 29 – Protocol specific mapping of identity information .....	39

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

#### **Part 52-90: Communication implementation for common language infrastructure – IEC 61784 CPF 9**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-52-90, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

Each part of the IEC 62453-52-xy series is intended to be read in conjunction with its corresponding part in the IEC 62453-3xy series. This document corresponds to IEC 62453-309.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/440/DTR	65E/514/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**


## INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC TR 62453-52-xy series is aligned in the structure of the IEC 62453 series.



IEC

Figure 1 – Part 52-90 of the IEC 62453 series

## FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

### Part 52-90: Communication implementation for common language infrastructure – IEC 61784 CPF 9

#### 1 Scope

This part of the IEC 62453-52-xy series, which is a Technical Report, provides information for integrating the HART®<sup>1</sup> technology into the CLI-based implementation of FDT interface specification (IEC TR 62453-42).

This part of IEC 62453 specifies implementation of communication and other services based on IEC 62453-309.

This document neither contains the FDT specification nor modifies it.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61784-1:2014, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 62453-1:2016, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:2016, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TR 62453-42:2016, *Field device tool (FDT) interface specification – Part 42: Object model integration profile – Common language infrastructure*

IEC 62453-309:2016, *Field device tool (FDT) interface specification – Part 309: Communication profile integration – IEC 61784 CPF 9*

---

<sup>1</sup> HART ® is the trade name of a product supplied by HART Communication Foundation. This information is given for convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.