

This is a preview - click here to buy the full publication



IEC/TR 62750

Edition 1.0 2012-02

TECHNICAL REPORT

Unified fluorescent lamp dimming standard calculations

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

R

ICS 29.140

ISBN 978-2-88912-939-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD..... | 3 |
| 1 Scope..... | 5 |
| 2 Explanation of the dimming requirements | 5 |
| 2.1 General..... | 5 |
| 2.2 Additional heating..... | 5 |
| 2.3 Cathode heating limits..... | 6 |
| 2.4 Substitution resistors for electronic controlgear qualification..... | 7 |
| 3 Determination of limit values | 8 |
| 3.1 General..... | 8 |
| 3.2 Minimum sum-of-squares – $SoS_{\min} (I_{D30} \leq I_D < I_{Dtrans})$ | 9 |
| 3.2.1 Lamp and electronic controlgear systems – SoS'_{\min} | 9 |
| 3.2.2 Electronic controlgear qualification limits – SoS_{\min} | 11 |
| 3.3 Minimum cathode voltage – $CV_{\min} (I_{Dmin} \leq I_D < I_{D30})$ | 12 |
| 3.3.1 Lamp and electronic controlgear systems – CV'_{\min} | 12 |
| 3.3.2 Electronic controlgear qualification limits – CV_{\min} | 12 |
| 3.4 Maximum cathode voltage – $CV_{\max} (I_{Dmin} \leq I_D < I_{Dtrans})$ | 13 |
| 3.4.1 Lamp and electronic controlgear systems – CV'_{\max} | 13 |
| 3.4.2 Electronic controlgear qualification limits – CV_{\max} | 14 |
| 4 Example of calculation for 54W HO lamps | 14 |
| 4.1 General..... | 14 |
| 4.2 Calculation of lamp and ECG systems – SoS'_{\min} | 15 |
| 4.3 Calculation of lamp and ECG systems – CV'_{\min} | 15 |
| 4.4 Calculation of ECG qualification limits – CV_{\min} | 16 |
| 4.5 Calculation of lamp and ECG systems – CV'_{\max} | 16 |
| 4.6 Calculation of ECG qualification limits – CV_{\max} | 16 |
| 5 Glossary of symbols | 17 |
| Bibliography..... | 20 |
| Figure 1 – Fundamental circuit for SoS test | 10 |
| Table 1 – SoS parametric values | 9 |
| Table 2 – Fitted power law parameters | 11 |
| Table 3 – Informative parameters for lamp and controlgear systems..... | 13 |
| Table 4 – Datasheet parameters..... | 14 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIFIED FLUORESCENT LAMP DIMMING STANDARD CALCULATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62750, which is a technical report, has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

The text of this technical report is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 34A/1511/DTR | 34A/1546/RVC |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

UNIFIED FLUORESCENT LAMP DIMMING STANDARD CALCULATIONS

1 Scope

This Technical Report applies to fluorescent lamp dimming systems. It deals with the interface of fluorescent lamps and dimming electronic controlgear. A unified framework for standardization of fluorescent lamp dimming systems and the associated parameter calculation method are described in this Technical Report.

Dimming of fluorescent lamps is becoming increasingly important as a strategy for conserving global energy resources. This report is the result of many years of effort by global experts to understand and test fluorescent dimming systems with the objective of standardizing these systems to grow confidence and reliability in the marketplace. Two theoretical frameworks have been merged to create this unified dimming standardization method: the SoS (sum of squares of lead-in-wire currents) and CV (cathode voltage) models. The application of dimming to actual fluorescent lamp and electronic controlgear (ECG) systems is the primary concern for reliability in the application and end-user confidence. Characteristics of the dimming parameter limits described in this report and observed in real system applications such as in situ field diagnostics are offered as informative. The practical need to use substitution resistors for ECG qualification is described in this report and also given as normative parameters in the lamp and ECG standards. No attempt to treat the informative real lamp-ECG system parameters as normative will be made in either the lamp or the controlgear standards.