

PRE-RELEASE VERSION (FDIS)



**Low-voltage switchgear and controlgear –
Part 6-2: Multiple function equipment – Control and protective switching devices
(or equipment) (CPS)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.120.40; 29.130.20

Warning! Make sure that you obtained this publication from an authorized distributor.



This is a preview - click here to buy the full publication

121A/384/FDIS

FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 60947-6-2 ED3

DATE OF CIRCULATION:

2020-09-11

CLOSING DATE FOR VOTING:

2020-10-23

SUPERSEDES DOCUMENTS:

121A/270/CDV, 121A/303A/RVC

IEC SC 121A : LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR	
SECRETARIAT: France	SECRETARY: Mr Michaël LAHEURTE
OF INTEREST TO THE FOLLOWING COMMITTEES: TC 64	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input checked="" type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Low-voltage switchgear and controlgear - Part 6-2: Multiple function equipment - Control and protective switching devices (or equipment) (CPS)

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

SC121A Officers support circulation of FDIS for project IEC 60947-6-2 ED3.

Copyright © 2020 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD	8
1 Scope	11
2 Normative references	11
3 Terms and definitions	12
3.1 General.....	12
3.2 Terms and definitions related to the equipment.....	13
3.3 Terms and definitions concerning characteristic quantities.....	14
3.4 Terms and definitions concerning safety aspects	15
4 Classification.....	16
5 Characteristics	16
5.1 Summary of characteristics.....	16
5.2 Type of equipment	16
5.2.1 Number of poles	16
5.2.2 Kind of current (alternating current or direct current).....	16
5.2.3 Method of operation.....	16
5.2.4 Method of control.....	16
5.2.5 Method of resetting after overload	17
5.2.6 Method of rearming after short-circuit	17
5.3 Rated and limiting values of the main circuit	17
5.3.1 Rated voltages	17
5.3.2 Currents and powers	17
5.3.3 Rated frequency	17
5.3.4 Rated duties	17
5.3.5 Normal load and overload characteristics – Rated making and breaking capacities	18
5.3.6 Short circuit characteristics – Rated service short-circuit breaking capacity (I_{CS}).....	18
5.3.7 Pole impedance of a CPS (Z).....	18
5.4 Utilization categories.....	18
5.4.1 General	18
5.4.2 Assignment of utilization categories based on the results of tests	19
5.4.3 Application of utilization categories for motor control duty.....	20
5.5 Control circuits.....	20
5.6 Auxiliary circuits.....	20
5.7 Relays or releases	21
5.7.1 Summary of characteristics.....	21
5.7.2 Types of relays or releases.....	21
5.7.3 Characteristic values	21
5.7.4 Designation and current setting of overload relays or releases	22
5.7.5 Time-current characteristics of over current relays or releases	22
5.7.6 Influence of ambient air temperature.....	23
6 Product information	23
6.1 Nature of information	23
6.1.1 Identification.....	23
6.1.2 Characteristics.....	23
6.2 Marking.....	24

6.3	Instructions for installation, operation and maintenance	25
6.4	Environmental information	25
7	Normal service, mounting and transport conditions	25
8	Constructional and performance requirements	26
8.1	Constructional requirements	26
8.1.1	General	26
8.1.2	Materials	26
8.1.3	Current-carrying parts and their connections	27
8.1.4	Clearances and creepage distances	27
8.1.5	Actuator	27
8.1.6	Indication of the contact position	27
8.1.7	Additional requirements for equipment suitable for isolation	28
8.1.8	Terminals	28
8.1.9	Additional requirements for equipment provided with a neutral pole	28
8.1.10	Provisions for protective earthing	28
8.1.11	Enclosures for equipment	28
8.1.12	Degrees of protection of enclosed equipment	28
8.1.13	Conduit pull-out, torque and bending with metallic conduits	28
8.1.14	Limited energy source	29
8.1.15	Stored charge energy circuit	31
8.1.16	Fault and abnormal conditions	31
8.1.17	Short-circuit and overload protection of ports	32
8.2	Performance requirements	32
8.2.1	Operating conditions	32
8.2.2	Temperature-rise	38
8.2.3	Dielectric properties	40
8.2.4	Performance under no load, normal load and overload conditions	40
8.2.5	Ability to make, carry and break short-circuit currents	46
8.2.6	Pole impedance	47
8.2.7	Leakage currents of equipment suitable for isolation	47
8.2.8	Coil power consumption	47
8.2.9	Co-ordination between a CPS and another short-circuit protective device	47
8.3	Electromagnetic compatibility (EMC)	47
8.3.1	General	47
8.3.2	Immunity	48
8.3.3	Emission	48
9	Tests	49
9.1	Kind of tests	49
9.1.1	General	49
9.1.2	Type test	49
9.1.3	Routine tests	49
9.1.4	Sampling tests	49
9.1.5	Special tests	49
9.2	Compliance with constructional requirements	50
9.2.1	General	50
9.2.2	Electrical performance of screwless-type clamping units	50
9.2.3	Ageing test for screwless-type clamping units	51
9.2.4	Limited energy source test	51

9.2.5	Breakdown of components	52
9.3	Compliance with performance requirements	52
9.3.1	Test sequences	52
9.3.2	General test conditions	53
9.3.3	Performance under no load, normal load and overload conditions.....	53
9.3.4	Performance under short-circuit conditions	62
9.4	EMC tests	64
9.4.1	General	64
9.4.2	Immunity.....	65
9.4.3	Emission.....	70
9.5	Test sequences	71
9.5.1	General	71
9.5.2	Test sequence I: temperature-rise, operating limits, dielectric properties	73
9.5.3	Test sequence II: performance under normal load and overload conditions	76
9.5.4	Test sequence III: operational performance before and after operating sequences at conventional prospective current I_{Cr} and conventional prospective current "r" test	77
9.5.5	Test sequence IV: operational performance before and after operating sequences at I_{CS}	78
9.5.6	Test sequence V: additional breaking capacity	79
9.5.7	Test sequence VI: additional test sequence for four-pole CPS's.....	80
9.5.8	Test sequence VII: additional test sequence for CPS's intended for use in an individual enclosure	80
9.5.9	Test sequence VIII: EMC	80
9.6	Routine tests.....	81
9.6.1	General	81
9.6.2	Operation and operating limits	81
9.6.3	Dielectric tests.....	81
Annex A (normative)	Special tests	82
A.1	General.....	82
A.2	Mechanical durability	82
A.2.1	General	82
A.2.2	Verification of mechanical durability.....	82
A.3	Electrical durability	84
Annex B (xxx)	Vacant	85
Annex C (normative)	Marking and identification of CPS terminals	86
C.1	General.....	86
C.2	Marking and identification of terminals of main circuits.....	86
C.2.1	General	86
C.2.2	Marking and identification of terminals of auxiliary circuits	86
Annex D (informative)	Items subject to agreement between manufacturer and user	87
Annex E (xxx)	Vacant	88
Annex F (normative)	Requirements for auxiliary contact linked with power contact (mirror contact)	89
F.1	Application and object.....	89
F.1.1	Application.....	89
F.1.2	Object.....	89
F.2	Terms and definitions.....	89

F.3	Characteristics	89
F.4	Product information	89
F.5	Normal service, mounting and transport conditions	90
F.6	Constructional and performance requirements	90
F.7	Tests	90
F.7.1	General	90
F.7.2	Tests on products in a new condition	90
F.7.3	Test after conventional operational performance (defined under Table 10).....	91
Annex G (normative)	Test sequence for CPS's for IT systems	92
G.1	General.....	92
G.2	Individual pole short circuit	92
G.3	Verification of dielectric withstand.....	93
G.4	Verification of overload releases	93
G.5	Marking.....	93
Annex H (xxx)	Vacant	94
Annex I (informative)	Glossary of symbols and graphical representation of characteristics	95
Annex J (xxx)	Vacant	96
Annex K (normative)	Procedure to determine data for electromechanical CPS used in functional safety applications	97
K.1	General.....	97
K.2	Test requirements	97
K.3	Characterization of a failure mode	97
K.4	Failure ratios of a CPS.....	97
Annex L (xxx)	Vacant.....	99
Annex M (informative)	Load monitoring indicators	100
M.1	General.....	100
M.2	Indicators list	100
M.3	Uncertainty	102
M.4	Tests	103
M.4.1	Routine tests	103
M.4.2	Type tests.....	103
Annex N (normative)	Additional requirements and tests for equipment with protective separation.....	105
N.1	General.....	105
N.2	Terms and definitions.....	105
N.3	Requirements	105
N.3.1	Test method for implementing protective impedance.....	105
N.3.2	Touch current measurement	106
Bibliography	108
Figure 1	Multiple of current setting limits for ambient air temperature time-delay overload relays or releases (see 8.2.1.5.1)	35
Figure 2	Thermal memory test	37
Figure 3	Voltage drop measurement at contact point of the clamping terminal	51
Figure 4	Example of a pole impedance measurement for a three-pole CPS.....	60
Figure 5	Representation of test current produced by back-to-back thyristors.....	68

Figure 6 – Test current for the verification of the influence of the current dips and interruptions.....	69
Figure F.1 – Mirror contact.....	90
Figure M.1 – Example of quantification of a process change.....	102
Figure N.1 – Protection by means of protective impedance.....	106
Figure N.2 – Measuring instrument.....	107
Table 1 – Utilization categories.....	19
Table 20 – Limits for limited energy sources without an over-current protective device.....	30
Table 21 – Limits for limited energy sources with an over-current protective device.....	30
Table 22 – Limits for limited energy source with current limiting impedance.....	31
Table 2 – Limits of operation of inverse time-delay overload relays or releases when energized on all poles.....	34
Table 3 – Trip classes of overload relays or releases for utilization categories AC-2, AC-3, AC-3e, AC-4, DC-3, DC-5.....	35
Table 4 – Limits of operation of three-pole inverse time-delay overload relays or releases when energized on two poles only.....	36
Table 5 – Temperature-rise limits of terminals.....	38
Table 6 – Temperature-rise limits for insulated coils in air.....	39
Table 7 – Intermittent duty test cycle data.....	39
Table 8 – Rated making and breaking capacities – Making and breaking conditions corresponding to the utilization categories.....	41
Table 9 – Relationship between current broken I_C and OFF-time for the verification of rated making and breaking capacities.....	42
Table 10 – Conventional operational performance after making/breaking capacity tests – Making and breaking conditions according to utilization category.....	44
Table 11 – Operational performance before and after short-circuit tests at I_{Cr} and I_{CS} – Making and breaking conditions according to utilization category.....	45
Table 12 – Value of the prospective test current according to the rated operational current.....	46
Table 13 – Value of the prospective test current according to the rated operational current (harmonized table).....	47
Table 14 – Performance criteria when EM disturbances are present.....	48
Table 15 – EMC immunity tests.....	65
Table 16 – Test parameters for harmonics and interruptions.....	69
Table 17 – Terminal disturbance voltage limits for conducted radio-frequency emission (for mains ports).....	70
Table 18 – Radiated emission test limits.....	71
Table 19 – Test sequences.....	71
Table F.1 – Test voltage according to altitude.....	91
Table G.1 – Individual pole.....	92
Table K.1 – Failure mode of CPS.....	97
Table K.2 – Typical failure ratios for CPS.....	98
Table M.1 – AC monitoring indicators list.....	101
Table M.2 – Different possibilities authorized for verification of indicators.....	103
Table M.3 – Reference for verification conditions.....	104

Table M.4 – Harmonic levels..... 104

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 6-2: Multiple function equipment – Control and protective switching devices (or equipment) (CPS)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-6-2 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low-voltage.

This third edition cancels and replaces the second edition published in 2002 and its Amendment 1:2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- editorial changes according to ISO/IEC directives Part 2,
- alignments with IEC 60947-1:2020:
 - markings ("s", "sol", "r" or "f");
 - constructional requirements including material requirements;
 - requirements for screwless terminals;

- measurement method of the pole impedance;
- EMC requirement and testing;
- procedure to determine data for electromechanical CPS's used in functional safety applications;
- harmonisation with IEC 60947-2:2016:
 - operation tests of under-voltage relays and shunt releases;
 - CPS for IT systems (Annex G);
 - coordination with other short-circuit protective devices;
- alignments with IEC 60947-4-1:2018:
 - test at the rated conditional short-circuit current I_q of protected switching devices;
 - short-circuit tests harmonisation with North America;
 - reliability data for functional safety applications (new Annex K);
 - safety aspects related to electronic circuits and protective impedance (new Annex N);
 - introduction of provisions covering the impact of higher locked rotor current to achieve high efficiency class;
 - mention of dedicated wiring accessories;
 - definitions and measurement method of the power consumption of the control circuit during holding and pick-up operations;
 - load monitoring indicators (new Annex M).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/XX/FDIS	121A/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

This document shall be read in conjunction with IEC 60947-1, *Low voltage switchgear and controlgear – Part 1: General rules*.

The provisions of the general rules are applicable to this part of IEC 60947-6, where specifically called for. General rules clauses and subclauses thus applicable as well as tables, figures and annexes are identified by reference to IEC 60947-1, for example, 1.2.3, Table 4, or Annex A of IEC 60947-1:2020.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 6-2: Multiple function equipment – Control and protective switching devices (or equipment) (CPS)

1 Scope

This document applies to control and protective switching devices (or equipment) (CPS), the main contacts of which are intended to be connected to circuits of rated voltage not exceeding 1 000 V AC or 1 500 V DC.

It covers control and protective switching device (CPS):

- which provides protective and control functions for circuits and motors;
- where its control function is operated exclusively otherwise than by hand;
- which provides continuity of service after over-current conditions; and
- which can have additional functions, such as isolation or communication.

This document does not apply to:

- auxiliary contacts, covered by IEC 60947-5-1;
- CPS used downstream to frequency drive¹;

NOTE Additional requirements for CPS used downstream to frequency drive are under consideration for the next maintenance cycle.

- the use of the product with additional measure within explosive atmospheres, covered by IEC 60079 (all parts);
- embedded software design rules, covered by IEC TR 63201;
- cyber security aspects, covered by IEC TS 63208.

The object of this document is to state:

- the characteristics of CPS's;
- the conditions with which CPS's are complying with reference to their operation and behaviour, their dielectric properties, the degree of protection provided by their enclosure where applicable, its construction including safety measures against electric shock, fire hazard and mechanical hazard;
- the tests intended to verify that these conditions have been met, and the methods to be adopted for these tests;
- the information to be marked on or given with the CPS's.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

¹ For this subject, the manufacturer is responsible to take additional safety measures.

IEC 60034-1:2017, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60085:2007, *Electrical insulation – Thermal evaluation and designation*

IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

IEC 60617, *Graphical symbols for diagrams* (available at <http://std.iec.ch/iec60617>)

IEC 60715:2017, *Dimensions of low-voltage switchgear and controlgear – Standardized mounting on rails for mechanical support of switchgear, controlgear and accessories*

IEC 60730-1, *Automatic electrical controls – Part 1: General requirements*

IEC 60947-1:2020, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60947-2:2016, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*
IEC 60947-2:2016/AMD1:2019

IEC 60947-5-1:2016, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61051-2, *Varistors for use in electronic equipment – Part 2: Sectional specification for surge suppression varistors*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 11:2015/AMD1:2016

CISPR 11:2015/AMD2:2019

CISPR 32, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

ISO 3864-2, *Graphical symbols – Safety colours and safety signs – Part 2: Design principles for product safety labels*