

PRE-RELEASE VERSION (FDIS)

**Instruments and software used for measurements in high-voltage and high-current tests –
Part 1: Requirements for instruments for impulse tests**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220.20; 19.080

Warning! Make sure that you obtained this publication from an authorized distributor.



This is a preview - click here to buy the full publication

42/386/FDIS

FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 61083-1 ED3

DATE OF CIRCULATION:

2020-10-16

CLOSING DATE FOR VOTING:

2020-11-27

SUPERSEDES DOCUMENTS:

42/356/CDV, 42/369/RVC

IEC TC 42 : HIGH-VOLTAGE AND HIGH-CURRENT TEST TECHNIQUES	
SECRETARIAT: Canada	SECRETARY: Mr Howard G. Sedding
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Instruments and software used for measurements in high-voltage and high-current tests - Part 1: Requirements for instruments for impulse tests

PROPOSED STABILITY DATE: 2023

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
3.1 General definitions related to digital recorders	8
3.2 Definitions related to rated values	9
3.3 Definitions related to scale factor	9
3.4 Definitions related to dynamic performance	9
3.5 Definitions related to uncertainties	10
3.6 Definitions related to tests	11
4 Operating conditions	11
5 Calibration and test methods	12
5.1 Calibration of scale factor and time base	12
5.2 Impulse calibration	12
5.3 Step calibration	13
5.4 Test of constancy of scale factor within time interval	14
5.5 Calibration of time base	15
5.6 Test of impulse scale factor non-linearity	15
5.7 Internal noise level	15
5.8 Interference test	15
6 Requirements for impulse measurements	16
6.1 Requirements for digital recorders used in approved measuring systems	16
6.2 Individual requirements	16
6.2.1 General	16
6.2.2 Sampling rate	16
6.2.3 Rated resolution	16
6.2.4 Impulse scale factor	16
6.2.5 Errors of time parameters	17
6.2.6 Error of time base	17
6.2.7 Rise time	17
6.2.8 Interference voltage	17
6.2.9 Record length	17
6.2.10 Input impedance	17
6.2.11 Internal noise level	17
6.2.12 Assigned measurement range	18
6.3 Requirements for digital recorders used in reference measuring systems	18
6.3.1 General requirements	18
6.3.2 Sampling rate	18
6.3.3 Rated resolution	18
6.3.4 Error of time base	18
6.3.5 Rise time	18
6.3.6 Interference voltage	18
6.3.7 Record length	18
6.3.8 Internal noise level	19

6.3.9	Scale factor	19
6.4	Tests	19
6.4.1	General	19
6.4.2	Type tests.....	19
6.4.3	Routine tests	19
6.4.4	Performance tests	19
6.4.5	Performance checks	20
7	Requirements for peak voltmeters	20
8	Uncertainty contributions for complete measuring systems	20
9	Record of performance	20
Annex A (normative) Electromagnetic interference in high-voltage and high-current laboratories and test fields		22
A.1	General.....	22
A.2	Precautions.....	22
A.2.1	Electromagnetic shielding.....	22
A.2.2	Reduction of conducted interference from the supply line	22
A.2.3	Reduction of interference on the signal line	22
A.2.4	Signal transmission by optical means	22
A.3	Tests with transient induced electromagnetic fields.....	23
Bibliography.....		24
Figure 1 – Step calibration		14
Figure A.1 – Application of electric and magnetic fields.....		23
Table 1 – Operating conditions		12
Table 2 – Requirements for reference impulse generators		13
Table 3 – Tests required for approved digital recorders		19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INSTRUMENTS AND SOFTWARE USED FOR MEASUREMENTS IN HIGH-VOLTAGE AND HIGH-CURRENT TESTS –

Part 1: Requirements for instruments for impulse tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61083-1 has been prepared by IEC technical committee 42: High-voltage and high-current test techniques.

This third edition cancels and replaces the second edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Requirements for static integral non-linearity and static differential non-linearity have been removed.
- b) Requirement for impulse scale factor non-linearity has been added.
- c) Uncertainty requirements for impulse calibrators have been revised.
- d) Requirements for peak voltmeter have been revised.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
42/XX/FDIS	42/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61083, under the general title *Instruments and software used for measurements in high-voltage and high-current tests*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The electric power industry requires standardized tools to provide confidence in high-voltage and high-current testing results, and to prove equivalence between tests performed in different test facilities.

Analogue capture of test data has today been largely replaced by digital capture with recording instruments based on sampling technology. This part of IEC 61083 specifies requirements for the performance of digital recorders used for high-voltage and high-current impulse tests.

Since the last revision of this standard, significant improvements have been made in many aspects of digitising instruments used for high-voltage and high-current tests. In particular, digitising resolutions have improved several folds since the last revision, with 12-bit to 14-bit being typical resolutions for impulse measurement digitisers. Furthermore, the improvement of A/D converters has led to a situation where other aspects of the instruments, such as linearity of front-end amplifiers and performance of immunity to interference, have replaced performance of A/D converters as the main concern of measurement accuracy and instrument reliability.

The requirements in this edition of the standard have been revised to reflect these technological changes. For example, the number of type tests aimed for evaluating the performance of A/D converters has been reduced, and new requirements for the linearity of complete system (A/D converter and analogue components) have been added.

During preparation of the second edition of this standard in 2001, the need to keep analogue oscilloscopes and peak voltmeters was thoroughly discussed. Requirements for analogue oscilloscopes have now been removed, and only essential requirements for peak voltmeters have been kept.

INSTRUMENTS AND SOFTWARE USED FOR MEASUREMENTS IN HIGH-VOLTAGE AND HIGH-CURRENT TESTS –

Part 1: Requirements for instruments for impulse tests

1 Scope

This part of IEC 61083 is applicable to digital recorders, including digital oscilloscopes, used for measurements during tests with high impulse voltages and high impulse currents. It specifies the measuring characteristics and calibrations required to meet the measuring uncertainties and procedures specified in IEC 60060-2 and IEC 62475.

This document

- defines the terms specifically related to digital recorders;
- specifies the necessary requirements for such instruments to ensure their compliance with the requirements for high-voltage and high-current impulse tests;
- establishes the tests and procedures necessary to demonstrate their compliance;
- covers digital recorders that permit access to raw data from permanent or temporary storage;
- covers peak meters used for measuring the extreme value of lightning impulses, the peak value of switching or current impulses.

It has the status of a horizontal standard in accordance with IEC Guide 108.

This horizontal standard is primarily intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 108. One of the responsibilities of a technical committee is, wherever applicable, to make use of horizontal standards in the preparation of its publications. The contents of this horizontal standard will not apply unless specifically referred to or included in the relevant publications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IE 60060-2:2010, *High-voltage test techniques – Part 2: Measuring systems*

IEC 62475, *High-current test techniques – Definitions and requirements for test currents and measuring systems*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurements (GUM:1995)*