



PRE-RELEASE VERSION (FDIS)

**Radio-frequency connectors –
Part 68: Sectional specification for series TRK bayonet coupling triaxial
connectors**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.30

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 61169-68 ED1

DATE OF CIRCULATION:

2021-12-17

CLOSING DATE FOR VOTING:

2022-01-28

SUPERSEDES DOCUMENTS:

46F/559/CDV, 46F/579/RVC

IEC SC 46F : RF AND MICROWAVE PASSIVE COMPONENTS	
SECRETARIAT: United States of America	SECRETARY: Mr John Morelli
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Radio-frequency connectors - Part 68: Sectional specification for series TRK bayonet coupling triaxial connectors

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

Editorial comments have been reviewed and incorporated by Chinese NC Project Leader

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Mating face and gauge information	7
4.1 Mating face dimensions	7
4.1.1 Plug connector	7
4.1.2 Receptacle connector	11
4.1.3 Coaxial pin contact	14
4.1.4 Coaxial socket contact	14
4.2 Gauges for resilient contact	15
4.2.1 Gauge for socket centre contact	15
4.2.2 Gauge for socket intermediate contact	16
5 Quality assessment procedure	17
5.1 General	17
5.2 Rating and characteristics	17
5.3 Test schedule and inspection requirements	19
5.3.1 Acceptance tests	19
5.3.2 Periodic tests	20
5.3.3 Procedures for qualification approval	21
6 Instructions for preparation of detail specifications (DS)	22
6.1 General	22
6.2 Identification of the component	22
6.3 Performance	22
6.4 Marking, ordering information and related matters	22
6.5 Selection of tests, test conditions and severities	22
6.6 Blank detail specification pro-forma for series TRK bayonet coupling triaxial connectors	23
Figure 1 – Plug connector	7
Figure 2 – Locating grooves polarization of plug connector	8
Figure 3 – A polarization mating face of plug connector with three bayonets	8
Figure 4 – D polarization mating face of plug connector with four bayonets	9
Figure 5 – Unfolded drawing of A polarization bayonet groove of plug connector	10
Figure 6 – Unfolded drawing of D polarization bayonet groove of plug connector	10
Figure 7 – Receptacle connector	11
Figure 8 – Locating keys polarization of receptacle connector	12
Figure 9 – A polarization mating face of receptacle connector with three bayonets	13
Figure 10 – D polarization mating face of receptacle connector with four bayonets	13
Figure 11 – Coaxial pin contact	14
Figure 12 – Coaxial socket contact	15
Figure 13 – Gauge for socket centre contact	15
Figure 14 – Gauge for socket intermediate contact	16

Table 1 – Dimensions of plug connector	7
Table 2 – A polarization mating face dimensions of plug connector with three bayonets.....	9
Table 3 – D polarization mating face dimensions of plug connector with four bayonets	9
Table 4 – Unfolded drawing dimensions of A polarization bayonet groove of plug connector.....	10
Table 5 – Unfolded drawing dimensions of D polarization bayonet groove of plug connector.....	11
Table 6 – Dimensions of receptacle connector	12
Table 7 – A polarization mating face dimensions of receptacle connector with three bayonets.....	13
Table 8 – D polarization mating face dimensions of receptacle connector with four bayonets.....	14
Table 9 – Dimensions of coaxial pin contact	14
Table 10 – Dimensions of coaxial socket contact	15
Table 11 – Dimensions of gauge for socket centre contact.....	15
Table 12 – Dimensions of gauge for socket intermediate contact	16
Table 13 – Ratings and characteristics	17
Table 14 – Acceptance tests	20
Table 15 – Periodic tests	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS –

**Part 68: Sectional specification for series TRK bayonet
coupling triaxial connectors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61169-68 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46F/XX/FDIS	46F/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

RADIO-FREQUENCY CONNECTORS –

Part 68: Sectional specification for series TRK bayonet coupling triaxial connectors

1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for series TRK bayonet coupling triaxial connectors. The series TRK bayonet coupling triaxial connectors having the advantages of quick connection and separation, high reliability, small size, good salt characteristics, four polarizations to prevent error-mate etc., can be connected to symmetrically twisted pair cables or triaxial cables. They have been widely used in 1553B data bus systems or other communication systems for digital signal transmission.

It specifies mating face dimensions for series TRK bayonet coupling triaxial connectors, gauging information and tests selected from IEC 61169-1, applicable to all detail specifications relating to series TRK triaxial connectors.

This document indicates recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H.

NOTE Metric dimension are original dimensions. All undimensioned pictorial configurations are for reference purpose only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, *Radio frequency connectors – Part 1: Generic specification – General requirements and measuring methods*

IEC 61169-1-5, *Radio frequency connectors – Part 1-5: Electrical test methods – Rise time degradation*