

PRE-RELEASE VERSION (FDIS)



**Specification for the testing of balanced and coaxial information technology cabling –
Part 2: Cords as specified in ISO/IEC 11801-1 and related standards**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.040.20; 33.120.20

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 61935-2 ED4

DATE OF CIRCULATION:

2021-11-12

CLOSING DATE FOR VOTING:

2021-12-24

SUPERSEDES DOCUMENTS:

46/772/CDV, 46/794/RVC

IEC TC 46 : CABLES, WIRES, WAVEGUIDES, RF CONNECTORS, RF AND MICROWAVE PASSIVE COMPONENTS AND ACCESSORIES

SECRETARIAT:

United States of America

SECRETARY:

Mr David Wilson

OF INTEREST TO THE FOLLOWING COMMITTEES:

SC 46A, SC 46C

HORIZONTAL STANDARD:

FUNCTIONS CONCERNED:

EMC

ENVIRONMENT

QUALITY ASSURANCE

SAFETY

SUBMITTED FOR CENELEC PARALLEL VOTING

NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Specification for the testing of balanced and coaxial information technology cabling - Part 2: Cords as specified in ISO/IEC 11801-1 and related standards

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	11
4 Requirements	11
4.1 Cord components: cable and connector	11
4.2 Cord tests	12
4.2.1 General	12
4.2.2 Acceptance tests	13
4.2.3 Periodic tests.....	13
4.3 Cord test procedure	13
4.3.1 General	13
4.3.2 Electrical transmission parameters, test fixtures and reference test heads	14
5 Acceptance tests and additional optional tests.....	14
5.1 Visual inspection (balanced and coaxial cords).....	14
5.2 Wire map (balanced cords)	14
5.3 Return loss (balanced and coaxial cords).....	15
5.4 Pair-to-pair NEXT and PS NEXT (balanced cords)	15
5.5 Insertion loss and attenuation (balanced and coaxial cords).....	15
5.6 Pair-to-pair ACRF and PS ACRF (balanced cords).....	15
5.7 Alien crosstalk, PS ANEXT and PS AACRF, (balanced cords).....	15
5.8 Unbalance attenuation, TCL and EL TCTL, (balanced cords)	15
5.9 Coupling attenuation (screened balanced cords).....	15
5.10 Screening attenuation and transfer impedance (screened balanced and coaxial cords)	15
5.11 Propagation delay (balanced and coaxial cords)	16
5.12 Delay skew (balanced cords)	16
5.13 DC resistance (balanced and coaxial cords);	16
5.14 DC resistance unbalance within pairs (balanced cords).....	16
5.15 DC resistance unbalance between pairs (balanced cords).....	16
6 Periodic tests, procedures	16
6.1 General.....	16
6.2 Tensile strength	16
6.2.1 Object.....	16
6.2.2 Procedure.....	16
6.2.3 Requirements	17
6.2.4 Detail specification	17
6.3 Flexure	17
6.3.1 Object.....	17
6.3.2 Procedure.....	17
6.3.3 Requirements	18
6.3.4 Information to be given in the detail specification.....	18
6.4 Bending	18
6.4.1 Object.....	18

6.4.2	Procedures	18
6.5	Twisting	19
6.5.1	Object.....	19
6.5.2	Procedures	19
6.5.3	Requirements	20
6.6	Crushing	20
6.6.1	Object.....	20
6.6.2	Procedure.....	20
6.6.3	Requirements	21
6.6.4	Information to be given in the detail specification	21
6.7	Dust test	21
6.7.1	Object.....	21
6.7.2	Procedure.....	22
6.7.3	Requirements	22
6.7.4	Information to be given in the detail specification	22
6.7.5	Test chamber.....	22
6.8	Climatic sequence.....	23
6.8.1	General	23
6.8.2	Object.....	23
6.8.3	Procedure.....	24
6.8.4	Requirements	24
6.8.5	Information to be given in the detail specification	24
Annex A (normative)	Coaxial cord transmission requirements	25
A.1	General.....	25
A.2	Coaxial cord transmission requirements.....	25
A.2.1	Coaxial cord return loss	25
A.2.2	Coaxial cord screening attenuation	25
A.3	Coaxial cord testing	26
A.3.1	Cable and connector design	26
A.3.2	Coaxial cord test procedure	26
A.3.3	Coaxial cords reference test connectors	26
Annex B (normative)	Balanced cord transmission requirements	27
B.1	General requirements	27
B.1.1	General	27
B.1.2	Cable and connector types	27
B.1.3	Balanced cord connector backward compatibility	27
B.2	Balanced cord test configuration	27
B.2.1	Cable and connector design	27
B.2.2	Test configuration and equipment.....	28
B.2.3	Network analyser test configuration	29
B.2.4	Balanced cords test head requirements	29
Bibliography	32
Figure 1	– Fixture for cord flexure test	18
Figure 2	– Bending test: assembly in U shape.....	19
Figure 3	– Twisting test: assembly in U shape	20
Figure 4	– Fixture for cable crushing test	21
Figure 5	– Measuring device, dust test chamber	23

Figure B.1 – Example NEXT loss measurement circuit.....	28
Figure B.2 – Example IEC 60603-7 series 8 pole RJ45 connector type "modular" cord NEXT loss balunless test configuration	29
Table 1 – Test procedure standards for cords	12
Table B.1 – IEC 60603-7 series 8-pole RJ45 connector types standards and respective connector test procedures standards	30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATION FOR THE TESTING OF BALANCED AND COAXIAL INFORMATION TECHNOLOGY CABLING –

Part 2: Cords as specified in ISO/IEC 11801-1 and related standards

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61935-2 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) inclusion of cords up to category 8.1 and category 8.2, as defined in ISO/IEC 11801-1.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46/XX/FDIS	46/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts of the IEC 61935 series, under the general title *Specification for the testing of balanced and coaxial information technology cabling*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61935 covers testing of balanced and coaxial cords, for use as equipment cords, patch cords, and CP cords, as specified in ISO/IEC 11801-1 and related standards.

The test methods described in this document are suitable for any balanced or coaxial cords or cable assemblies that include connector terminations at each end.

Coaxial cords for connecting equipment are constructed using cable conforming to the IEC 61196-1 series and connectors conforming to the IEC 61169-1 series.

Balanced cords for connecting equipment are constructed using cable conforming to the IEC 61156-1 series and connectors conforming to the IEC 60603-7 series, IEC 61076-3-104, IEC 61076-3-110, IEC 61076-2-101, and IEC 61076-2-109.

Therefore, an object of this document is to provide test methods to ensure compatibility of cords to be used in cabling in accordance with ISO/IEC 11801-1 and to demonstrate their performance and reliability during their operational lifetime.

SPECIFICATION FOR THE TESTING OF BALANCED AND COAXIAL INFORMATION TECHNOLOGY CABLING –

Part 2: Cords as specified in ISO/IEC 11801-1 and related standards

1 Scope

This part of IEC 61935 specifies test methods for balanced and coaxial cords, which are used as equipment cords, patch cords, and CP cords, within cabling systems, in accordance with ISO/IEC 11801-1. The test methods and associated requirements are provided to demonstrate performance and reliability and to ensure compatibility of these balanced and coaxial cords during their operational lifetime. This document may also be used for providing test methodology for assessing the performance of other cords.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-61, *Environmental testing – Part 2-61: Test methods – Test Z/ABDM: Climatic sequence*

IEC 60512-26-100, *Connectors for electronic equipment – Tests and measurements – Part 26-100: Measurement setup, test and reference arrangement and measurements for connectors according to IEC 60603-7 – Tests 26a to 26g*

IEC 60512-27-100, *Connectors for electronic equipment – Tests and measurements – Part 27-100: Signal integrity tests up to 500 MHz on 60603-7 series connectors – Tests 27a to 27g*

IEC 60512-28-100, *Connectors for electronic equipment – Tests and measurements – Part 28-100: Signal integrity tests up to 2 000 MHz – Tests 28a to 28g*

IEC 60512-29-100, *Connectors for electronic equipment – Tests and measurements – Part 29-100: Signal integrity tests up to 500 MHz on M12 style connectors – Tests 29a to 29g*

IEC 60603-7, *Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors*

IEC 60603-7-1, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors*

IEC 60603-7-2, *Connectors for electronic equipment – Part 7-2: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 100 MHz*

IEC 60603-7-3, *Connectors for electronic equipment – Part 7-3: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 100 MHz*

IEC 60603-7-4, *Connectors for electronic equipment – Part 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-5, *Connectors for electronic equipment – Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-7, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors for data transmission with frequencies up to 600 MHz*

IEC 60603-7-41, *Connectors for electronic equipment – Part 7-41: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-51, *Connectors for electronic equipment – Part 7-51: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-71, *Connectors for electronic equipment – Part 7-71: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 1 000 MHz*

IEC 60603-7-81, *Connectors for electronic equipment – Part 7-81: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 2 000 MHz*

IEC 60603-7-82, *Connectors for electronic equipment – Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed connectors, for data transmission with frequencies up to 2 000 MHz*

IEC 60966-1, *Radio frequency and coaxial cable assemblies – Part 1: Generic specification – General requirements and test methods*

IEC 61076-2-101, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking*

IEC 61076-2-109, *Connectors for electronic equipment – Product requirements – Part 2-109: Circular connectors – Detail specification for connectors with M 12 × 1 screw-locking, for data transmission frequencies up to 500 MHz*

IEC 61076-3-104, *Connectors for electronic equipment – Product requirements – Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2 000 MHz*

IEC 61076-3-110, *Connectors for electronic equipment – Product requirements – Part 3-110: Detail specification for free and fixed connectors for data transmission with frequencies up to 3 000 MHz*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC TR 61156-1-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 1-2: Electrical transmission characteristics and test methods of symmetrical pair/quad cables*

IEC 61156-5, *Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-6, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification*

IEC 61156-9, *Multicore and symmetrical pair/quad cables for digital communications – Part 9: Cables for channels with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61156-10, *Multicore and symmetrical pair/quad cables for digital communications – Part 10: Cables for cords with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61169-1, *Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods*

IEC 61169-1 (all parts), *Radio-frequency connectors – Part 1*

IEC 61169-2, *Radio-frequency connectors – Part 2: Sectional specification – Radio frequency coaxial connectors of type 9,52*

IEC 61169-24, *Radio-frequency connectors – Part 24: Sectional specification – Radio frequency coaxial connectors with screw coupling, typically for use in 75 Ω cable networks (type F)*

IEC 61196-1 (all parts), *Coaxial communication cables – Part 1*

IEC 61935-1, *Specification for the testing of balanced and coaxial information technology cabling – Part 1: Installed balanced cabling as specified in ISO/IEC 11801-1 and related standards*

IEC 61935-1-1, *Specification for the testing of balanced and coaxial information technology cabling – Part 1-1: Additional requirements for the measurement of transverse conversion loss and equal level transverse conversion transfer loss*

IEC 61935-1-2, *Specification for the testing of balanced and coaxial information technology cabling – Part 1-2: Installed balanced cabling as specified in ISO/IEC 11801 – Additional requirements for measurement of resistance unbalance with field test instrumentation*

IEC 62153-4-11, *Metallic communication cable test methods – Part 4-11: Electromagnetic compatibility (EMC) – Coupling attenuation or screening attenuation of patch cords, coaxial cable assemblies, pre-connectorized cables – Absorbing clamp method*

IEC 62153-4-15, *Metallic communication cable test methods – Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell*

ISO/IEC 11801-1, *Information technology – Generic cabling for customer premises – Part 1: General requirements*

ISO/IEC 14763-4, *Information technology – Implementation and operation of customer premises cabling – Part 4: Measurement of end-to-end (E2E) links*