

PRE-RELEASE VERSION (FDIS)

Electric vehicle wireless power transfer (WPT) systems – Part 1: General requirements

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 43.120

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 61980-1 ED2

DATE OF CIRCULATION:

2020-09-04

CLOSING DATE FOR VOTING:

2020-10-16

SUPERSEDES DOCUMENTS:

69/677/CDV, 69/714B/RVC

IEC TC 69 : ELECTRICAL POWER/ENERGY TRANSFER SYSTEMS FOR ELECTRICALLY PROPELLED ROAD VEHICLES AND INDUSTRIAL TRUCKS

SECRETARIAT:

Belgium

SECRETARY:

Mr Peter Van den Bossche

OF INTEREST TO THE FOLLOWING COMMITTEES:

HORIZONTAL STANDARD:

FUNCTIONS CONCERNED:

EMC

ENVIRONMENT

QUALITY ASSURANCE

SAFETY

SUBMITTED FOR CENELEC PARALLEL VOTING

NOT SUBMITTED FOR CENELEC PARALLEL VOTING

Attention IEC-CENELEC parallel voting

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Electric vehicle wireless power transfer (WPT) systems - Part 1: General requirements

PROPOSED STABILITY DATE: 2023

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	11
4 Abbreviated terms	17
5 General	17
6 Classification	17
6.1 General	17
6.2 Power transfer technology	17
6.3 Environmental condition	18
6.4 Electric connection to supply network	18
6.5 Access	18
6.6 Protection against electrical shock	18
7 General supply device requirements	18
7.1 General architecture	18
7.2 Power transfer requirements	19
7.3 Efficiency	19
7.4 Alignment	19
7.5 Activities provided by WPT system	19
8 Communication	19
9 Power transfer interoperability	19
10 Protection against electric shock	20
10.1 General requirements	20
10.2 Degrees of protection against access to hazardous-live-parts	20
10.3 Stored energy – Discharge of capacitors	20
10.3.1 Stored energy under abnormal or fault conditions	20
10.3.2 Disconnection of plug and cable connected supply device	20
10.4 Fault protection	20
10.5 Protective conductor dimensions	21
10.6 Residual current protection device	21
10.7 Telecommunication network	22
11 Specific requirements for WPT systems	22
11.1 General	22
11.2 Touch current	22
11.3 Insulation resistance	22
11.4 Dielectric withstand characteristic	23
11.4.1 AC dielectric withstand	23
11.4.2 Impulse dielectric withstand (1,2/50 μ s)	23
11.5 Overcurrent protection and short circuit withstand	24
11.5.1 General	24
11.5.2 Maximum current for plug and cable connected supply device	24
11.6 Temperature rise and protection against thermal incidents	25
11.6.1 General	25
11.6.2 Permissible surface temperature of accessible parts of the WPT system	25

11.6.3	Temperature limits for materials	25
11.6.4	Protection against burns from heating of foreign objects	26
11.7	Resistance to abnormal heat and fire due to internal electric effects	26
11.7.1	General	26
11.7.2	Resistance of insulating materials to heat.....	26
11.7.3	Resistance of insulating materials to abnormal heat and fire due to internal electric effects.....	26
11.8	Protection from electromagnetic field	27
11.9	Emergency service disconnect (optional)	27
12	Power cable requirements	27
13	Constructional requirements	27
13.1	Supply device dimensions and installation requirements	27
13.2	Connection of plug and cable connected supply device	27
13.3	Earthing electrode and continuity	27
13.4	IP degrees	28
13.5	Breaking capacity of switching devices	28
13.5.1	Switch and switch-disconnector	28
13.5.2	Contactors.....	28
13.5.3	Circuit-breaker.....	28
13.5.4	Relays	28
13.6	Clearance and creepage distances	28
14	Strength of materials and parts	29
14.1	General.....	29
14.2	Verification of mechanical strength for the enclosure of the supply device	29
14.3	Resistance to corrosion	29
14.4	Properties of insulating materials	30
14.4.1	Verification of thermal stability of enclosures	30
14.4.2	Resistance to fire (glow wire).....	30
14.4.3	Ball pressure test.....	30
14.4.4	Resistance to tracking	30
14.4.5	Resistance to ultraviolet radiation	30
15	Service and test conditions.....	30
15.1	General.....	30
15.2	Environmental test	31
15.2.1	Ambient air temperature	31
15.2.2	Ambient humidity	31
15.2.3	Dry heat	32
15.3	Heat test under solar radiation	32
16	Electromagnetic compatibility (EMC)	32
16.1	Load and operating conditions	32
16.1.1	Load conditions	32
16.1.2	Operating conditions.....	32
16.2	Immunity requirements.....	33
16.3	Disturbance requirements	35
16.3.1	General	35
16.3.2	Limits and test conditions for disturbances in the low frequency (LF) range.....	36
16.3.3	Limits and test conditions for disturbances in the radio frequency (RF) range.....	36

17	Marking and instructions.....	41
17.1	General.....	41
17.2	Marking of supply device.....	41
17.3	Legibility	41
17.4	Connection instructions.....	41
	Bibliography.....	42
	Figure 1 – Example of a WPT system	19
	Table 1 – WPT equipment immunity requirement – Environment other than residential	34
	Table 2 – WPT equipment immunity requirement – Residential environment	35
	Table 3 – Low frequency disturbances	36
	Table 4 – Radio frequency (RF) disturbances	37
	Table 5 – Limits of the magnetic field strength for WPT system for class A in the range 9 kHz to 150 kHz	38
	Table 6 – Limits of the magnetic field strength for WPT system for class B in the range 9 kHz to 150 MHz	39
	Table 7 – Limits of the magnetic field strength for WPT system for class A in the range 150 kHz to 30 MHz	40
	Table 8 – Limits of the magnetic field strength for WPT system for class B in the range 150 kHz to 30 MHz	40

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61980-1 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the contents of IEC 61980-1:2015 have been re-organized so that this document is generally applicable to any WPT technologies;
- b) technology specific requirements, mostly for MF-WPT in the main text of IEC 61980-1:2015, have been transferred to IEC 61980-2 and IEC 61980-3;
- c) Annex A, Annex B and Annex C have been removed and contents of these annexes have been transferred to the relevant technology specific parts of the IEC 61980 series;
- d) duplications and overlaps of the requirements within IEC 61980-1:2015 have been resolved;

- e) terms and definitions which are specified in IEC 61851-1:2017 and are applicable for WPT system have been directly described in this document, with modification for some terms. The reference to IEC 61851-1 is withdrawn.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
69/XX/FDIS	69/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61980 series, published under the general title *Electric vehicle wireless power transfer (WPT) systems*, can be found on the IEC website.

In this document, the following print types are used:

- *test specifications and instructions regarding the application of this document: italic type;*
- notes: smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The IEC 61980 series is published in separate parts according to the following structure:

- IEC 61980-1 covers general requirements for electric road vehicle (EV) wireless power transfer (WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC, EMF);
- IEC 61980-2 specifically applies to magnetic field wireless power transfer (MF-WPT) for electric road vehicles and covers specific requirements for system activities and communication between the electric road vehicle side and the off-board side including general background and definitions;
- IEC 61980-3 covers specific power transfer requirements for the off-board side of magnetic field wireless power transfer systems for electric road vehicles (e.g. efficiency, electrical safety, EMC, EMF).

The requirements described in this document are general. The technical requirements for the various wireless power transfer technologies are specific. The requirements for magnetic field-wireless power transfer systems are described in IEC 61980-2 and IEC 61980-3. Further parts of this series are reserved to other technologies.

Reference to "technology specific parts" always refer to other parts of the IEC 61980 series.

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS –

Part 1: General requirements

1 Scope

This part of IEC 61980 applies to the supply device for charging electric road vehicles using wireless methods at standard supply voltages per IEC 60038 up to 1 000 V AC and up to 1 500 V DC.

Electric road vehicles (EV) covers road vehicles, including plug-in hybrid road vehicles (PHEV) that derive all or part of their energy from on-board rechargeable energy storage systems (RESS).

This document also applies to wireless power transfer (WPT) equipment supplied from on-site storage systems (e.g. buffer batteries).

The aspects covered in this document include

- the characteristics and operating conditions of a supply device,
- the specification for required level of electrical safety of a supply device,
- communication between EV device and vehicle to enable and control WPT,
- efficiency, alignment and other activities to enable WPT, and
- specific EMC requirements for a supply device.

The following aspects are under consideration for future documents:

- requirements for MF-WPT systems supplying power to EVs in motion;
- requirements for bidirectional power transfer.

This document does not apply to:

- safety aspects related to maintenance,
- WPT system for trolley buses, rail vehicles and vehicles designed primarily for use off-road, and
- any safety or EMC requirements for the vehicle side.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-5, *Environmental testing – Part 2-5: Tests – Test S: Simulated solar radiation at ground level and guidance for solar radiation testing and weathering*

IEC 60068-2-11, *Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60216 (all parts), *Electrical insulating materials – Thermal endurance properties*

IEC 60269 (all parts), *Low-voltage fuses*

IEC 60309-1, *Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements*

IEC 60309-2, *Plugs, socket-outlets and couplers for industrial purposes – Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories*

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60364-4-41:2005, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*
IEC 60364-4-41:2005/AMD1:2017

IEC 60364-4-42, *Low-voltage electrical installations – Part 4-42: Protection for safety – Protection against thermal effects*

IEC 60364-4-43, *Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent*

IEC 60364-5-54, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

IEC 60364-7-722:2018, *Low-voltage electrical installations – Part 7-722: Requirements for special installations or locations – Supplies for electric vehicles*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-12, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method*

IEC 60884-1, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*

IEC 60898 (all parts), *Electrical accessories – Circuit-breakers for overcurrent protection for household and similar installations*

IEC 60898-1, *Electrical accessories – Circuit-breakers for overcurrent protection for household and similar installations – Part 1: Circuit-breakers for a.c. operation*

IEC 60947-2, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*

IEC 60947-3, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 60947-4-1, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*

IEC 60947-6-2, *Low-voltage switchgear and controlgear – Part 6-2: Multiple function equipment – Control and protective switching devices (or equipment) (CPS)*

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*

IEC 60950-1:2005/AMD1:2009

IEC 60950-1:2005/AMD2:2013

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subject to conditional connection*

IEC 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-34, *Electromagnetic compatibility (EMC) – Part 4-34: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase*

IEC 61008-1, *Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – General rules*

IEC 61009-1, *Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) – General rules*

IEC 61180, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*

IEC 61439-1:2020, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61439-7:2018, *Low-voltage switchgear and controlgear assemblies – Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicles charging stations*

IEC 61810-1, *Electromechanical elementary relays – Part 1: General and safety requirements*

IEC 61980 (all parts), *Electric vehicle wireless power transfer (WPT) systems*

IEC 62423, *Type F and type B residual current operated circuit-breakers with and without integral overcurrent protection for household and similar uses*

IEC Guide 117:2010, *Electrotechnical equipment – Temperatures of touchable hot surfaces*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 11:2015/AMD1:2016

CISPR 11:2015/AMD2:2019

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*