



PRE-RELEASE VERSION (FDIS)

**Fibre optic active components and devices – Package and interface standards –
Part 15: Discrete vertical cavity surface emitting laser packages**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.20

Warning! Make sure that you obtained this publication from an authorized distributor.



This is a preview - click here to buy the full publication

86C/1709/FDIS

FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER: IEC 62148-15 ED3	
DATE OF CIRCULATION: 2021-01-08	CLOSING DATE FOR VOTING: 2021-02-19
SUPERSEDES DOCUMENTS: 86C/1647/CDV, 86C/1677A/RVC	

IEC SC 86C : FIBRE OPTIC SYSTEMS AND ACTIVE DEVICES	
SECRETARIAT: United States of America	SECRETARY: Mr Fred Heismann
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE: Fibre optic active components and devices - Package and interface standards - Part 15: Discrete vertical cavity surface emitting laser packages
--

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

Copyright © 2020 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions	9
3.2 Abbreviated terms	9
4 Classification	9
5 Specification of the optical interface	9
5.1 General	9
5.2 Optical connector interface	9
5.3 Pigtail interface	9
6 Specifications of electrical interfaces	9
6.1 General	9
6.2 Electrical interface specifications for VCSEL TO CAN packages	10
6.2.1 General	10
6.2.2 Numbering of electrical terminals	10
6.2.3 Electrical terminal assignment	10
6.3 Electrical interface specifications for VCSEL TOSA package with an LC connector	11
6.3.1 General	11
6.3.2 Numbering of electrical terminals	11
6.3.3 Electrical terminal assignment	11
6.4 Electrical interface specifications for VCSEL TOSA package with an SC connector	11
6.4.1 General	11
6.4.2 Numbering of electrical terminals	11
6.4.3 Electrical terminal assignment	12
7 Outline	12
7.1 General	12
7.2 Outline of VCSEL TO CAN packages	12
7.2.1 Drawings of case outline	12
7.2.2 Dimensions of VCSEL TO CAN packages	13
7.3 Outlines of VCSEL TOSA package with an LC connector for uses at low speed (below 8 Gbit/s)	14
7.3.1 Drawings of case outline	14
7.3.2 Dimensions of VCSEL TOSA package with an LC connector for uses at low speed (below 8 Gbit/s)	14
7.3.3 Optical receptacle LC style	15
7.4 Outlines of VCSEL TOSA package with an SC connector for uses at low speed (below 8 Gbit/s)	15
7.4.1 Drawings of case outline	15
7.4.2 Dimensions of VCSEL TOSA package with an SC connector for uses at low speed (below 8 Gbit/s)	16
7.4.3 Optical receptacle SC style	16
7.5 Outlines of VCSEL TOSA package with an LC connector for uses at high speed (≥ 8 Gbit/s)	16

7.5.1	Drawings of case outline.....	16
7.5.2	Dimensions of VCSEL TOSA package with an LC connector for uses at high speed (≥ 8 Gbit/s)	18
7.6	Outlines of VCSEL TOSA package with an SC connector for uses at high speed (≥ 8 Gbit/s)	18
7.6.1	Drawings of case outline.....	18
7.6.2	Dimensions of VCSEL TOSA package with an SC connector for uses at high speed (≥ 8 Gbit/s)	19
7.7	Electrical terminals of high-speed (≥ 8 Gbit/s) VCSEL TOSA packages for both cases with LC and SC connectors	20
7.7.1	Pin out terminals.....	20
7.7.2	Pad terminals	21
7.8	Outlines of VCSEL pigtail package.....	21
7.8.1	Drawings of case outline.....	21
7.8.2	Dimensions of VCSEL pigtail package	22
7.8.3	Optical connectors	22
	Bibliography.....	23

Figure 1 – Electrical terminal numbering assignments of 3-pin and 4-pin type TO CAN packages with optional colour code C for pin configuration	10
Figure 2 – Electrical terminal numbering assignments of 3-pin and 4-pin type TOSA packages with LC connector and with optional colour code C.....	11
Figure 3 – Electrical terminal numbering assignments of 3-pin and 4-pin type TOSA packages with SC connector and with optional colour code C	12
Figure 4 – Schematic diagrams and pin-out of VCSEL TO CANs with flat window, with ball lens, and with tilted window with optional colour code C on the bottom.....	13
Figure 5 – Schematic diagram of VCSEL TOSA package with LC connector and with optional colour code C on the bottom for uses at low speed (below 8 Gbit/s)	14
Figure 6 – Schematic diagram of VCSEL TOSA package with SC connector and with optional colour code C on the bottom for uses at low speed (below 8 Gbit/s)	15
Figure 7 – Schematic diagram of VCSEL TOSA package with LC connector and with optional colour code C for pin-type notation for uses at high speed (≥ 8 Gbit/s)	17
Figure 8 – Schematic diagram of VCSEL TOSA package with SC connector and with optional colour code C for pin-type notation for uses at high speed (≥ 8 Gbit/s)	19
Figure 9 – Schematic diagram and pin-out of VCSEL pigtail package with optional colour code C	22
Table 1 – Pin-function definitions of 4-pin type VCSEL TO CAN packages.....	10
Table 2 – Pin-function definitions of 3-pin type VCSEL TO CAN packages.....	11
Table 3 – Dimension of VCSEL TO CANs with flat window, ball lens and tilted window	14
Table 4 – Dimensions of VCSEL TOSA package with LC connector for uses at low speed (below 8 Gbit/s)	15
Table 5 – Dimension of VCSEL TOSA package with SC connector for uses at low speed (below 8 Gbit/s)	16
Table 6 – Dimension of VCSEL TOSA package with LC connector for uses at high speed (≥ 8 Gbit/s)	18
Table 7 – Dimension of VCSEL TOSA package with SC connector for uses at high speed (≥ 8 Gbit/s)	20
Table 8 – Pin out terminals of VCSEL TOSA package with LC and SC connectors for uses at high speed (≥ 8 Gbit/s)	21

Table 9 – Pad terminals of VCSEL TOSA package with LC and SC connectors and with flexible printed circuit board for uses at high speed (≥ 8 Gbit/s)	21
Table 10 – Dimensions of VCSEL pigtail package	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – PACKAGE AND INTERFACE STANDARDS –

Part 15: Discrete vertical cavity surface emitting laser packages

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62148-15 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the classification of optical/electrical interface types is generalized and referred to IEC 62148-1;
- b) a new pin mode is added to Table 1;
- c) several dimensions of the VCSEL TO CAN package are changed in Table 3 to reflect the current state of technology;
- d) Figure 7 is updated to show the complete details of the VCSEL TOSA package.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86C/XX/FDIS	86C/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts of the IEC 62148 series, published under the general title *Fibre optic active components and devices – Package and interface standards*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Fibre optic laser devices are used to convert electrical signals into optical signals. This document covers the physical dimension and interface for discrete vertical cavity surface emitting laser (VCSEL) packages.

FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – PACKAGE AND INTERFACE STANDARDS –

Part 15: Discrete vertical cavity surface emitting laser packages

1 Scope

This part of IEC 62148 covers the physical dimension and interface specifications for discrete vertical cavity surface emitting laser (VCSEL) devices in optical telecommunication and optical data transmission applications.

The intent of this document is to adequately specify the physical requirements of VCSEL devices that will enable mechanical interchangeability of laser devices or transmitters complying with this document both at the printed circuit wiring board and for any panel-mounting requirement

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60874 (all parts), *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables*

IEC 61754 (all parts), *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*

IEC 61754-4-100, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 4-100: Type SC connector family – Simplified receptacle SC-PC connector interfaces*

IEC 61754-20, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 20: Type LC connector family*

IEC 62148-1, *Fibre optic active components and devices – Package and interface standards – Part 1: General and guidance*

ITU-T Recommendation G.652, *Characteristics of a single-mode optical fibre and cable*

ASTM B-652.B, *Standard Specification for Niobium-Hafnium Alloy Ingots*